

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-244  
Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1983 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks.

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
DFM2.8T2HCGO	171 (2.8)	Air Injection - Pump Exhaust Gas Recirculation Three-Way Catalyst

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

<u>Equivalent Inertia Weight</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0-3999	0.39	9.0	1.0

The following are the certification emission values for this engine family:

<u>Equivalent Inertia Weight</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0-3999	0.32	6.8	0.7

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 18<sup>th</sup> day of January, 1983.



K. D. Drachand, Chief  
Mobile Source Control Division

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Ford Motor Company

Executive Order No. A-10-244

Engine Family DFM2.8T2HCGO

Evaporative Family 4DM

Engine CID (Liters) 171 (2.8)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance  
 EEC-Electronic Engine Control  
 EI-Electronic Ignition  
 ESAC-Electronic Spark  
 Advance Control  
 VA-Vacuum Advance  
 VR-Vacuum Retard

Exhaust Emissions  
 Control System

AIP-Air Injection-Pump  
 AIV-Air Injection-Valve  
 CL-Closed Loop  
 EGR-Exhaust Gas Recirculation  
 EM-Engine Modification  
 OC-Oxidation Catalyst System  
 TR-Thermal Reactor  
 TWC-Three Way Catalyst System

Special Features

CCV-Combustion Chamber Valve  
 CFI-Central Fuel Injection  
 DID-Diesel Injectin-Direct  
 DIP-Diesel Injection Prechamber

Fuel System

CFI, CL, DID, DIP, EFI, MFI  
 n' Venturi Carburetor  
 V Variable Venture

MFI-Mechanical Fuel Injection  
 TC-Turbocharged

Vehicle Line

Body Type  
 (Cab Style)

Body Code  
 (Wheelbase)

Ranger 4x2

Regular Cab  
 Regular Cab

SWB  
 LWB

Ranger 4x4

Regular Cab  
 Regular Cab

SWB  
 SWB

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars  Light Duty Trucks  Medium Duty Vehicles  Gas  Diesel

Manufacturer Ford Motor Company E.O. # A-10-244

Engine Family DFM2.8T2HCGO CID (Liter) - Type 171 (2.8) - V6

ECS (Special Features) AIP/EGR/EGS/TWC

Engine Code	Vehicle Models (Non-A/C Dyno Hp)	Trans	Equip Test Weight	Ign. System EEC IV Part No.	Fuel System 2V Part No.	EGR Valve Part No.	Label Ident Part No.
4-62S R01 A/N	Ranger 4x2 (10.0)	C3-026 -027	3125	E47F-12A650- EA	E37E-9510- ADA	E37E-9F483- AA	DTJ
(1) 4-61S R00 A/N	Ranger 4x4 (11.8)	C5-049 -050	3375				

Comments: See page one for abbreviations and evaporative emission family identification. If two test weights are listed, the lower weight will be used for testing.

\*With Air Conditioning

Issue: DEC 23 1982

Revisions: (1) Added per running change No. 2.8-176 dated March 23, 1983.