### State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-10-231 Relating to Certification of New Motor Vehicles

#### FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That 1983 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

| Engine Family | Displacement Cubic Inches (Liters) |       | Exhaust Emission Control System (Special Features)                      |  |  |
|---------------|------------------------------------|-------|---|--|--|
| DFM3.8V2GXC8  | 231                                | (3.8) | Air Injection - Pump<br>Exhaust Gas Recirculation<br>Three-Way Catalyst |  |  |

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

| Hydrocarbons   | Carbon Monoxide | Nitrogen Oxides       |
|----------------|-----------------|-----------------------|
| Grams per Mile | Grams per Mile  | <u>Grams per Mile</u> |
| 0.39           | 7.0             | 0.7                   |

The following are the certification emission values for this engine family:

| Hydrocarbons   | Carbon Monoxide | Nitrogen Oxides |
|----------------|-----------------|-----------------|
| Grams per Mile | Grams per Mile  | Grams per Mile  |
| 0.33           | 5.8             | 0.6             |

BE IT FURTHER RESOLVED: That the listed vehicle models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

day of August 1982

K. D. Drachand, Chief Mobile Source Control Division

## 1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHELT

| Manufacturer Ford Motor Company | Executive Order No. | 1-10-231 Page | 1 |
|---------------------------------|---------------------|---------------|---|
| Engine Family DFM3.8V2GXC8      | Evaporative Family  | 3DM           |   |
|                                 | Engine CID (Liters) | 231 (3.8L)    |   |

## **ABBREVIATIONS**

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
CF1, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

| Special Coatures  |
|---|
| Conten Valve Conten Valve CF1-Content Fuel Injection Direct Direct Injection- Direct Prochamber |
|   |

MFI-Mannamical

Furl Injection TC-Turb Scharged

| Vehicle Line | Body Type Body Code                                       | Nameplate   |
|--------------|---|---|
| Mustang      | 3 Dr Hatchback 61B<br>2 Dr Sedan 66B<br>2 Dr Convert. 2BL | Mustang L, Mustang GL, Mustang GLX<br>Mustang L, Mustang GL, Mustang GLX<br>Mustang GLX |
| Thunderbird  | 2 Dr Sedan 63D  | Thunderbird, Thunderbird Heritage   |
| LTD          | 4 Dr Sedan 54D<br>4 Dr Wagon 74D                          | LTD<br>LTD, LTD Squire  |
| Capri        | 3 Dr Hatchback 61D  | Capri L, Capri GS, Capri Black Magic  |
| Cougar       | 2 Dr Sedan . 66D  | Cougar, Cougar LS   |
| Marquis      | 4 Dr Sedan 54D<br>4 Dr Wagon 74D                          | Marquis, Marquis Brougham<br>Marquis  |

DRIVE SYSTEM:

Rear Wheel Drive



## 1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 2

|             |                     | •                |                              |               |              | , , ,             | •                |
|-------------|---------------------|------------------|------------------------------|---------------|--------------|-------------------|------------------|
| · ((        | Passenger Cars      | Light            | Duty Trucks                  | Medium Do     | ity Vehicles | x Gas             | Diesel           |
| ·           | Manufacturer        | Ford Motor       | r Company                    | E.O.          | #A -10-231   |                   |                  |
|             | Engine Family DFM   |                  |                              |               |              | 6                 |                  |
|             | ECS (Special Festur |                  |                              |               |              | *                 |                  |
|             | bos (special rescui | es)              |                              |               |              |                   |                  |
|             |                     | <u> </u>         |                              | -             | •            |                   |                  |
| gine        | Vehicle Models      |                  | Equi <b>v</b> Test<br>Weight | Ign. System   | Fuel System  | EGR Valve         | Label<br>Ident   |
|             |                     |                  |                              | Part No.      | Part No.     | Part No.          | Part :           |
| 14N-<br>4A≈ | LTD 54 (9.4)        | A0X026<br>A0X036 | 3375 <u>1</u> /              | E2SE-12127-DA | E3SE-9510-JA | E3ZE-9D448-<br>AA | D3AE-9<br>485-Di |
|             | LTD 74D (11.2)      | <u>2</u> /       | 3500 <u>1</u> /              |               |              |                   |                  |
|             | MRQS 54D (9.4)      |                  | 3375 <sup>(3)</sup>          |               |              |                   |                  |
|             | MRQS 74D (11.2)     |                  | 3500 <sup>(2)</sup>          | •             |              |                   |                  |
| $(( \ \ )$  | TBR3-63D (8.9)      |                  | 3500                         |               |              |                   |                  |
|             | Coug 66D (10.3)     |                  | 3375(4)                      |               |              |                   |                  |
| 14N-<br>4N  | LTD 54D (8.5)       |                  | 3375                         | E2SE-12127-DA | E3SE-9510-KA | E3ZE-9D448-<br>AA | D3AE-1<br>485-01 |
|             | LTD 74D (10.2)      |                  | 3500                         |               |              |                   |                  |
|             | MRQS 54D (8.5)      |                  | 3375 <u>1</u> /              |               |              |                   |                  |
|             | MRQS 74D (10.2)     |                  | 3500 <u>1</u> /              |               |              |                   |                  |
|             | TBR3-63D (8.1)      |                  | 3375 <sup>(4)</sup>          |               |              |                   |                  |
|             | Coug 66D (9.4)      |                  | 3375                         |               | -            |                   |                  |
|             |                     |                  |                              |               |              |                   |                  |
|             |                     |                  |                              |               |              |                   |                  |

Comments: See page one for abbreviations and evaporative emission family identification. If two test weights are listed, the lower weight will be used for testing.

\*With Air Conditioning

of Issue: Sps 20 %

Revisions:  $\underline{1}$ / Per R/C 3.8-12

2/ Per R/C 3.8-14

3.8-12 (4) R/C 3.8-33

(3) Por R/C 3.8-37

|            |                           |                        | tage No. =   |
|------------|---------------------------|------------------------|--------------|
| Passenger  | Cars Light Duty Trucks    | s Medium Duty Vehicles | x GasDiese   |
| Manufactur | er Ford Motor Company     | E.O. #A10-23           | 1            |
| Engine Fam | ily DFM3.8V2GXC8          | CID (Liter) - Type     | 231 V6 (3.8) |
| ECS (Speci | al Festures) AIP. EGR. OL | w/TWC                  |              |

| Engine<br>Code  | Vehicle Models<br>(. Dyno Hp) | Trans         | Equiv Test<br>Weight | Ign. System   | Fuel System  | EGR Valve         | Labe!<br>Ident             |
|-----------------|-------------------------------|---------------|----------------------|---------------|--------------|-------------------|----------------------------|
|                 |                               |               |                      | Part No.      | Part No.     | Part No.          | Part '                     |
| 3-14Q-<br>R01A* | TBR3-63D (8,9)                | <b>65-045</b> | 3500                 | E3ZE-12127-FA | E3SE-9510-NA | E3ZE-9D448-<br>BA | D3AE-<br>9C485-<br>DLD     |
|                 | Cougar 66D (10.3)             |               | 3500                 |               |              |                   |                            |
| 3-140=          | TBR3 63D (8.1)                |               | 3375-(Y)             |               | E3SE-9510-PA |                   |                            |
| RO              | Coug 66D (9.4)                |               | 3375                 |               |              |                   |                            |
| 3-14P-<br>R04A* | Must 61B (9.5)                | C5042         | 3250                 | E2SE-12127-BA |              | E3SE-9D448-<br>AA | D3AE-9 <sup>-</sup><br>DLE |
|                 | Must 66B (9.4)                |               | 3250                 |               |              |                   | ļ                          |
|                 | Must B2L (11.2)               |               | 3375 <u>2</u> /      |               |              |                   | 1                          |
|                 | Capri (9.1)                   |               | 3250                 |               | ·            |                   |                            |
| 3-14P-          | Must 618 (8.6)                |               | 3250                 |               | E3CE-9510-HA |                   |                            |
| R04N            | Must 66B (8.5)                |               | 3125                 |               |              |                   |                            |
|                 | Must B2L (10.2)               |               | 3250 <u>3</u> /      |               |              |                   |                            |
|                 | Capri (8.3)                   |               | 3125                 |               |              |                   |                            |
|                 |                               |               |                      |               | ·            |                   |                            |

Comments: See page one for abbreviations and evaporative emission family identification.

If two test weights are listed, the lower weight will be used for testing.

\*With Air Conditioning

of Issue: APS 22 82 Revisions: 2/ Dual Cert 3375/3250

3/ Per R/C 3.8- 31 ; 4-27-8 3

(4) R/c 3.8-33

Page No 4.

| 1 | Passenger Cars  | Light Duty Trucks       | Medium Duty V      | ehicles <u>x</u> Gas | Diese |
|---|-----------------|-------------------------|--------------------|----------------------|-------|
| 7 | Manufacturer    | Ford Motor Company      | E.O. #A            | -10-231              |       |
|   | Engine Family _ | DFM3.8V2GXC8            | CID (Liter) - Type | 231 V6 (3.8)         | )     |
|   | ECS (Special Fe | stures) AIP, EGR, OL w/ | TWC                |                      |       |

| Engine<br>Code                | Vehicle Models<br>Dyno Hp | Trans  | Equiv Test<br>Weight | Ign. System   | Fuel System Part No. | EGR Valve         | Label<br>Iden<br>Part |
|-------------------------------|---------------------------|--------|----------------------|---------------|----------------------|-------------------|-----------------------|
| 3-14Q-<br>R10A*<br><u>1</u> / | TBR3-63D (8.9)            | G5-045 | 3500                 | E3ZE-12127-FA | E3SE-9510-BFA        | E3ZE-9D448-<br>BA | E3AE-<br>9C485<br>DSH |
|                               | Cougar 66D (10.3)         |        | 3500                 |               |                      |                   |                       |
| 3-14Q-<br>R100                | TBR3 63D (8.1)            |        | 3375 <sup>-(3)</sup> |               | E3SE-9510-BGA        |                   |                       |
|                               | Coug 66D (9.4)            |        | 3375                 | •             |                      |                   |                       |
| 3-14P-<br>R10A*<br><u>1</u> / | Must 61B (9.5)            | C5042  | 3250                 | E2SE-12127-BA | E3CE-9510- JA        | E3SE-9D448-<br>AA | E3AE-9<br>DSG         |
|                               | Must 66B (9.4)            |        | 3250                 |               |                      |                   |                       |
|                               | Must B2L (11.2)           |        | 3375                 |               |                      |                   | •                     |
|                               | Capri (9.1)               |        | 3250                 |               |                      |                   |                       |
| 3-14P-                        | Must 61B (8.6)            |        | 3250                 |               | E3CE-9510-KA         |                   |                       |
| R10N<br>1/                    | Must 66B (8.5)            |        | 3125                 | ·             |                      |                   |                       |
| <del></del> '                 | Must B2L (10.2)           |        | 3250 <u>2</u> /      |               |                      |                   |                       |
|                               | Capri (8.3)               |        | 3125                 |               |                      |                   |                       |
|                               |                           |        |                      |               |                      |                   |                       |

Comments: See page one for abbreviations and evaporative emission family identification. If two test weights are listed, the lower weight will be used for testing.

\*With Air Conditioning

of Issue: 12/13/82

Re sions: 1/ Per R/C 3.8-9

2/ Per R/C 3.8-31 ', 4-27-83

(3) R/C 3,8-33

| ·. ·                | Manu   | facturer _                                 | Lf      | ght-Duty                          | y Trucks                 | •                    | E.O. AL DATA SHEET uty Vehicles Page Engin           | 5.                | Diesel                 |
|---------------------|--|--|---------|-----------------------------------|--------------------------|----------------------|--|-------------------|------------------------|
|                     | Engine Family DFM3.8V2GXC8  ECS (Special Features) |  |         | Code CID (Liter)- Type 231 (3.8L) |                          |                      |  |                   |                        |
|                     | igine<br>lode                                      | Vehicle<br>(If Cod<br>attach<br>(Mon-A/C I | ment)   |                                   | Equiv.<br>Test<br>Weight | Ign. System Part No. | Fuel System Part No.                                 | EGR Valve         | Label<br>Ident         |
| 3-14Q-R<br><u>1</u> |  | Thunderb<br>(8.1)<br>Cougar-6<br>(9.4)     | ird-63D |                                   | 3375 <u>2</u> /          | E32E-12127-<br>FA    | E3SE-9510-BFA<br>(A/C)<br>E3SE-9510-BGA<br>(non A/C) | E3SE-9D474-<br>BA | E3SA-<br>9C485-<br>DSH |

Comments: See page one for abbreviations and evaporative emission family identification.

 $<sup>\</sup>frac{1}{2}$ / Per R/C 3.8-35  $\frac{2}{2}$ / Dual Cert. 3500/3375