State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-2-14 Relating to Certification of New Motor Vehicles

FUJI HEAVY INDUSTRIES, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESCLVED: That 1983 model-year Fuji Heavy Industries, Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)
DFJ1.8V2FCF1	109	(1.8)	Air Injection - Valve Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0.41	7.0	0.7	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.17	5.1	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 29th day of July, 1982.

D. Drachand. Chief

Mobile Source Control Division

Test Weight/Horsepower List

Engine Family	Engine Code	Transmission	Mode1	Test Weight	Horsepower
	D1.6V2CM D1.6V2CMA	Manual-4	AF2	2375 lbs.	8.3 HP
			AF2		8.3 HP
	D1.6V2CM		AB2	0075 11	7.7 HP
DFJ1.6V2FCEX		Manual-5	AW2	2375 lbs.	7.1 HP
		manua1-3	AF2		8.3 HP
	D1.6V2CMA		AB2	2500 lbs.*	7.7 HP
			AW2		7.1 HP
	D1.8V2CM D1.8V2CMA	Manua1-5	AF2	2500 lbs.*	9.1 HP*
			AB2		8.5 HP*
			AW2		7.8 HP*
DFJ1.8V2FCF1			AM2	2625 lbs.*	8.8 HP*
			AF2	2500 lbs.*	9.1 HP*
	D1.8V2CA D1.8V2CAA	Automotic 2	AB2	2625 lbs.*	8.5 HP*
		Automatic-3	AW2	2025 IDS.*	7.8 HP*
			AM2	2750 lbs.*	8.8 HP*

*Weight of air conditioner is included and 10 % factor for air conditioner is added because air conditioner is expected to be installed on more than 33 % of all carlines within DFJ1.8V2FCF1 engine family.

~	
CAL LD	V

				 			l Page IS∭ Sat	ISPACTORY UNSATISFACTORY
	Issue Dat	te: 6	5/18/82	Page:	17-15		DATE	EPA REP
V		1						
	Revision			 		ļ <u>.</u>		
	Date		.•					

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer _	Fuji Heavy Ind.	Executive Order No.	A-2-14	_ Page _]
Engine Family	DFJ1.8V2FCF1	Evaporative Family	NU	_	
		Engine CID (Liters) _	109 (1.8)	_	

ABBREVIATIONS

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three Way Catalyst System

Special Features
CCV-Combustion
Chamber Valve
CFI-Central Fuel
Injection
DID-Diesel
InjectionDirect

DIP-Diesel Injection-Prechamber

MFI-Mechanical Fuel Injection TC-Turbocharged

Vehicle Models

AF4 (SUBARU 1800 2-door Hatchback) AB4 (SUBARU 1800 4-door Sedan) AW4 (SUBARU 1800 Hardtop) AM4 (SUBARU 1800 Station Wagon)

DRIVE SYSTEM: Front engine/front transaxle drive

012281

CAL LDV

Page	2	
· myc		

1983 AIR RESOURCES BOARD SUPPLEMENTAL	DATA	SHEET
---------------------------------------	------	-------

			Industries Ltd. (SUBAR			
			CID (liter) - Type 109	(1.8) - HO4	erinene e e en erin a
ECS	(Special Features)	E	GR, AIV, TWC+CL			
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Ign. System CA, VA, EI Part No.	Fuel System 1 - 2V Part No.	EGR Valve	Ident.
			rait NO.	rart No.	Part No.	Part No.
A A A	AF4	M5	Nippondenso 100291-0080	Hitach DCP306-18	Hitachi	Tune-up
	AB4 AW5 AM5		Fuji Part No. 429878602		APDQ72-3A	02
	AM5			Fuji Part No. 429978370	Fuji Part No. 469997450	Vacuum Hose Routing 11
D1.8V2CMA	AF4 AB4 AW4					
	AM4					
D1.8V2CA	AF4 AB4 AW4	А3		Hitachi DCP306-19	Hitachi APDQ72-4A	Tune-up 02
	AM4			Fuji Part No. 429978870	Fuji Part No. 469997350	Vacuum Hose Routing 09
D1.8V2CAA	AF4		·			
	AB4 AW4		·			
	AM4					

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - Revisions:

211981

CAL LDV