State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-238 Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1983 model-year General Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

Engine Family		cement es (Liters)	Exhaust Emission Control Systems (Special Features)
D2G1.8V5TDGX	110	(1.8)	Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop (Central Fuel Injection)

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides				
Grams per Mile	Grams per Mile	Grams per Mile				
0.24	2.5	0.7				

BE IT FURTHER RESOLVED: That the listed vehicle models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 27

day of July, 1982

K. D. Drachand, Chief

Mobile Source Control Division

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer General Motors Corporation Executive Order No. A-6-238 Page 1

Ingine Family D2G1.8V5TDGX Evaporative Family 3B0-2B

Engine CID (Liters) 110 (1.8)

ABBREVIATIONS

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Exhaust Emissions Control System AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three Way Catalyst System

Headings Special Features AIR COND-Air Conditioning CCV-Combustion BB-Basic Body Chamber Valve BT-Body Type CFI-Central Fuel DI-Diesel Injection Injection DIN-Diesel Injector Nozzles DID-Diesel DIV-Division Injection-ECM-Electronic Control Module Direct ETW-Equivalent Test Weight DIP-Diesel TLC-Tune-Up Label Code Injection-TNS-Transmission Prechamber TM-Trim MFI-Mechanical Fuel Injection Fuel System TC-Turbocharged CFI, CL, DID, MFI, TBI TBI-Throttle Body nV-nVenturi Carburetor Injection

VIV	<u>BB</u>	TM	<u>BT</u>	MODEL NAME	DIV	<u>BB</u>	TM	<u>BT</u>	MODEL NAME					
2				PONTIAC	4				BUICK					
	J	В	27	2000 Coupe		J	Ε	27	Skyhawk "T-Type" Coupe (A)					
			35	2000 Wagon			S	27	Skyhawk Coupe					
			69	2000 Sedan				35	Skyhawk Wagon					
			77	2000 Hatchback Coupe				69	Skyhawk Sedan					
		C	27	2000 LE Coupe			T	27	Skyhawk Limited Coupe					
			35	2000 LE Wagon				35						
			67	2000 LE Convertible(B)				69	Skyhawk Limited Sedan					
			69	2000 LE Sedan										
		D	77	2000 SE Hatchback Coupe										
3				OLDSMOBILE										
	J	C	35	Firenza Cruiser Wagon										
			69	Firenza										
			77	Firenza S										
		D	35	Firenza Cruiser LX Wagon										
			69	Firenza LX										
			77	Firenza SX										

VV-Variable Venturi

DRIVE AXLE: Front (B)

*SSUED: 072782

REVISIONS: (A) Model added by RC 32-096 on 09-20-82. (B) Model added by RC 32-153. Also added front drive information on 121682.

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET GASOLINE-FUELED PASSENGER CARS

ำทนf	acture	r <u>Gen</u>	eral Moto	rs Corporati	<u>ion</u> Execut	ive Ord	er No.	A	-6-	238	_ Pag	e	2
Engin	ne Fami	ly <u>D</u>	2G1.8V5TD	GX Exhaust	Emission	Control	System	·	EGF	R, Th	IC, CL	, CFI	(A)
ENG. CID	ENG. CODE	AIR COND	ECM PART NO	TBI . PART NO.	EGR VALVE PART NO.		DIV	. В В	T M	ВТ	TNS	TLC	REV. NOTES
110	110 1	W &	16026712	17082066	17082729	2750	2	J		27	A-3	TAY	
		WO				2875	23 234 23	J J J	<u> </u>	27 35 69 77			В
						3000	2 4	J		35. 67			BC C
	2	W & WO	16026732	17082061		2750	2 4	J J		27 69	M-5		Α
•						2875	234 23 23	J J J		35 69 77			В
						3000	2	J		67			С

See page one for abbreviations and evaporative emission family identification Comments: Please refer to manufacturer's HP lists for correct dyno test HP settings based on model, equipment and frontal area.

7JL82

REVISIONS: A. Corrected 04AU82. B. Revised 10AU82, RC 32-056. C. Model 2JC67 added and models 4JS34 and 4JT35

ISSUED: 27JL82

revised 121682, RC 32-153.