

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-249
Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-3, and G-45-4;

IT IS ORDERED AND RESOLVED: That 1983 model-year General Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars..

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
D3G5.0W4ARA3	307 (5.0)	Air Injection - Pump Exhaust Gas Recirculation Three Way Catalyst System with Closed Loop

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.39	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.22	3.4	0.5

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 30th day of June, 1982.


K. D. Drachand, Chief
Mobile Source Control Division

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer General Motors Corporation Executive Order No. A-6-249 Page 1
 Engine Family D3G5.0W4ARA3 Evaporative Family 3B4-3B
 Engine CID (Liters) 307 (5.0)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
 EEC-Electronic Engine Control
 EI-Electronic Ignition
 ESAC-Electronic Spark Advance Control
 VA-Vacuum Advance
 VR-Vacuum Retard

Exhaust Emissions Control System

AIP-Air Injection-Pump
 AIV-Air Injection-Valve
 CL-Closed Loop
 EGR-Exhaust Gas Recirculation
 EM-Engine Modification
 OC-Oxidation Catalyst System
 TR-Thermal Reactor
 TWC-Three Way Catalyst System

Headings

AIR COND-Air Conditioning
 BB-Basic Body
 BT-Body Type
 DI-Diesel Injection
 DIN-Diesel Injector Nozzles
 DIV-Division
 ECM-Electronic Control Module
 ETW-Equivalent Test Weight
 TLC-Tune-Up Label Code
 TNS-Transmission
 TM-Trim

Fuel System

CFI, CL, DID, EFI, MFI
 nV-nVenturi Carburetor
 VV-Variable Venturi

Special Features

CCV-Combustion Chamber Valve
 CFI-Central Fuel Injection
 DID-Diesel Injection-Direct
 DIP-Diesel Injection-Prechamber
 MFI-Mechanical Fuel Injection
 TC-Turbocharged

<u>DIV</u>	<u>BB</u>	<u>TM</u>	<u>BT</u>	<u>MODEL NAME</u>	<u>DIV</u>	<u>BB</u>	<u>TM</u>	<u>BT</u>	<u>MODEL NAME</u>
3				OLDSMOBILE	4				BUICK
	B	L	69	Delta 88 Sedan		B	N	37	LeSabre Custom Coupe
		N	37	Delta 88 Royale Coupe			N	69	LeSabre Custom Sedan
		N	69	Delta 88 Royale Sedan			P	37	LeSabre Limited Coupe
		P	35	Custom Cruiser Wagon			P	69	LeSabre Limited Sedan
		Y	37	Delta 88 Royale Brougham Coupe			R	35	LeSabre Estate Wagon
		Y	69	Delta 88 Royale Brougham Sedan			V	35	Electra Estate Wagon
	G	H	35	Cutlass Cruiser Brougham Wagon		C	W	37	Electra Park Avenue Coupe
		K	47	Cutlass Supreme Calais Coupe			W	69	Electra Park Avenue Sedan
		M	47	Cutlass Supreme Brougham Coupe			X	37	Electra Limited Coupe
		M	69	Cutlass Supreme Brougham Sedan			X	69	Electra Limited Sedan
		R	47	Cutlass Supreme Coupe					
		R	69	Cutlass Supreme Sedan		E	Y	57	Riviera "T-Type" Coupe
	C	W	69	Ninety-Eight Regency Brougham Sedan			Z	57	Riviera "Luxury" Coupe
		X	37	Ninety-Eight Regency Coupe			Z	67	Riviera Convertible Coupe
		X	69	Ninety-Eight Regency Sedan					
	E	Z	57	Toronado Brougham Coupe					

DRIVE AXLE: E Models - Front Wheel Drive
 Other Models - Rear Wheel Drive

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
GASOLINE-FUELED PASSENGER CARS

Manufacturer General Motors Corporation Executive Order No. A-6-249 Page 2

Engine Family D3G5.0W4ARA3 Exhaust Emission Control System AI-P, EGR, TWC, CL

ENG. CID	ENG. CODE	AIR COND	ECM PART NO.	CARB. PART NO.	EGR VALVE PART NO.	ETW	DIV	B	T	BT	TNS	TLC	REV. NOTES								
307	1	W/WO	16023453	17083253	17075690, 17083808	3750	3	G		47	A3	SAN	B								
								G		69		SBU									
								<hr/>													
										4000	3	G			35						
								<hr/>													
										4250	34	B			37		A				
											34	B			69						
								<hr/>													
									2		16023473				4000	3	B		37	A4	
																3	B	L	69		
<hr/>																					
						4250	4	B		37											
							3	B	NY	69											
							4	B		69											
							3	C		37											
							3	C		69											
<hr/>																					
						4500	4	C		37											
							4	C		69											
<hr/>																					
	3		16023513	17083250		4250	34	E		57											
							4	E		67											
<hr/>																					
	4		16023493	17083253		4500	3	B		35											
						4750	4	B		35											

Comments: See page one for abbreviations and evaporative emission family identification
Please refer to manufacturer's HP lists for correct dyno test HP settings
based on model, equipment and frontal area.

ISSUED: REVISIONS: A. ETW of 3BN37, 3BY37, 3BL69 was 4000 before RC
33-146 on 111682. B. TLC, SBU, added by RC 33-201 on 022483

0229U/47U