

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-22-21  
Relating to Certification of New Motor Vehicles

SAAB-SCANIA AB

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1983 model-year Saab-Scania AB exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
DSA2.0V6FTA9	121.1 (2.0)	Three-Way Catalyst with Closed Loop (Mechanical Fuel Injection) (Turbocharger)

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.41	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.18	2.2	0.4

BE IT FURTHER RESOLVED: That the listed vehicle models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 20<sup>th</sup> day of August, 1982.

  
K. D. Drachand, Chief  
Mobile Source Control Division

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer SAAB-SCANIA Executive Order No. A-22-21 Page 1  
 Engine Family DSA2.0V6FTA9 Evaporative Family 900-2 & 900-3  
 Engine CID (Liters) 121.1 (2.0)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance  
 EEC-Electronic Engine Control  
 EI-Electronic Ignition  
 ESAC-Electronic Spark Advance Control  
 VA-Vacuum Advance  
 VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI  
 nV-nVenturi Carburetor  
 VV-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump  
 AIV-Air Injection-Valve  
 CL-Closed Loop  
 EGR-Exhaust Gas Recirculation  
 EM-Engine Modification  
 OC-Oxidation Catalyst System  
 TR-Thermal Reactor  
 TWC-Three Way Catalyst System

Special Features

CCV-Combustion Chamber Valve  
 CFI-Central Fuel Injection  
 DID-Diesel Injection-Direct  
 DIP-Diesel Injection-Prechamber  
 MFI-Mechanical Fuel Injection  
 TC-Turbocharged

Model(s): SAAB 900 APC Turbo 3-Door Hatchback  
 SAAB 900 APC Turbo 4-Door Sedan  
 (1) SAAB 900 APC Turbo Friction Tester

DRIVE SYSTEM: Front engine, front drive

(1) Model added 3-17-83

## 1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars     Light-Duty Trucks     Medium-Duty Vehicles     Gas     Diesel

Manufacturer Saab-Scania AB E.O. #A-22-21

Engine Family DSA2.OV6FTA9 CID (liter) - Type 121.1(2.0), I-4

ECS (Special Features) TWC/CL (MFI, TC)

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System	Fuel System	EGR Valve	Label Ident.
				Part No.	Part No.	Part No.	Part No.
APCM5-AC(*)	900 Turbo - 3-door hatchback	M5	3125	Robert Bosch 0237026003	Robert Bosch Fuel Injection Control Unit 0438040100  Air flow sensor 0438120159  Fuel Dist- ributor 0438100058	-N/A	9365081 (Pink)
	900 Turbo - 4-door Sedan						
AP A3-AC(*)	900 Turbo 3-door hatchback	A3	same as above	Same as above	Same as above	Same as above	Same as above
	900 Turbo 4-door sedan						

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -

Revisions:

## 1983 AIR RESOURCES BOARD TEST WEIGHT/HORSEPOWER LIST

<u>Configuration</u>	<u>Equivalent Test Weight</u>	<u>Horsepower</u>
900 3-Door Hatchback/M5	2875	8.3
900 3-Door Hatchback/M5 with AC	3000	9.2
900 4-Door Sedan/M5	3000	8.0
900 4-Door Sedan/M5 with AC	3000	8.8
900 3-Door Hatchback/A3	2875	8.3
900 3-Door Hatchback/A3 with AC	3000	9.2
900 4-Door Sedan/A3	3000	8.0
900 4-Door Sedan/A3 with AC	3000	8.8
900S 3-Door Hatchback/M5 with AC	3000	9.2
900S 4-Door Sedan/M5 with AC	3000	8.8
900S 3-Door Hatchback/A3 with AC	3000	9.2
900S 4-Door Sedan/A3 with AC	3125	8.8
900 Turbo 3-Door Hatchback/M5 with AC	3125	7.3
900 Turbo 4-Door Sedan/M5 with AC	3125	8.8
900 Turbo 3-Door Hatchback/A3 with AC	3125	7.3
900 Turbo 4-Door Sedan/A3 with AC	3125	8.8