State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-253 Relating to Certification of New Motor Vehicles

ZIMMER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3, and G-45-4;

IT IS ORDERED AND RESOLVED: That 1983 model-year Zimmer Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks.

Engine Family	Displacem Cubic Inches		Exhaust Emission Control Systems (Special Features)			
DZM2.6T6FXX3	163	(2.7)	Three-Way Catalyst with Closed Loop (Mechanical Fuel Injection)			

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
4000-5999	0.50	9.0	1.0

The following are the certification emission values for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
4000-5999	0.35	5.3	0.8

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 22

K. D. Drachand, Chief Mobile Source Control Division

day of July, 1983.

E.O. #A-253 198 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET							
Pass	enger Cars <u>X</u> Li	ght-Duty	/ Trucks	Medium-Du	uty Vehicles	<u>X</u> Gas	Diesel
Manu	facturer <u>Zimmer</u>	Corporat	ion		Page Engin	2	
Engine Family DZM2.6T6FXX3					Code 83A		
ECS (Special Features) TWC-CL (MFI)				CID (Liter)- Type 163 (2.7) V6			
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System Bosch	Fuel System (MFI)	EGR Valve	Label Ident.
	a tracriment)	,,,	nergne	Part No.	Part No.	Part No.	Part No.
83A	Mobile Traveler	А3	5250	Bosch 0280-800-050	Bosch - Fuel	n/a	
,							
			İ				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -

1984 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer Zimmer Corporation	Executive Order No.	A-253
Engine Family <u>DZM2.6T6FXX3</u>	Evaporative Family _	DZM2.6T6FXX3
	Engine CID (Liters)	163 (2.7) V6

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fue 1 Injection MFI-Mechanical Fuel Injection TC-Turbocharged

VEHICLE MODELS:

Astron Mobile Traveler

DRIVE SYSTEM: Front (N-S) Engine/ Front-Wheel Drive