### State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-17-83 Relating to Certification of New Motor Vehicles

#### AMERICAN MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That 1985 model-year American Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

| Engine Family | Displacement<br>Cubic Inches (Liters) |       | Exhaust Emission Control Systems (Special Features)                                       |  |  |  |
|---------------|---------------------------------------|-------|---|--|--|--|
| FAM258T2HEAO  | 258                                   | (4.2) | Air Injection - Valve<br>Exhaust Gas Recirculation<br>Three-Way Catalyst with Closed Loop |  |  |  |

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

| Equivalent<br>Inertia<br>Weight | Hydrocarbons<br>Grams per Mile | Carbon Monoxide<br>Grams per Mile | Nitrogen Oxides<br>Grams per Mile |
|---------------------------------|--------------------------------|-----------------------------------|-----------------------------------|
| 4000-5999                       | 0.50                           | 9.0                               | 1.0                               |

The following are the certification emission values for the above engine family:

| Equivalent<br>Inertia<br>Weight | Hydrocarbons<br>Grams per Mile | Carbon Monoxide<br>Grams per Mile | Nitrogen Oxides<br>Grams per Mile |
|---------------------------------|--------------------------------|-----------------------------------|-----------------------------------|
| 4000-5999                       | 0.37                           | 8.1                               | 0.6                               |

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

This Executive Order superceded Executive Order A-17-77, dated June 20, 1984, for vehicles in the 4000-5999 Equivalent Inertia Weight class.

Executed at El Monte, California this

 $\frac{2}{2}$  day of January, 1985.

K. D. Drachand, Chief Mobile Source Division

## 1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer American Motors Corporation Executive Order No. A-17-83 FT-258B-1P Engine Family FAM258T2HEAO Evaporative Family FT-258B-1S Engine CID (Liters) 258 (4.2)

#### ABBREVIATIONS:

Ignition System

CA - Centrifugal Advance

EEC - Electronic Engine Control

EI - Electronic Ignition

ESAC - Electronic Spark Advance Control

VA - Vacuum Advance VR - Vacuum Retard

Fuel System CFI, CL, DID, DIP, EFI, MFI

- nVenturi Carburetor

VV - Variable Venturi

VEHICLE MODELS: 15 = Grand Wagoneer 4WD

26 = Pickup Truck 4WD 38 = Eagle Wagon 4WD

Exhaust Emissions Control System AIP - Air Injection-Pump AIV - Air Injection-Valve

CL - Closed Loop

EGR - Exhaust Gas Recirculation

EM - Engine Modification

OC - Oxidation Catalyst System TOC - Trap Oxidizer Continual

TOP - Trap Oxidizer Periodical

TR - Thermal Reactor

TWC - Three-Way Catalyst System

<u>Special Features</u> <u>CCV - Combustion Chamber Valve</u>

CFI - Central Fuel Injection

DID - Diesel Injection-Direct

DIP - Diesel Injection-Prechamber

EFI - Electronic Fuel Injection

IC - Intercooler

MFI - Mechanical Fuel Injection

TC - Turbocharged

DRIVE SYSTEM: Front

ENGINE/ Front & Rear -WHEEL DRIVE

## 1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

| Passe           | nger Cars Light-D                                  | uty Tr       | ucks_X         | Medium-Duty Veh                           | nicles Gas           | X Diesel            | _                   |
|-----------------|--|--------------|----------------|---|----------------------|---------------------|---------------------|
| Manuf           | acturer <u>American Mo</u>                         | tors (       | Corporat       | ion                                       | Pag                  | je <u>2</u>         | -                   |
| Engin           | e Family <u>FAM258T2HE</u> A                       | 0            |                |   | Engine Co            | de                  | <del></del>         |
| ECS (           | Special Features) <u>C</u>                         | L+EGR+       | AIV+TWC        | (None) CI                                 | ID (Liter) Ty        | pe <u>258(4.2)</u>  | 16                  |
| Engine <br>Code | Vehicle Models<br>(If Coded See<br>Attachment)(Hp) | Trans        | Test           | Ignition System<br>  CA, VA<br>  Part No. | CL, 2V               |                     | Ident.              |
| 1M2             | 15, 26   | <br>  M4<br> | <br>  4250<br> | 8933002353                                | <br>  8933001708<br> | <br> 8933001951<br> | <br> 8953001879<br> |
| 1A2             | 26   | A3           | <b>4</b> 250   |   | 8933001707           | 8933000889          | <br> 8953001878     |
| 1A2             | 15   | A3           | 4500           |   | 1                    |                     |                     |
| 1A3             | 38   | <br>  A3     | 3875           |   | <br>                 | 8933000828          | <br> 8933002335     |
|                 |  |              |                |   |                      |                     |                     |
|                 |  | <u> </u>     |                |   |                      |                     | <u> </u>            |
| <u> </u>        |  | <u> </u>     |                |   |                      |                     |                     |
| <br>            |  |              |                |   |                      |                     |                     |
| <u></u>         |  |              |                |   |                      |                     |                     |
|                 |  |              | 1              |   |                      |                     |                     |
|                 |  |              |                |   |                      |                     |                     |
|                 |  |              |                |   |                      |                     | 1                   |

(See Page 1 for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.)

Note: Add 10% to dyno test HP for air conditioning usage.

Date of Issue:

Comments:

UPCATED TO A-17-83 ON 1-15-85.