

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-30
Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
FHN1.8V3FYC4	112 (1.8)	Air Injection - Valve Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.39	7.0	0.7

The following are the certification emission values for the above engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.16	2.6	0.2

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 14th day of November, 1984.


K. D. Drachand, Chief
Mobile Source Division

Manufacturer HONDA Executive Order No. A-23-30
 Engine Family FHN1.8V3FYC4 Evaporative Family 85FB
 Engine CID (Liters) 112 (1.8)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
 EEC-Electronic Engine Control
 EI-Electronic Ignition
 ESAC-Electronic Spark Advance Control
 VA-Vacuum Advance
 VR-Vacuum Retard

Exhaust Emissions Control System

AIP-Air Injection-Pump
 AIV-Air Injection-Valve
 CL-Closed Loop
 EGR-Exhaust Gas Recirculation
 EM-Engine Modification
 OC-Oxidation Catalyst System
 TOC-Trap Oxidizer Continual
 TOP-Trap Oxidizer Periodical
 TR-Thermal Reactor
 TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve
 CFI-Central Fuel Injection
 DID-Diesel Injection-Direct
 DIP-Diesel Injection-Prechamber
 EFI-Electronic Fuel Injection
 IC - Intercooler
 MFI-Mechanical Fuel Injection
 TC-Turbocharged

Fuel System

CFI, CL, DID, DIP, EFI, MFI
 nV-nVenturi Carburetor
 VV-Variable Venturi

VEHICLE MODELS:

Accord HB
 Accord LX HB
 Accord Sedan
 Accord LX Sedan

DRIVE SYSTEM: Front Engine/ Front -Wheel Drive

012584

08.00.00 GENERAL TECHNICAL DESCRIPTION

E.O.# A-23-30Eng. Form. FHNI.8V3FYCY

Vehicle Road Load

<u>Model</u>	<u>CD HP</u>	<u>CD TIME</u>	<u>TIRE</u>	<u>TRANS</u>	<u>ETW</u>	<u>A/C</u>
Civic 1.3 HB	7.0	13.67	P165/70R13	M4	2125	N
Civic Coupe HF	5.8	15.48	P165/70R13	M5	2000	N
Civic 1.5 Coupe	6.5	12.78	175/70SR13	M5/A3	2125	N
	7.2	11.96	175/70SR13	M5	2125	Y
				A3	2250	Y
Civic 1.5 DX HB	7.2	13.94	P175/70R13	M5/A3	2250	N
	7.9	13.05	P175/70R13	M5/A3	2250	Y
Civic 1.5 S HB	7.2	12.67	175/70SR13	M5	2250	N
	7.9	11.99	175/70SR13	M5	2250	Y
Civic Sedan	8.3	12.64	P175/70R13	M5	2250	N
				A3	2375	N
	9.1	12.44	P175/70R13	M5	2375	Y
	9.1	11.84	P175/70R13	A3	2375	Y
Civic Wagon	8.7	12.64	P175/70R13	M5/A3	2375	N
	9.6	11.78	P175/70R13	M5/A3	2375	Y
Prelude	7.1	14.43	185/70SR13	M5/A4	2625	N
	7.8	13.59	185/70SR13	M5/A4	2625	Y
Accord HB	7.4	14.08	P185/70R13	M5	2500	N
				A4	2625	N
	8.1	13.31	P185/70R13	M5/A4	2625	Y
Accord LX HB	6.9	14.05	P185/70R13	M5/A4	2625	N
	7.6	13.32	P185/70R13	M5/A4	2625	Y
Accord Sedan	7.5	14.69	P185/70R13	M5	2625	N
	7.4	14.08	P185/70R13	A4	2625	N
	8.2	13.85	P185/70R13	M5	2625	Y
				A4	2750	Y
Accord LX Sedan	8.1	12.80	P185/70R13	M5	2625	Y
				A4	2750	Y