

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-61
Relating to Certification of New Motor Vehicles

MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Mitsubishi Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
FMT2.6V5FCC6	155.9 (2.6)	Air Injection - Valve Exhaust Gas Recirculation Three Way Catalyst with Closed Loop (Central Fuel Injection) (Combustion Chamber Valve) (Intercooler) (Turbocharger)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.39	7.0	0.7

The following are the certification emission values for the above engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.14	1.9	0.6

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 24th day of January, 1985.


K. D. Drachand, Chief
Mobile Source Division

1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Mitsubishi Motors Corp. Executive Order No. A-86-61
 Engine Family ^{FMT2.6V5FCG} 2.6IC Evaporative Family IC
 Passenger Cars X Light-Duty Trucks Medium-Duty Vehicles
 Gas X Diesel
 Engine CID (liter) - Type 155.9 (2.6) - L4
 ECS (Special Features) AIV+CL+EGR+TWC (CCV+CFI+EFI+IC+TC)
 Drive System Front engine / Rear drive
 Add 10% to dyno test HP for air conditioning usage X

Engine Code	Vehicle Model (If Coded see attachment)	Trans.	ETW (HP)	Ign. System CA, EI, VA Part No.	Fuel System CFI, CL, EFI Part No.	EGR Valve Part No.	Label Ident. Part No.
ABM-C	Dodge Conquest	M5	3250	Distributor	46EID-605	K5T53974	VECI
BM-C	Plymouth Conquest		(9.5)	T4T63372			MD093867
	Mitsubishi Starion						
							Vac Hose MD086402

Note: Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment.

Issued : 10-12-84
 Revised: