

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-81
Relating to Certification of New Motor Vehicles

NISSAN MOTOR COMPANY, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Nissan Motor Company, Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>		<u>Exhaust Emission Control Systems (Special Features)</u>
FNS3.OV5HAC3	180.6	(3.0)	Air Injection - Valve Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.39	7.0	0.7

The following are the certification emission values for the above engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.22	2.9	0.4

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 10th day of August, 1984.



K. D. Drachand, Chief
Mobile Source Division

17.01.03.00 Test Weight/Horsepower List

E.O. No. A-15-81

Vehicle Model	Test Weight	Test Horsepower		
		Determination Method	With A/C factor	Without A/C factor
MAXIMA SEDAN	3,375	Coastdown method	9.2	
MAXIMA SEDAN	X 3,500		9.2	
MAXIMA WAGON	3,625		9.5	

17.01.02.00 1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer NISSAN MOTOR CO., LTD. Executive Order No. A-15-81
 Engine Family FNS3.0V5HAC3 Evaporative Family 5FI6-1
 Engine CID (Liters) 180.6 CID (3.0 l)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
 EEC-Electronic Engine Control
 EI-Electronic Ignition
 ESAC-Electronic Spark Advance
 Control
 VA-Vacuum Advance
 VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI
 nV-nVenturi Carburetor
 V-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump
 AIV-Air Injection-Valve
 CL-Closed Loop
 EGR-Exhaust Gas Recirculation
 EM-Engine Modification
 OC-Oxidation Catalyst System
 TR-Thermal Reactor
 TWC-Three Way Catalyst System
 ECC-Electronic Control Carburetor
 ECCS-Electronic Concentrated
 Control System

Special Features

CCV-Combustion
 Chamber Valve
 CFI-Central Fuel
 Injection
 DID-Diesel
 Injection-
 Direct
 DIP-Diesel
 Injection-
 Prechamber
 EFI-Electronic
 Fuel
 Injection
 MFI-Mechanical
 Fuel
 Injection
 TC-Turbocharged

VEHICLE MODELS:

Engine Code	Model	Transmission
AV30ECM1	MAXIMA SEDAN	5-speed Manual
AV30ECA1	MAXIMA SEDAN MAXIMA WAGON	Automatic

DRIVE SYSTEM: Front Engine/ Front -Wheel Drive

Issue Date: 06/14/84

Revision Date:

17.01.02.00 - cont.

E.O. #A-15-81

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars Light-Duty Trucks Medium-Duty Vehicles Gas Diesel

Manufacturer NISSAN MOTOR CO., LTD. Page 2
 Engine Family FNS3.OV5HAC3 Engine Code AV30ECM1, AV30ECA1
 ECS (Special Features) EFI/EGR/AIV/TWC/CL/ECCS (Dual Cat) CID (Liter)-Type 180.6 (3.0) - V6

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System Part No.	Fuel System Part No.	EGR Valve Part No.	Label Ident. Part No.
AV30ECM1	MAXIMA SEDAN	M5	3,375	Distributor (crank angle sensor) D6P84-01	Engine Control Module (M/T) A18-629 (A/T) A18-630 Air Flow Meter A36-000	EVK72-69	Vehicle Emission Control Information 14805 16E05
AV30ECA1	MAXIMA SEDAN MAXIMA WAGON	L4	3,500 3,625		Injector (JECS) A46-000 (DKC) A46-00000	EVK72-70	

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment on 17.01.03.00. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Issue Date: 06/14/84
 Revision Date: