

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-22-25
Relating to Certification of New Motor Vehicles

SAAB-SCANIA AB

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Saab-Scania AB exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
FSA2.0V6FTA0	121.1 (2.0)	Three Way Catalyst with Closed Loop (Mechanical Fuel Injection) (Turbocharged)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.41	7.0	0.7

The following are the certification emission values for the above engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.22	1.8	0.5

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 2nd day of August, 1984.



K. D. Drachand, Chief
Mobile Source Division

Manufacturer SAAB-SCANIA Executive Order No. A-22-25 Page 1
 Engine Family FSA2.OV6FTA0 Evaporative Family 900-3
 Engine CID (Liters) 121.1 (2.0)

ABBREVIATIONS

<u>Ignition System</u>	<u>Exhaust Emissions Control System</u>	<u>Special Features</u>
CA-Centrifugal Advance	AIP-Air Injection-Pump	CCV-Combustion Chamber Valve
EEC-Electronic Engine Control	AIV-Air Injection-Valve	CFI-Central Fuel Injection
EI-Electronic Ignition	CL-Closed Loop	DID-Diesel Injection-Direct
ESAC-Electronic Spark Advance Control	EGR-Exhaust Gas Recirculation	DIP-Diesel Injection-Prechamber
VA-Vacuum Advance	EM-Engine Modification	MFI-Mechanical Fuel Injection
VR-Vacuum Retard	OC-Oxidation Catalyst System	TC-Turbocharger
	TR-Thermal Reactor	
	TWC-Three Way Catalyst System	

Fuel System

CFI, CL, DID, DIP, EFI, MFI
 nV-nVenturi Carburetor
 VV-Variable Venturi

Model(s): SAAB Turbo 3-Door Hatchback
 SAAB Turbo 4-Door Sedan

DRIVE SYSTEM: Front engine, front drive

1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars Light-Duty Trucks Medium-Duty Vehicles Gas Diesel

Manufacturer Saab-Scania AB F.O. #A 22-25

Engine Family FSA2.OV6FTA0 CID (liter) - Type 121.1(2.0), I-4

ECS (Special-Features) TWC/CL (MFI, TC)

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System	Fuel System	EGR Valve	Label Ident.
				Part No.	Part No.	Part No.	Part No.
APCMS-AC(*)	Turbo 3-door hatchback	M5	3125	Robert Bosch 93 57 740	Robert Bosch Fuel Injection Control Unit 0438040100	-N/A	75 14 110 (Pink)
	4-door Sedan				Air flow sensor 0438120159 Fuel Dist- ributor 0438100058		
3-AC(*)	Turbo 3-door hatchback	A3	same as above	Same as above	Same as above	Same as above	Same as above
	4-door sedan						

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -
Revisions:

1985 AIR RESOURCES BOARD TEST WEIGHT/HORSEPOWER LIST

<u>Configuration</u>	<u>Equivalent Test Weight</u>	<u>Horsepower</u>
900 3-Door Hatchback/M5	2875	8.3
900 3-Door Hatchback/M5 with AC	3000	9.2
900 4-Door Sedan/M5	3000	8.0
900 4-Door Sedan/M5 with AC	3000	8.8
900 3-Door Hatchback/A3	3000	8.3
900 3-Door Hatchback/A3 with AC	3000	9.2
900 4-Door Sedan/A3	3000	8.0
900 4-Door Sedan/A3 with AC	3000	8.8
900S 3-Door Hatchback/M5 with AC	3000	9.2
900S 4-Door Sedan/M5 with AC	3125	8.8
900S 3-Door Hatchback/A3 with AC	3000	9.2
900S 4-Door Sedan/A3 with AC	3125	8.8
Turbo 3-Door Hatchback/M5 with AC	3125	7.3
Turbo 3-Door EAG* Hatchback/M5 with AC	3125	7.3
Turbo 4-Door Sedan/M5 with AC	3125	8.8
Turbo 4-Door EAG* Sedan/M5 with AC	3125	8.8
Turbo 3-Door Hatchback/A3 with AC	3125	7.3
Turbo 3-Door EAG* Hatchback/A3 with AC	3125	7.3
Turbo 4-Door Sedan/A3 with AC	3125	8.8
Turbo 4-Door EAG* Sedan/A3 with AC	3250	8.8

*EAG = Exclusive Appointment Group