

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-79
Relating to Certification of New Motor Vehicles

TOYOTA MOTOR CO.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Toyota Motor Co. exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

| <u>Engine Family</u> | <u>Displacement Cubic Inches (Liters)</u> | <u>Exhaust Emission Control Systems (Special Features)</u> |
|----------------------|---|---|
| FTY2.4T5FBT6 | 144.4 (2.4) | Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop (Electronic Fuel Injection) (Turbocharger) |

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

| <u>Equivalent Inertia Weight</u> | <u>Hydrocarbons Grams per Mile</u> | <u>Carbon Monoxide Grams per Mile</u> | <u>Nitrogen Oxides Grams per Mile</u> |
|--|--|---|---|
| 0-3999 | 0.39 | 9.0 | 1.0 |

The following are the certification emission values for the above engine family:

| <u>Equivalent Inertia Weight</u> | <u>Hydrocarbons Grams per Mile</u> | <u>Carbon Monoxide Grams per Mile</u> | <u>Nitrogen Oxides Grams per Mile</u> |
|--|--|---|---|
| 0-3999 | 0.21 | 2.8 | 0.1 |

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 25th day of January, 1985.


K. D. Drachand, Chief
Mobile Source Division

Manufacturer Toyota Motor Corporation

Executive Order No. A-14-79

Engine Family FTY2.4T5FBT6

Evaporative Family EV-E

Engine CID (Liters) 144.4 (2.4)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance Control
VA-Vacuum Advance
VR-Vacuum Retard

Exhaust Emissions Control System

AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TOC-Trap Oxidizer Continual
TOP-Trap Oxidizer Periodical
TR-Thermal Reactor
TWC-Three Way Catalyst System

Special Features

CCV-Combustion Chamber Valve
CFI-Central Fuel Injection
DID-Diesel Injection-
Direct
DIP-Diesel Injection-
Prechamber
EFI-Electronic Fuel Injection
IC-Intercooler
MFI-Mechanical Fuel Injection
TC-Turbocharged

Fuel System

CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
WV-Variable Venturi

VEHICLE MODELS :

RN55L-PGCZA

DRIVE SYSTEM : RN55L series; Front Engine/Rear - Wheel Drive

08.13.03.00 Model identification chart

E.O. No. A-14-79

| Truck line | Engine type | Chassis type | Cabin type | Trans. conf. | Trim level | Model code |
|--------------|------------------|--------------|-----------------------|--------------|------------|-------------|
| Truck 4WD | EFI | Short | Std. | M5 | SR5 | RN60L-MSEA |
| | | Long | Std. | M5 | SR5 | RN65L-MSEA |
| | | Long | Xtracab (Extended) | M5 | SR5 | RN65L-MSCEA |
| 4-Runner 4WD | EFI | Short | Wagon | M5 | STD | RN60LV-MDEA |
| | | | | M5 | DLX | RN60LG-MDEA |
| | | | | M5 | SR5 | -MSEA |
| Truck 2WD | Diesel | Short | Std. | M4 | STD | LN51L-KRA |
| | | Long | Std. | M5 | DLX | LN56L-MDA |
| | | Long | Xtracab (Extended) | M5 | DLX | LN56L-MDCA |
| Truck 2WD | Diesel turbo. | Long | Std. | M5 | DLX | LN56L-MDXA |
| | | Long | Xtracab (Extended) | M5 | DLX | LN56L-MDCXA |
| Truck 4WD | Diesel turbo. | Long | Std. | M5 | DLX | LN65L-MDXA |
| Truck 2WD | EFI turbo. | Long | Std. | A4 | SR5 | RN55L-PGCZA |
| Land Cruiser | Carb. | Wagon | St. Wagon | M4 | DLX | FJ60LG-KA |

1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars Light-Duty Trucks Medium-Duty Vehicles Gas Diesel

Manufacturer Toyota Motor Corporation Page 2

Engine Family FTY2.4T5FBT6 Engine Code 1, 2

CID (Liter)- 144.4(2.4)

ECS (Special Features) CL + EGR + TWC (EFI) Type 4 cyl. in-line

| Engine code | Vehicle Models (If Coded see attachment) Refer to 08.13.03.00 | Trans. | Equiv. Test Weight | Ign. System EEC, EI, ESAC Part No. [Computer] [Knock sensor*1] | Fuel System CL, EFI Part No. [Computer] [Air flow meter] [Injector] | EGR Valve Part No. | Label Ident. Part No. |
|-------------|--|--------|--------------------|--|--|-----------------------|--------------------------|
| 1, 2 | RN55L-PGCZA | A4 | 3,125 | 89661-35030 89615-35010 -35020 | 89661-35030 22250-35040 23250-35010 | 25620-35150 | 11298-35720 |

Comments : See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.