State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-11-24 Relating to Certification of New Motor Vehicles

REGIE NATIONALE DES USINES RENAULT

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Regie Nationale des Usines Renault exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displace Cubic Inches	ment (Liters)	Exhaust Emission Control Systems (Special Features)		
GRE2.2V5FGA2 132		(2.2)	Exhaust Gas Recirculation Three-Way Catalyst with Closed Loo (Electronic Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per mile
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0,22	2.3	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and Health and Safety Code Section 43204, provided, however, that Jurisdiction is hereby reserved to modify these provisions to the extent made necessary by an EPA waiver decision, in order to assure that the listed vehicles comply with the minimum federal requirements applicable in California.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _______

day of March, 1985.

K. D. Drachand, Chief Mobile Source Division

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Regie Nationale des Manufacturer Usines Renault	Executive Order No. A-11-24				
Engine Family GRE 2.2 V5 FGA2	Evaporative Family GV-2.2E-1S				
	Engine CID (Liters) 132 (2.2)				
ABBREVIATIONS:					
Ignition System CA - Centrifugal Advance EEC - Electronic Engine Control EI - Electronic Ignition ESAC - Electronic Spark Advance Control VA - Vacuum Advance VR - Vacuum Retard	Exhaust Emissions Control System AIP - Air Injection-Pump AIV - Air Injection-Valve CL - Closed Loop EGR - Exhaust Gas Recirculation EM - Engine Modification OC - Oxidation Catalyst System TOC - Trap Oxidizer Continual TOP - Trap Oxidizer Periodical TR - Thermal Reactor TWC - Three-Way Catalyst System				
Fuel System CFI, CL, DID, DIP, EFI, MFI nV - nVenturi Carburetor VV - Variable Venturi	Special Features CCV - Combustion Chamber Valve CFI - Central Fuel Injection DID - Diesel Injection-Direct DIP - Diesel Injection-Prechambe EFI - Electronic Fuel Injection IC - Intercooler MFI - Mechanical Fuel Injection TC - Turbocharged				
VEHICLE MODELS: 135B = Sportwagon					

136B = Fuego

ENGINE/ Front Front _-WHEEL DRIVE DRIVE SYSTEM:

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars_X Light-Duty Trucks Medium-Duty Vehicles Gas_X Diesel									
Manufacturer Regie Nationale des Usines Renault Page 2									
Engine Family GRE 2.2 V5 FGA2 Engine Code									
EC	S (Special Features)	CL	+ EGR +	TWC (EFI)	CID (Liter)	Type 132(2	.2)14		
Engine	Vehicle Models (If Coded See Attachment)(Hp)	Trans	Equiv. Test Weight		CL, EFI Part No.	 Part No.	Ident. Part No.		
С	136B	M5	2750	7700720343 (ID 100600239)	7700715635 0280202049		7700732182		
	135B		2875						
D	135B, 136B		2875						
Α	136B	A3	2750				<u> </u>		
 	135B		2875						
l I B	135B, 136B		2875						
 					<u> </u>				

(See Page 1 for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.)

Note: Add 10% to dyno test HP for air conditioning usage.

Date of Issue:

Comments:

071080

E.F. GRE 2.2 V5 FGA2

		Wo AC	4 7.1 3 6.4 6.8		4 6 6 . 7 . 1 . 2 . 3 . 4 . 5 . 5 . 5 . 5 . 5 . 5 . 5 . 5 . 5		1 6.4 6 6.7 5 6.9		11 6.4 8 6.7 3 4.9 5.6	
KOADLOAD HP.	COASTDOWN TIMES	(sec)	15.24 15.69 15.43 16.34		15.24 15.69 15.43 14.34	•	15.51 15.48 16.36 14.62		15.51 15.48 16.63 14.62	11 11 11 11 11
MON	COASTD	AC HP		7.7 7.7 6.9 7.0		7.7		7 7 5 9 7 7 9 9 7		5.6
_		(9		14.23 14.44 14.46 13.50		14.23 14.44 14.46 13.50		15.12 14.96 16.42 14.47		15.12 14.96 16.42 14.47
	7	PRESSURE FR RR	*		*	· 	2 %	<u> </u>	2 %	* %
1 3	lie I	PRESSU FR	8.		<u> </u>	 	30	30	82 82	30 28
TIRES SHOWN	Optional tires also listed	SIZE/MODEL	P175/70R13 XZX P185/65R13 TRX P185/65R14 HQL P185/65R14 HXV	P175/70R13 XZX P185/65R13 TAX P185/65R14 HXL P185/65R14 HXV	P175/70413 XZX P185/65813 TW P185/65814 WCL P185/65814 WCV	P175/70R13 XZX P185/65R13 TRX P185/65R14 HRL P185/65R14 HRV	F185/70A13 XZX F185/65A13 TRX F185/65A14 PRL F195/60R14 PRV	P185/70R13 X2X P185/65R13 TRX P185/65R14 HXL	P185/70413 XZX P185/65813 T8X P185/65814 HXL P195/60814 HXV	P165/70R13 X2X P165/65R13 TRX P165/65R14 HXL P195/60R14 HXV
¥ 1	TIRE	¥ S								
FRONTAL AREA HORSEPOWER	RADIAL TIRE	A/C								
TAL ARE	BIAS TIRE	NON A/C								
FROM	BTAS	V/C								1
		TRAN	£		S	(Ş.		a	# # # # #
		ENG	2.21		2.21	 	2.21	·	2.21	
5035	2.2L			1		, (1				
		TEST WT.	2875		2875	 	2750	2875	2750	2875
		AXLE VT.	1477	1550	1488	1561	1497	1572	1508	1583
		TOTAL. VT.	.2527*	[(5289)]	2540	[(292)]	,5426,	[(6252)]	.5469.	[(2568)]
		VEHTCLE	RI 8 WG (1358)		•		FUECO (1368)			[(2568)] 1583

1986 VEHICLE WEIGHTS AND ROADLOAD HORSEPOWER