

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-80  
Relating to Certification of New Motor Vehicles.

MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Mitsubishi Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>		<u>Exhaust Emission Control Systems (Special Features)</u>
HMT2.6T2FBC6	155.9	(2.6)	Air Injection Valve Exhaust Gas Recirculation Three-Way Catalyst Oxygen Sensor (Combustion Chamber Valve)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Equivalent Inertia Weight</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per mile</u>
0-3999	0.39	9.0	1.0

The following are the certification emission values for this engine family:

<u>Equivalent Inertia Weight</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0-3999	0.28	3.5	0.8

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 18<sup>th</sup> day of July, 1986.

  
K. D. Drachand, Chief  
Mobile Source Division

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Mitsubishi Motors Corp.

Executive Order No. A-86-80

PG. 1

ABBREVIATIONS

Ignition System

CA -Centrifugal Advance  
EEC -Electronic Engine Control  
EI -Electronic Ignition  
ESAC-Electronic Spark Advance Control  
VA -Vacuum Advance  
VR -Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI  
nV-nVenturi Carburetor

Exhaust Emissions Control System

AIP-Air Injection-Pump  
AIV-Air Injection-Valve  
CL -Closed Loop  
EGR-Exhaust Gas Recirculation  
EM -Engine Modification  
OC -Oxidation Catalyst System  
SPL-Smoke Puff Limiter or Throttle Delay  
TOC-Trap Oxidizer, Continual  
TOP-Trap Oxidizer, Periodical  
TR -Thermal Reactor  
TWC-Three Way Catalyst System

Special Features

CCV-Combustion Chamber Valve  
CFI-Central Fuel Injection  
DID-Diesel Injection-Direct  
DIP-Diesel Injection-Prechamber  
EFI-Electronic Fuel Injection  
IC -Intercooler  
MFI-Mechanical Fuel Injection  
TC -Turbocharger

Issued :  
Revised:

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Mitsubishi Motors Corp.  
 Engine Family HMT2.6T2FBC6 Evaporative Family CC-B  
 Passenger Cars      Light-Duty Trucks X Medium-Duty Vehicles      Gas X Diesel       
 Engine CID (liter) - Type 155.9 (2.6) - L4  
 ECS (Special Features) AIV+CL+EGR+TWC (CCV)

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	ETW	Ign. System CA, EI, VA Part No.	Fuel System CL, 2V Part No.	EGR Valve Part No.	Catalyst Part No.
CM ACM	Dodge RAM50 2WD Mitsubishi Truck 2WD	M5	3000 3125	Distributor T3T65572	32-35DID EF-406	K5T55788	MD096609
CA ACA		A4	3125		32-35DID EF-407	K5T55789	
CM-F ACM-F	Dodge Power RAM50 4WD Mitsubishi Truck 4WD	M5	3375 3500	Distributor T3T65572	32-35DID EF-406	K5T55788	
CA-F ACA-F		A4	3500		32-35DID EF-407	K5T55789	
ACM-J CM-J	Dodge Raider Mitsubishi Montero	M5	3625	Distributor T3T65571	32-35DID EF-412	K5T55788	
ACA-J CA-J		A4			32-35DID EF-413	K5T55789	

Note: Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment.

Issued :  
 Revised: