

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-112  
Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
HNS3.0V5FCC3	180.6 (3.0)	Exhaust Gas Recirculation Air Injection - Valve Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per mile</u>
0.39	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.22	3.1	0.5

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and Health and Safety Code Section 43204, provided, however, that jurisdiction is hereby reserved to modify these provisions to the extent made necessary by an EPA waiver decision, in order to assure that the listed vehicles comply with the minimum federal requirements applicable in California.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 10<sup>th</sup> day of June, 1986.

  
K. D. Drachand, Chief  
Mobile Source Division

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Nissan Motor Co., Ltd. Engine Family FI6-2  
 Evaporative Family HNS3.0V5FCC3 Engine Type V6  
 Liters (CID) 180.6 (3.0)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance  
 EEC-Electronic Engine Control  
 EI-Electronic Ignition  
 ESAC-Electronic Spark Advance Control  
 VA-Vacuum Advance  
 VR-Vacuum Retard

Exhaust Emissions Control System

AIP-Air Injection-Pump  
 AIV-Air Injection-Valve  
 CL-Closed Loop  
 EGR-Exhaust Gas Recirculation  
 EM-Engine Modification  
 OC-Oxidation Catalyst System  
 SPL-Smoke Puff Limiter or Throttle Delay  
 TOC-Trap Oxidizer, Continual  
 TOP-Trap Oxidizer, Periodical  
 TR-Thermal Reactor  
 TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve  
 CFI-Central Fuel Injection  
 DID-Diesel Injection-Direct  
 DIP-Diesel Injection-Prechamber  
 EFI-Electronic Fuel Injection  
 IC-Intercooler or aftercooler  
 MFI-Mechanical Fuel Injection  
 TC-Turbocharger

Fuel System

CFI, CL, DID, DIP, EFI, MFI  
 nV-nVenturi Carburetor

VEHICLE MODELS:

<u>Engine Code</u>	<u>Model</u>	<u>Transmission</u>
AV30ECM2 BV30ECM2	200SX SE-V6	M5
AV30ECA2 BV30ECA2	200SX SE-V6	L4

Engine: Front X Mid.        Rear         
 Drive: FWD        RWD X 4WD Full Time        4WD Part Time

19\_87 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-15-112

Passenger Cars X Light-Duty Trucks \_\_\_\_\_ Medium-Duty Vehicles \_\_\_\_\_ Gas X Diesel \_\_\_\_\_

Manufacturer Nissan Motor Co., Ltd. Engine Family HNS3.OV5FCC3

Liter (CID) 3.0 (180.6) Eng. Type V6

Emission Control Sys. (Special Features) EGR/AIV/TWC/CL/(EFI)

Engine Code	Vehicle Models (If Coded see attachment)  (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU)  Part No.	Fuel System EFI  Part No.	EGR Valve  Part No.	Cataly  Part No
BV30ECM2	200SX SE-V6 (7.1)	M5	3250	Distributor: (Crank angle sensor)  D6P82-03 (Hitachi)	Control Unit: A18-670 Air flow meter: A36-000 Oxygen Sensor: D2F  Injectors: A46-00 (JECS) A 46-00000 (DKC)	EVK72-75	20802V8000 20802V8005 20802V8010 20802V8015
AV30ECM2	200SX SE-V6 (7.8)		3375				
BV30ECA2	200SX SE-V6 (7.1)	L4		T5T61173 (Mitsubishi)	Control Unit: A18-671 Air Flow Meter: A36-000  Oxygen Sensor: D2F	EVK72-76	
AV30ECA2	200SX SE-V6 (7.8)						

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue 03/02/86 Revisions: 06/10/86 (typo)

19 87 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEETPassenger Cars  Light-Duty Trucks \_\_\_\_\_ Medium-Duty Vehicles \_\_\_\_\_ Gas  Diesel \_\_\_\_\_

Page \_\_\_\_\_

Manufacturer Nissan Motor Co., Ltd. Engine Family HNS3.0V5FCC3Liter (CID) 3.0 (180.6) Eng. Type V6Emission Control Sys. (Special Features) EGR/AIV/TWC/CL/(EFI)

Engine Code	Vehicle Models (If Coded see attachment)  (Dyna Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU)  Part No.	Fuel System EFI  Part No.	EGR Valve  Part No.	Cataly  Part No
BV30ECM2	200SX SE-V6 (7.1)	M5	3250	Distributor: (Crank angle sensor)  D6P82-03 (Hitachi)	Control Unit: A18-670 Air flow meter: A36-000 Oxygen Sensor: D2F  Injectors: A46-00 (JECS) A 46-00000 (DKC)	EVK72-75	20802V8000 20802V8005 20802V8010 20802V8015
AV30ECM2	200SX SE-V6 (7.8)		3375				
BV30ECA2	200SX SE-V6 (7.1)	L4		T5T61173 (Mitsubishi)	Control Unit: A18-671 Air Flow Meter: A36-000  Oxygen Sensor: D2F	EVK72-76	
AV30ECA2	200SX SE-V6 (7.8)				Injectors: A46-00 (JECS)  A46-00000 (DKC)		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue 03/02/86

Revisions: 06/10/86 (typo)