

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-164
Relating to Certification of New Motor Vehicles

CHRYSLER MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Chrysler Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
JCR2.5T5FBHX	152 (2.5)	Exhaust Gas Recirculation Three-Way Catalyst Heated Oxygen Sensor (Electronic Fuel Injection) (On-Board Diagnostics)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Equivalent Inertia Weight</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per mile</u>
0-3999	0.39	9.0	1.0

The following are the certification emission values for this engine family:

<u>Equivalent Inertia Weight</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0-3999	0.14	2.7	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] . . ." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 10th day of March, 1987.


K. D. Drachand, Chief
Mobile Source Division

Manufacturer CHRYSLER MOTORS CORPORATION Engine Family JCR2.5T5FBHX
 Evaporative Family JCRTB Engine Type IN LINE 4 SOHC
 Liters (CID) 2.5 (152)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
 EEC-Electronic Engine Control
 EI-Electronic Ignition
 ESAC-Electronic Spark Advance Control
 VA-Vacuum Advance
 VR-Vacuum Retard

Exhaust Emissions Control System

AIP-Air Injection-Pump
 AIV-Air Injection-Valve
 CL-Closed Loop
 EGR-Exhaust Gas Recirculation
 EM-Engine Modification
 OC-Oxidation Catalyst System
 SPL-Smoke Puff Limiter or Throttle Delay
 TOC-Trap Oxidizer, Continual
 TOP-Trap Oxidizer, Periodical
 TR-Thermal Reactor
 TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve
 CFI-Central Fuel Injection
 DID-Diesel Injection-Direct
 DIP-Diesel Injection-Prechamber
 EFI-Electronic Fuel Injection
 IC-Intercooler or aftercooler
 MFI-Mechanical Fuel Injection
 TC-Turbocharger

Fuel System

CFI, CL, DID, DIP, EFI, MFI
 nV-nVenturi Carburetor

VEHICLE MODELS:

SKE12, SKE13,
 SKH52, SKH53,
 SKL52, SKP52

SHH52, SHH53,
 SHL52, SHP52

CARLINE:

DODGE CARAVAN/RAM VAN

PLYMOUTH VOYAGER

Engine: Front X Mid. _____ Rear _____
 Drive: FWD X RWD _____ 4WD Full Time _____ 4WD Part Time _____

19_88 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars Light-Duty Trucks X Medium-Duty Vehicles Gas X Diesel

Manufacturer CHRYSLER MOTORS CORPORATION Engine Family JCR2.5T5FBHX

Liter (CID) 2.5 (152) Eng. Type IN LINE 4 SOHC

Emission Control Sys. (Special Features) TWC,CL,EGR,(EFI)

Engine Code	Vehicle Models (If Coded see attachment) SEE ATTACH FOR (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System THROTTLE BODY Part No.	EGR Valve Part No.	Catalyst Part No.
M-1	SKE12	M5	3375	5233030	4418503	4287174	4301851
	SKE13,SHL52, SKL52,SKH52*		3500				
	SHH52, SKP52		3625				
	SHP52,SHH53, SKH53		3750				
A-1	SKE12	A3	3375	5233028		4287175	
	SKE13,SHL52, SKL52		3500				
	SKH52, SKP52		3625				
	SHH52,SKP52		3750				
	SHH53,SKH53		3875				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue 12-17-86 Revisions: *02-11-88: R.C. 77TC - Production weight update

19₈₈ AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-9-164

Passenger Cars _____ Light-Duty Trucks X Medium-Duty Vehicles _____ Gas X Diesel _____

Page 3

Manufacturer CHRYSLER MOTORS CORPORATION Engine Family JCR2.5T5FBHX

Liter (CID) 2.5 (152) Eng. Type IN LINE 4 SOHC

Emission Control Sys. (Special Features) TWC,CL,EGR,(EFI)

Engine Code	Vehicle Models (If Coded see attachment) SEE ATTACH FOR (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System THROTTLE BODY Part No.	EGR Valve Part No.	Catalys Part No.
M-2	SKE12	M5	3375	5233556	4418503	4287174	4301851
	SKE13,SHL52, SKL52,SKH52*		3500				
	SHH52, SKP52		3625				
	SHP52,SHH53, SKH53		3750				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue 03/18/86 Revisions: *02-11-88: R.C. 77TC - Production weight update. Running Change 2T; revise logic module calibration.

ATTACHMENT To: Ps. 2 SDS EO A-9-164

CALIFORNIA

VEHICLE DESCRIPTIONS

CHRYSLER CORPORATION

ENGINE FAMILY JCR2.5T5FBM DISPLACEMENT 2.5L EXHAUST CONTROL SYSTEM 3CL EGR TBI

PROJECTED SALES
EVAP FAMILY

ENGINE CODE	ENGINE TYPE CODE	OATG STD MIN MAX	TIRES STD MIN MAX	CATALYST CODE	FOM	TIRE TREAD SALES CODE	(TYPE)	M/V STD MIN MAX	ROAD LOAD MP	A/C MP	DRIVE AXLE TOTAL	CURB WEIGHT	TEST WT	INERT.	VEHICLE MODEL	JCR10 BA	JCR18 BA	JCR19 AA
M-1	M5	2.76	P195/75R14	TKMTAD6DY	SDR	TKMTAD6DY	SDR	37.7	9.0	9.9	1922	3066	3375	3500	SKE12			806
		2.76	P195/75R14	TKMTAD6DY	SDR	TKMTAD6DY	SDR	37.7	9.0	9.9								
		2.76	LT195/75R14	TKMTAD6DY	SDR	TKMTAD6DY	SDR	38.1	8.8	9.6								
M-1	M5	2.76	LT195/75R15-C	TMTAD6DY	SDR	TMTAD6DY	SDR	36.8	9.1	10.0	1949	3207	3500	3500	SKE13			1000
		2.76	LT195/75R15-C	TMTAD6DY	SDR	TMTAD6DY	SDR	36.8	9.1	10.0								
		2.76	LT195/75R15-C	TMTAD6DY	SDR	TMTAD6DY	SDR	36.8	9.1	10.0								
M-1	M5	2.76	P195/75R14	TKMTAD6DY	SDR	TKMTAD6DY	SDR	37.7	9.1	10.0	1931	3204	3500	3500	SML52			651
		2.76	P195/75R15	TNCTAD6DY	SDR	TNCTAD6DY	SDR	36.3	9.1	10.0	1925	3213	3500	3500	SML52			901
		2.76	P205/70R14	TLFTAD6DY	SDR	TLFTAD6DY	SDR	37.9	9.1	10.0	1952	3304	3625	3500	SMM52			230
											1908	3285	3625	3500	SMM52			317
											1903	3450	3750	3500	SMP52			
											1902	3350	3625	3500	SMP52			
M-1	M5	2.76	P195/75R14	TKMTAD6DY	SDR	TKMTAD6DY	SDR	37.7	9.0	10.7	1979	3498	3750	3500	SMM53			254
		2.76	P195/75R15	TNCTAD6DY	SDR	TNCTAD6DY	SDR	36.3	9.0	10.7	1976	3506	3750	3500	SMM53			345
		2.76	P205/70R14	TLFTAD6DY	SDR	TLFTAD6DY	SDR	37.9	9.0	10.7								

ISSUE DATE: 6/23/86

REV 7/10/86
7/25/86
7/31/86
8/20/86
\$12/ 1/86

10-H1230

CALIFORNIA

PROJECTED SALES
EVAP FAMILY
EVAP CODE
JCRTB
JCRTB
AA

1980 CHRYSLER CORPORATION VEHICLE DESCRIPTIONS
ENGINE FAMILY JCR2-5T5FBM DISPLACEMENT 2.5L EXHAUST CONTROL SYSTEM 3CL EGR TBI
EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE F0M

ENGINE CODE	TRANS CODE	OATG STD MIN MAX	TIRES STD MIN MAX	TIRE TREAD SALES CODE	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	DRIVE SHALE	CURB WEIGHT	TEST WT	INERT.	VEHICLE MODEL
A-1	A3	3.22	P195/75R14	TKMTAD6DY SBR	44.0	7.0	9.9	1953	3893	3375	3500	SKE12
	CN	3.22	P195/75R14	TKMTAD6DY SBR	44.0	7.0	9.9					555
	CN	3.22	L1195/75R14-C	TKMTAD6DY SBR	44.4	8.8	9.6					1295
A-1	A3	3.22	L1195/75R14-C	TKMTAD6DY SBR	42.9	9.0	9.9	1900	3234	3500A	3500	SKE13
	CN	3.22	L1195/75R14-C	TKMTAD6DY SBR	42.9	9.0	9.9					
	CN	3.22	L1195/75R14-C	TKMTAD6DY SBR	42.9	9.0	9.9					
A-1	A3	3.22	P195/75R14	TKMTAD6DY SBR	44.0	9.1	10.0	1962	3231	3500	3500	SML52
	CN	3.22	P195/75R14	TKMTAD6DY SBR	42.3	9.1	10.0	1956	3240	3500	3500	SKL52
	CN	3.22	P205/70R14	TLFTAD6DY SBR	44.2	9.1	10.0					1365
	CN	3.22	P195/75R14	TKMTAD6DY SBR	44.0	9.0	9.9	1983	3411	3750	3500	SMH52
	CN	3.22	P195/75R14	TKMTAD6DY SBR	42.3	9.1	10.0	1979	3312	3625	3500	SMH52
	CN	3.22	P205/70R14	TLFTAD6DY SBR	44.2	9.1	10.0	2012	3475	3750	3500	SHP52
	CN	3.22	P205/70R14	TLFTAD6DY SBR	44.2	9.1	10.0	2011	3375	3625	3500	SKP52
	CN	3.22	P195/75R14	TKMTAD6DY SBR	44.0	9.0	10.7	2010	3525	3875	4000	SMH53
	CN	3.22	P195/75R14	TKMTAD6DY SBR	42.3	9.0	10.7	2007	3533	3875	4000	SMH53
	CN	3.22	P205/70R14	TLFTAD6DY SBR	44.2	9.0	10.7					

1029
1083

ISSUE DATE: 6/23/86
REV 7/10/86
7/25/86
7/31/86
8/28/86
8/12/ 1/86

10-H12310

CHRYSLER MOTORS CORPORATION

1988 CALIFORNIA 2.5L LIGHT DUTY TRUCK

Test Wt. & H.P.

<u>Model</u>	<u>Test Wt. & Trans.</u>	<u>Tire Codes</u>	<u>Tires</u>	<u>Coastdown H.P.</u>
SKE12	3375 A11	TKE	LT195/75R14-C	9.6
		TKN	P195/75R14	9.9
		TLF	P205/70R14	9.9
		TLG	P205/70R14	9.9
SKE13	3500 M5	TND	LT195/75R15-C	10.0
	3625 A3	TND	LT195/75R15-C	9.9
SHL52, SKL52	3500 A11	TKN	P195/75R14	10.0
SKH52, SKP52	3625 A11	TLF	P205/70R14	10.0
SHH52, SHP52	3750 A11	TLG	P205/70R14	10.0
		TNC	P195/75R15	10.0
		TNE	P195/75R15	10.0
SHH53, SKH53	3875 A11	TKN	P195/75R14	10.7
		TLF	P205/70R14	10.7
		TLG	P205/70R14	10.7
		TNC	P195/75R15	10.7
		TNE	P195/75R15	10.7

All tires are steel belted radial.

ISSUE DATE: 12-01-86
REV: