State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-354-1 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39518 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That 1988 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family		splacement (Cubic inches)	Exhaust Emission Control Systems (Special Features)
JFM3.0V5FED7	3.0	(181)	Heated Oxygen Sensor Exhaust Gas Recirculation Three-Way Catalyst (Electronic Port Fuel injection) On-Board Diagnostics (Exempted)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)	
0.39	7.0	0.7	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
° 0.15	2 2	0.4		

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided evidence of federal certification of vehicle models listed in the attachments which are not available as California-certified models.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

4 day of August, 1987.

K. D. Drachand, Chief Mobile Source Division

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-354 -1 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Liters (Cubic Inches)		Exhaust Emission Control Systems (Special Features)		
JFM3.0V5FED7	3.0V5FED7 3.0 (181)		Heated Oxygen Sensor Exhaust Gas Recirculation Three-Way Catalyst (Electronic Port Fuel Injection) (On-Board Diagnostics)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per mile
0.41	7.0	. 0.7
The following are the	certification emission values	for this engine family:
Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0.15	2.2	0.4

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fue! Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high aititude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1985) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Maifunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 at ang.) with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

This Executive Order supersedes Executive Order A-10-368 issued August 4, 1987.

Executed at El Monte, California this

day of August 1988

K. D. Drachand, Chief Mobile Source Division

1988 AIR R	RESOURCES BOARD SUPPLEMENTAL DATA SHEET	Dage 1
nufacturer <u>Ford Motor Compa</u>	Engine Family JFM3.0V FE	Page 1
aporative Family 8HM	Engine Type V6	
	Liters (CID) 3.0 (181)	
BREVIATIONS		
nition System	Exhaust Emissions Control System	Special Features
A-Centrifugal Advance W-Electronic Control Unit Electronic Ignition AC-Electronic Spark Advance Control -Vacuum Advance -Vacuum Retard	AIP-Air Injection Pump AIV-Air Injection Valve DBC-Dual Bed Catalyst EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control EM-Engine Modification OC-Oxidation Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TWC-Three-way Catalyst WUOC-Warm-up Oxidation Catalyst WUTWC-Warm-up Three-way Catalyst	CCV-Combustion Chamber Valve CFI-Central Fuel Injection or Throttle Body Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection IC-Intercooler or Aftercooler
el System		Fuel Injection
I, CL, DID, DIP, EFI, MFInVenturi Carburetor		OBD-On-Board Diagnostics TC-Turbocharger
HICLE MODELS:		

ne: Front XXX Mid ___ Rear ___ 4WD Full Time ___ 4WD Part Time ___ sds30b.wp

URUS SEDAN 54D URUS S/W 74D BLE SEDAN 54D BLE S/W 74D

E.O. * <u>A-10-354</u>

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

	er FORD MOTOR COM						
ter (CID) 3.0 (181) Eng. Type V6 ission Control Sys. (Special Features) <u>EEC.ESAC.CL.HOS.EGR.TWC.EFI</u>							
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No. -12A650-	Fuel System Injector Part No. -9F593-	EGR Valve Part No9D475-	Catalyst Part No5F250-
OSROON	TAURUS SEDAN (7.5*;6.6**) TAURUS S/W (8.4) SABLE SEDAN (7.5*;6.6**) SABLE S/W (8.4) TAURUS SEDAN (6.8*;6.0**) TAURUS S/W (7.6) SABLE SEDAN (6.8*;6.6**) SABLE SEDAN (6.8*;6.6**) SABLE S/W (7.6)	A4-OD	3500 3625 3500 <u>2</u> / 3625 3375 3625 3500 3625	E8DFMB	E59EAB	E6AEBA	E7DCKA OR E7DCKB

mments: See page one for abbreviations and evaporative emission family identification.

ease refer to manufacturer's HP list for correct dyno test HP settings based on model and pripment. If two test weights are listed, the lower weight will be used for testing.

WITH P195 TIRES; ** WITH P205 TIRES; 2/ FORD ELECTS TO TEST AT 3625

of Issue:

_ s:

sds30.wp