State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-384

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Liters (Cubic Inches)		Exhaust Emission Control Systems (Special Features)		
JFM2.5V5HFC3	2.5	(153)	Exhaust Gas Recirculation Heated Oxygen Sensor Dual Bed Catalyst (Central Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	<u>Grams per Mile</u>
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	<u>Grams per Mile</u>	
0.23	2.9	0.6	

BE iT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for FIII Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Labe! Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the models listed also comply with the "Maifunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 26 day of December, 1987.

AMMINIMIN

K. D. Drachand, Chief Mobile Source Division

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

1988 AIR KI	ESOURCES BOARD SUFFLEMENTAL DATA SHEE	Page 1			
Manufacturer Ford Motor Compan	ny Engine Family JFM2.5V5	HFC3			
Evaporative Family 8FMF	Engine Type OTTO I-4	Engine Type OTTO I-4			
	Liters (CID) <u>2.5L (1</u>	53)			
ABBREVIATIONS					
Ignition System	Exhaust Emissions Control System	Special Features			
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	AIP-Air Injection - Pump AIV-Air Injection - Valve EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control (Diesel Only) EM-Engine Modification SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical DBC-Dual Bed Catalyst OC-Oxidation Catalyst	CFI-Central Fuel Injection or Throttle Body Injection EPFI-Electronic Port Fuel Injection MPFI-Mechanical Port Fuel Injection SFI-Sequential Fuel Injection			
Fuel System CFI, DID, DIP, EPFI, MPFI, HOS, OS, nV-nVenturi Carburetor VV-Variable Venturi Carburetor	TWC-Three-Way Catalyst WUOC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor	DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber TC-Turbocharger SC-Supercharger IC-Intercooler or Aftercooler CCV-Combustion Chamber Valve OBD-On-Board Diagnostics			
VEHICLE MODELS:					
TAURUS-54D (Sedan)					

Ingine:	Front_X_	Mid	Rear	
Drive:	FWD X	RWD	4WD Full Time	4WD Part Time

fsdslVFC.wp

E.O.	#	A-10-364

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

litam (CID)2.5L(153)			Fno Tv	ne OTTO I-4		
Emission C	ontrol Sys. (Specia	il Feature	es) <u>ECU.</u> I	EI, ESAC, DEC, EG	R, HOS, TWC, CFI		
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) 12A650 Part No.	Fuel System 9C973 Part No.	EGR Valve 9F483 Part No.	Catalyst 5E212 Part No.
819SR0 0A	TAURUS - 54D (7.2)	MANUAL	3250	E8DF-BA E8DF-BB (ALT)	E8DE-BA E7DE-JA (ALT)	E53E-AC E73E-BA (ALT)	E7DC-AA E7DC-FA (ALT)
819SR00N	TAURUS-54D (6.5)	MANUAL	3250	n	n	rt	16
819SR10A	TAURUS-54D (7.2)	MANUAL	3250	E8DF-BC	n	11	11
819SR1ON	TAURUS-54D (6.5)	MANUAL	3250	11	n	11	11
Comments: Please ref equipment.	See page one for er to manufacturer If two test weigh	es HP lis	t for cor	rect dyno test	HP settings b	ased on mode	l and

Date of Issue 10-23-87 Revisions: 1-8-88