State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-400 Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year General Motors Corporation exhaust emission control systems are certified for sale in California as described below for gasoline-powered passenger cars:

Engine Family		placement (Cubic Inches)	Exhaust Emission Control Systems (Special Features)
J1G2.5V5TPG4	2.5	(151)	Exhaust Gas Recirculation Three-Way Catalyst Oxygen Sensor (Central Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per mile
0.41	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile	
. 0.18	2.1	0.2	

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this ________

day of February, 1987.

K. D. Drachand, Chief Mobile Source Division

17-J1G2.5V5TPG4-1A

(For CARB Use Only)

(1988)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: General Motors Corporation

Executive Order No.: A-6-400

Engine Family: J1G2.5V5TPG4

Evaporative Family: JAO-1C

Engine Displacement Liters (Cubic Inches) - Type: 2.5 (151) - I4

Exhaust Emission Control System (Special Features): EGR, TWC, OS (CFI, OBD)

ABBREVIATIONS:

<u>Ignition System</u> CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard

Fuel System CFI, CL, DID, DIP, EFI, MFI VV-Variable Venturi

Other Abbreviations A/C-Air Conditioning CID Cubic Inch Displacement ETW-Equivalent Test Weight FC Forward Control HD-Heavy Duty RI-Rail & Injector RWD-Rear Wheel Drive TBI-Throttle Body Injection 4x2-Two Wheel Drive 4x4-Four Wheel Drive 6x4-Four Wheel Drive

Exhaust Emission Control System AIP-Air Injection Pump AIV-Air Injection Valve EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control EM-Engine Modification DBC-Dual Bed Catalyst HOS-Heated Oxygen Sensor OC-Oxidation Catalyst OS-Oxygen Sensor SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TR-Thermal Reactor TWC-Three-Way Catalyst WUOC-Warm-up Oxidation Catalyst WUTWC-Warm-up Three-Way Catalyst

Special Features CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fuel Injection IC-Intercooler/Aftercooler MFI-Mechanical Fuel Injection OBD-On Board Diagnostics TC-Turbocharger

ISSUED: 01-15-87

REV. NO.:

5239T

17-J1G2.5V5TPG4-2A

(For CARB Use Only) (1988)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET GASOLINE-FUELED PASSENGER CARS

Executive Order No. A-6-400

VEHICLE MODELS:

1 J U 2 7 (EXAMPLE)

Digit 1 Selling Division

Digit 2 - Body Designation

1-Chevrolet 2-Pontiac 3-Oldsmobile 4-Buick 6-Cadillac A-Celebrity, 6000, Cutlass Ciera, Cutlass Cruiser, Century B-Caprice, Safari Wagon, Custom Cruiser, LeSabre/Electra Wagon C-Ninety-Eight Regency, Electra, DeVille, Fleetwood, Limousine D-Brougham

E-Toronado, Riviera, Eldorado

F-Camaro, Firebird, Trans Am, Formula G-Monte Carlo, El Camino, Caballero H-Bonneville, Delta 88 Royale, LeSabre

H-Bonneville, Delta 88 Royale, LeSabre J-Cavalier, Sunbird, Firenza, Skyhawk, Cimarron

K-Seville

L-Corsica, Beretta

N-Grand Am, Calais, Somerset/Skylark

P-Fiero T-Lemans V-Allante

W-Grand Prix, Regal, Cutlass Supreme

Y-Corvette

Z-Commercial Chassis

Digit 3 Trim Level

<u>Digits 4 & 5 - Body Style</u>

08-2Dr 11-2Dr 19-4Dr 23-4Dr 27-2Dr 33-4Dr 35-4Dr	Sport Coupe Hatchback Coupe Notchback Coupe/Sedan Sedan Auxiliary Seat Sedan (Notchback) Coupe Auxiliary Seat Sedan Station Wagon Hardtop Coupe	47-2Dr Hardtop Coupe 57-2Dr Hardtop Coupe 67-2Dr Convertible Coupe 68-4Dr Hatchback Sedan 69-4Dr (Notchback) Sedan 77-2Dr Hatchback Coupe 80-2Dr Sedan Pickup 87-2Dr Hatchback Coupe 90-Commercial Chassis
	•	97-2Dr Hardtop Coupe

Engine: Front (Rear for P Car)

Drive: FWD (RWD for P Car)

ISSUED: 01-15-87

REV. NO.:

3239T

17-J1G2.5V5TPG4-3A

(For CARB Use Only)

(1988)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS_X LIGHT DUTY TRUCKS___ MEDIUM DUTY VEHICLES___ GAS_X DIESEL__

Liters (CID): 2.5 (151)

Type: I4

Executive Order No. A-6-400

ENG CODE	VEH MODELS	TRANS TYPE	ETW	IGN SYSTEM (ECU) PART NO.	FUEL SYSTEM (CFI) PART NO.	EGR VALVE PART NO.	CATALYST PART NO.
2	1AW19, 1AW27 3AJ19 3AJ37, 3AM37 3AM19, 4AH19 2AG19, 4AH27 4AL27, 4AL19	A3	3125	16066372, 16072782, 16072772	17087280	17084743	25 102754
	1AW35, 2AF19		3250				
	2AF35, 2AG35 3AJ35, 3AM35 4AH35, 4AL35		3375		_		
- 4	1AW27, 4AH27	A3	3000			s in the second of the second	
	1AW19, 2AF19 2AG19, 3AJ19 3AM19, 4AH19 4AL27, 4AL19 3AJ37, 3AM37		3125			en e	et su e ingelor.
	1AW35, 2AF35 3AJ35, 3AM35 4AH35, 4AL35 2AG35		3250				

Comments: See page one for abbreviations and family information. Please refer to manufacturer's HP lists for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

ISSUED: 01-15-87

REV. NO.: 006

ັປ239T/25T

17-J1G2.5V5TPG4-3.1A

(For CARB Use Only)

(1988)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS_X LIGHT DUTY TRUCKS___ MEDIUM DUTY VEHICLES___ GAS_X DIESEL___

Liters (CID): 2.5 (151)

Type: I4

Executive Order No. A-6-400

ENG CODE	VEH MODELS	TRANS TYPE	ETW	IGN SYSTEM (ECU) PART NO.	FUEL SYSTEM (CFI) PART NO.	EGR VALVE PART NO.	CATALYST PART NO.
2B	1AW19, 1AW27 3AJ19 3AJ37, 3AM37 3AM19, 4AH19 2AG19, 4AH27 4AL27, 4AL19	A3	3125	16121532, 16121222	17087280	17084743	25102754
	1AW35, 2AF19		3250				
_	2AF35, 2AG35 3AJ35, 3AM35 4AH35, 4AL35	n unimal fuk	3375				
4B	1AW27, 4AH27	A3	3000		· -		· -
	1AM19, 2AF19 2AG19, 3AJ19 3AM19, 4AH19 4AL27, 4AL19 3AJ37, 3AM37	4 - 4 Sight () () 18 -	3125		-		
	1AW35, 2AF35 3AJ35, 3AM35 4AH35, 4AL35 2AG35		3250				

Comments: See page one for abbreviations and family information. Please refer to manufacturer's HP lists for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

ISSUED: 006

REV. NO.:

17-J1G2.5V5TPG4-4A

(For CARB Use Only)

(1988)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS_X LIGHT DUTY TRUCKS___ MEDIUM DUTY VEHICLES__ GAS_X DIESEL___

Liters (CID): 2.5 (151)

Type: I4

Executive Order No. A-6-400

ENG CODE	VEH MODELS	TRANS TYPE	ETW	IGN SYSTEM (ECU) PART NO.	FUEL SYSTEM (CFI) PART NO.	EGR VALVE PART NO.	CATALYST PART NO.
6	2PM37, 2PF37 2PE37	A 3	3000	16069552	17087279	17084743	25 101512
7	2NE27, 3NF27 3NT27		2875	16069532	17087280		25101504
	2NE69, 2NV27 4NM27, 4NC69 3NF69, 3NT69 4NJ27		3000				
n	2NV69, 4ND69		3125			and and die	
8	2PM37, 2PE37, 2PF37		2875	16069552	17087279		25101512
9	2NE27, 2NV27 3NT27, 3NF27		2875	16069532	17087280		25101504
	2NE69, 2NV69 3NF69, 3NT69		3000				
	4ND69, 4NJ27 4NM27, 4NC69						

Comments: See page one for abbreviations and family information. Please refer to manufacturer's HP lists for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

ISSUED: 01-15-87

REV. NO.: 003

004

005

006

17-J1G2.5V5TPG4-4.1A

(For CARB Use Only)

(1988)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

ENG CODE	VEH MODELS	TRANS TYPE	ETW	IGN SYSTEM (ECU) PART NO.	FUEL SYSTEM (CFI) PART NO.	EGR VALVE PART NO.	CATALYST PART NO.
5 A	2PM37, 2PF37 2PE37	A 3	3000	16086032	17087279	17084743	25101512
7A	2NE27, 3NF27 3NT27		2875	16066402	17087280, 17088139	17084743	25101504
	2NE69, 2NV27 4NM27, 4NC69 3NF69, 3NT69 4NJ27		3000				
÷ .	2NV69, 4ND69		3125			en e	
ŠΑ	2PM37, 2PE37 2PF37		2875)
PA .	2NE27, 2NV27 3NT27, 3NF27		2875				
	2NE69, 2NV69 3NF69, 3NT69		3000				
	4ND69, 4NJ27 4NM27, 4NC69						

ISSUED: 001

REV. NO.: 002 003 004 005 006

17-J1G2.5V5TPG4-4.2A

(For CARB Use Only)

(1988)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS X LIGHT DUTY TRUCKS MEDIUM DUTY VEHICLES GAS X DIESEL

Liters (CID): 2.5 (151)

Type: I4

Executive Order No. A-6-400

ENG CODE	VEH MODELS	TRANS TYPE	ETW	IGN SYSTEM (ECU) PART NO.	FUEL SYSTEM (CFI) PART NO.	EGR VALVE PART NO.	CATALYST PART NO.
6B	2PM37, 2PF37 2PE37	A 3	3000	16121512	17087279	17084743	25101512
8B	2PM37, 2PE37 2PF37		2875	16121512	17087279		25101512

Comments: See page one for abbreviations and family information. Please refer to manufacturer's HP lists for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

SSUED: 006

REV. NO.:

17-J1G2.5V5TPG4-5A

(For CARB Use Only)

(1988)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS_X LIGHT DUTY TRUCKS___ MEDIUM DUTY VEHICLES___ GAS_X DIESEL__

Liters (CID): 2.5 (151)

Type: I4

Executive Order No. A-6-400

ENG CODE	VEH MODELS	TRANS TYPE	ETW	IGN SYSTEM (ECU) PART NO.	FUEL SYSTEM (CFI) PART NO.	EGR VALVE PART NO.	CATALYST PART NO.
17	2NE27, 3NF27 3NT27, 4NJ27 4NM27	M5	2875	16069542	17087269	17084743	25101504
	2NV27, 2NE69 2NV69, 4ND69 4NC69, 3NF69 3NT69		3000				
18	2PM37, 2PF37 2PE37		2875	16069562	17087279		25101512
9	2NE27, 2NE69 2NV27, 3NF69 3NT69, 4NJ27 4NM27, 4ND69 4NC69, 3NF27 3NT27	a en Balante	2875		17087269		25101504
	2NV69		3000				
20	2PM37, 2PF37 2PE37		2875	16069562	17087279		25101512

Comments: See page one for abbreviations and family information. Please refer to manufacturer's HP lists for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

ISSUED: 01-15-87

REV. NO.: 004

005

006

17-J1G2.5V5TPG4-5.1A

(For CARB Use Only)

(1988)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS_X LIGHT DUTY TRUCKS___ MEDIUM DUTY VEHICLES___ GAS_X DIESEL___

Liters (CID): 2.5 (151)

Type: I4

Executive Order No. A-6-400

ENG CODE	VEH MODELS	TRANS TYPE	ETW	IGN SYSTEM (ECU) PART NO.	FUEL SYSTEM (CFI) PART NO.	EGR VALVE PART NO.	CATALYST PART NO.
17A	2NE27, 3NF27 3NT27, 4NJ27 4NM27	M5	2875	16066412	17087269. 17088138	17084743	25101504
	2NV27, 2NE69 2NV69, 4ND69 4NC69, 3NF69 3NT69		3000				
19A	2NE27, 2NE69 2NV27, 3NF69		2875				
- 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10	3NT69, 4NJ27 4NM27, 4ND69 4NC69, 3NF27 3NT27	- - -		100 (100 pm) 100 100 pm (100 pm) 100 pm 100 pm) 100 pm 100 pm) 100 pm)			1. -
	2NV69		3000				
188	2PM37, 2PF37 2PE37		2875	16121522	17087279		25101512
20B	2PM37, 2PF37 2PE37						

Comments: See page one for abbreviations and family information. Please refer to manufacturer's HP lists for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

ISSUED: 001

REV. NO.:

002 004

005

006