

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-60  
Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Liters (Cubic Inches)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
JHN1.6V5FVCO	1.6 (97)	Oxygen Sensor Three-Way Catalyst (Sequential Fuel Injection) (On-Board Diagnostics)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.39	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.24	2.3	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 25<sup>th</sup> day of August, 1987.

  
K. D. Drachand, Chief  
Mobile Source Division

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer HONDA Engine Family JHN1.6V5FVCO  
 Evaporative Family 88FD Engine Type I - 4  
 Liters (CID) 1.6 (97)

ABBREVIATIONS

<u>Ignition System</u>	<u>Exhaust Emissions Control System</u>	<u>Special Features</u>
CA-Centrifugal Advance	AIP-Air Injection-Pump	CCV-Combustion Chamber Valve
EEC-Electronic Engine Control	AIV-Air Injection-Valve	CFI-Central Fuel Injection
EI-Electronic Ignition	DBC-Dual Bed Catalyst	DID-Diesel Injection-Direct
ESAC-Electronic Spark Advance Control	EGR-Exhaust Gas Recirculation	DIP-Diesel Injection-Prechamber
VA-Vacuum Advance	EIC-Electronic Injection Control	EFI-Electronic Fuel Injection
VR-Vacuum Retard	EM-Engine Modification	IC-Intercooler or Aftercooler
	OC-Oxidation Catalyst	MFI-Mechanical Fuel Injection
	OS-Oxygen Sensor	OBD-On-Board Diagnostics
	HOS-Heated Oxygen Sensor	TC-Turbocharger
	SPL-Smoke Puff Limiter or Throttle Delay	
	TOC-Trap Oxidizer, Continual	
	TOP-Trap Oxidizer, Periodical	
	TWC-Three-way Catalyst	
	WUOC-Warm-Up Oxidation Catalyst	
	WUTWC-Warm-Up Three-Way Catalyst	

Fuel System  
 CFI, CL, DID, DIP, EFI, MFI  
 nV-nVenturi Carburetor

VEHICLE MODELS:

Civic CRX Si\*  
 Civic Wagon 4WD\*\*

Engine : Front X Mid. \_\_\_\_\_ Rear \_\_\_\_\_  
 Drive : FWD X\* RWD \_\_\_\_\_ 4WD Full Time X\*\* 4WD Part Time \_\_\_\_\_

## 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-23-60Page 2

Passenger Cars  Light-Duty Trucks  Medium-Duty Vehicles  Gas  Diesel   
 Manufacturer HONDA Engine Family JHN1.6V5FVCO  
 Liter (CID) 1.6 (97) Engine Type I - 4  
 Emission Control Sys. (Special Features) OS, TWC , (SFI, OBD)

Engine Code	Vehicle Models (If Coded see attachment)  *(Dyno HP)	Trans. Type	Equiv. Test Weight	Ign. System (ECU)  Part No.	Fuel System  Part No.	EGR Valve  Part No.	Catalyst  Part No.
JV1 JV1/1	Civic CRX Si	M5	2375	EI & ESAC Distributor 30100-PM6 -Q060 ECU 37820-PM6 -L012	CL & EFI ECU 37820-PM6 -L012	N/A	18150-PM5 -A012  18150-PM5 -A022

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

\*: Please refer to page 08-1 in 1988 Application.

Date of Issued 06/12/87 Revisions:

## 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars  Light-Duty Trucks  Medium-Duty Vehicles  Gas  Diesel   
 Manufacturer HONDA Engine Family JHN1.6V5FVCO  
 Liter (CID) 1.6 (97) Engine Type I - 4  
 Emission Control Sys. (Special Features) OS, TWC (EFI, OBD)

Engine Code	Vehicle Models (If Coded see attachment)  *(Dyno HP)	Trans. Type	Equiv. Test Weight	Ign. System (ECU)  Part No.	Fuel System  Part No.	EGR Valve  Part No.	Catalyst  Part No.
JV1-49 JV1/1 -49	Civic CRX Si	M5	2375	EI & ESAC Distributor 30100-PM6 -0061 ECU 37820-PM6 -L031	CL & EFI ECU 37820-PM6 -L031	N/A	18150-PM5 -A013  18150-PM5 -A023
JV2-49 JV2/1 -49	Civic Wagon 4WD	M5	2750	EI & ESAC Distributor 30100-PM6 -0061 ECU 37820-PM6 -L122	CL & EFI ECU 37820-PM6 -L122		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

\*: Please refer to pages 08-1 and -1.1 in 1988 Application.

Date of Issued 10/15/87 Revisions: 10/27/87 (RC #55; add Wagon 4WD)

## 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-23-60Page 2.1

Passenger Cars  Light-Duty Trucks  Medium-Duty Vehicles  Gas  Diesel   
 Manufacturer HONDA Engine Family JHN1.6V5FVCO  
 Liter (CID) 1.6 (97) Engine Type I - 4  
 Emission Control Sys. (Special Features) OS, TWC, (EFI, OBD)

Engine Code	Vehicle Models (If Coded see attachment)  *(Dyno HP)	Trans. Type	Equiv. Test Weight	Ign. System (ECU)  Part No.	Fuel System  Part No.	EGR Valve  Part No.	Catalyst  Part No.
JV1-49 JV1/1 -49	Civic CRX Si	M5	2375	EI & ESAC Distributor 30100-PM6 -0061 ECU 37820-PM6 -L032	CL & EFI ECU 37820-PM6 -L032	N/A	18150-PM5 -A013  18150-PM5 -A023

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

\*: Please refer to page 08-1 in 1988 Application.

Date of Issued 10/15/87 (RC #49) Revisions:

## 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-23-60Page 2.2

Passenger Cars  Light-Duty Trucks  Medium-Duty Vehicles  Gas  Diesel   
 Manufacturer HONDA Engine Family JHN1.6V5FVCO  
 Liter (CID) 1.6 (97) Engine Type I - 4  
 Emission Control Sys. (Special Features) OS, TWC (EFI, OBD)

Engine Code	Vehicle Models (If Coded see attachment) *(Dyno HP)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) (Vendor's No.) Part No.	Fuel System (Vendor's No.) Part No.	EGR Valve (Vendor's No.) Part No.	Catalyst (Vendor's No.) Part No.
JV1-61 JV1/1 -61	Civic CRX Si	M5	2375	EI & ESAC Distributor 30100-PM6 -0062(TD-02U) ECU 37820-PM6 -L032 (37820-PM6 -L03)	CL & EFI ECU 37820-PM6 -L032 (37820-PM6 -L03)	N/A	18150-PM5 -A013(HCC)  18150-PM5 -A023(HCC)

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

\*: Please refer to pages 08-1 and -1.1 in 1988 Application.

Date of Issued 03/11/88 Revisions: 05/26/88 (RC #61)

## 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-23-60Page 2.3

Passenger Cars  Light-Duty Trucks  Medium-Duty Vehicles  Gas  Diesel   
 Manufacturer HONDA Engine Family JHN1.6V5FVCO  
 Liter (CID) 1.6 (97) Engine Type I - 4  
 Emission Control Sys. (Special Features) OS, TWC (EFI, OBD)

Engine Code	Vehicle Models (If Coded see attachment) *(Dyno HP)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) (Vendor's No.) Part No.	Fuel System (Vendor's No.) Part No.	EGR Valve (Vendor's No.) Part No.	Catalyst (Vendor's No.) Part No.
JV1-64 JV1/1 -64	Civic CRX Si	M5	2375	EI & ESAC Distributor 30100-PM6 -0062(TD-02U) ECU 37820-PM6 -L040 (37820-PM6 -L04)	CL & EFI ECU 37820-PM6 -L040 (37820-PM6 -L04)	N/A	18150-PM5 -A013(HCC)  18150-PM5 -A023(HCC)
JV2-64 JV2/1 -64	Civic Wagon 4WD	M5	2750	EI & ESAC Distributor 30100-PM6 -0062(TD-02U) ECU 37820-PM6 -L130 (37820-PM6 -L13)	CL & EFI ECU 37820-PM6 -L130 (37820-PM6 -L13)		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

\*: Please refer to pages 08-1 and -1.1 in 1988 Application.

Date of Issued 03/15/88 Revisions: 05/26/88 (RC #64)