EC Land

(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-3-86 Relating to Certification of New Motor Vehicles

DAIMLER-BENZ AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Daimler-Benz AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family JMB3.0V6FA16		placement (Cubic Inches)	Exhaust Emission Control Systems (Special Features)		
	3.0	(181)	Dual Warm-Up Three-Way Catalysts Three-Way Catalyst Heated Oxygen Sensor (Mechanical Port Fuel Injection) (On-Board Diagnostics)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per mile	Grams per Mile
0.41	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.21	2.0	0.2

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the Malfunction and Diagnostic System for 1988 and Subsequent Modle Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _______ day of October, 1987.

K. D. Drachand, Chief Mobile Source Division

Bob Gase for

Attachment 3

E.O. 1 A-3-86

198 8 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Anufacturer Mercedes-Benz		Engine FamilyJMB	3.0V6JA16
Evaporative FamilyJMBV6-1/JMBV-2		Engine TypeIn-	line/6cyl.
		Liters (CID)	181
ABBREVIATIONS			
Ignition System	Exhaust	t Emissions Control System	Special Features
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor	AIV-Ai DBC-Du EGR-Ex EIC-EI EM-Eng OC-Oxi OS-Oxy HOS-He SPL-Sm Thro TOC-Tr TOP-Tr	r Injection-Pump r Injection-Valve al Bed Catalyst haust Gas Recirculation ectronic Injection Control ine Modification dation Catalyst gen Sensor ated Oxygen Sensor oke Puff Limiter or ottle Delay rap Oxidizer, Continual rap Oxidizer, Periodical hree-Way Catalyst Warm-Up Three-Way Catalyt	CCV-Combustion Chamber Valve CFI-Central Fuel Injection or Throttle Body Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection Or Aftercooler MFI-Mechanical Fuel Injection OBD-On-Board Diagnostics TC-Turbocharger

VEHICLE MODELS: 300E/CE/TE/SE/SEL

Engine:	Front <u>x</u>	Mid	Kear	
Drive:	FWD	RWD x	4WD Full Time	4WD Part Time



US

MY1988

Engine Family JMB3.0V6FA16

Section 17.00

Page

E.O.# A-3-86

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page

Passenger Cars x Light-Duty Trucks Medium-Duty Vehicles

Gas x Diesel

Manufacturer: Mercedes-Benz

Engine Family: JMB3.0V6FA11

Liter (CID) : 3.0 (181)

Engine Type : In-line/6cyl.

Emission Control System (Special Features): 2-WUTWC, HOS, TWC (MFI, OBD)

Engine Code	Vehicle Models (Dyno) (HP)	Trans Type	Equiv. Test Weight	ign.System (ECU) Part No.	Fuel System Part No.	EGR-valve	Catalyst Part No.
M103-3	300E (7.5) 300CE (7.5)	M+5 A-4 A-4	3625 3625 3625	0065457432 0065457632<	Fuel Distr. 0438101012 Oxygen Sen.	DNA	Underhood: 1244900314 1244900914<
	300TE (6.7) 300SE	A-4	3875 4000		300E/CE/TE 0075423117 (300SE/SEL)		Underfloor: 300E/CE/TE 1244900414
	(10.6) 300SEL (10.6)	A-4	4000		0075425217	granda programa de la composição de la comp	1244901914< (300SE/SEL) 1264900714 1264901914<

< alternate manufacturer

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two weights are listed, the lower weight will be used for testing.

Section No. 17.00.00.00	Title Supplemen	Title Supplemental Data Sheet			Issue Date 08-13-87		
Revision No.	1	2					
Revision Date	11-03-87	01-21-88					