

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-124  
Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Liters (Cubic Inches)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
JNS2.0V5FCCX	2.0 (120.4)	Exhaust Gas Recirculation Air Injection - Valve Three-Way Catalyst Heated Oxygen Sensor (Electronic Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.39	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.22	2.0	0.5

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 12<sup>th</sup> day of June, 1987.

  
K. D. Drachand, Chief  
Mobile Source Division

\*17.12.00-1

E.O. # A-15-124

17.12.00 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: JNS2.0V5FCCX

Evaporative Family: FI4-2 Engine Type: In-line 4, OHC

Liters (CID): 2.0 (120.4)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance  
EEC-Electronic Engine Control  
EI-Electronic Ignition  
ESAC-Electronic Spark Advance Control  
VA-Vacuum Advance  
VR-Vacuum Retard

Exhaust Emission Control System

AIP-Air Injection-Pump  
AIV-Air Injection-Valve  
DBC-Dual Bed Catalyst  
EGR-Exhaust Gas Recirculation  
EIC-Electronic Injection Control  
EM-Engine Modification  
OC-Oxidation Catalyst System  
OS-Oxygen Sensor  
SPL-Smoke Puff Limiter or Throttle Delay  
TOC-Trap Oxidizer, Continual  
TOP-Trap Oxidizer, Periodical  
HOS-Heated Oxygen Sensor  
TWC-Three-Way Catalyst System  
ECC-Electronic Control Carburetor  
ECCS-Electronic Concentrated Control System  
WUOC-Warm-Up Oxidation Catalyst  
WUTWC-Warm-Up Three-Way Catalyst

Special Features

CCV-Combustion Chamber Valve  
CFI-Central Fuel Injection or Throttle Body Injection  
DID-Diesel Injection-Direct  
DIP-Diesel Injection-Prechamber  
EFI-Electronic Fuel Injection  
IC-Intercooler or aftercooler  
MFI-Mechanical Fuel Injection  
TC-Turbocharger  
OBD-On-Board Diagnostics

Fuel System

CFI, CL, DID, DIP, EFI, MFI  
nV-nVenturi Carburetor

VEHICLE MODELS:

Engine Code

Model

Transmission

AC20ECM4 ]	[	200SX XE 2-DOOR N/B COUPE	]	5-Speed Manual
BC20ECM4 ]		200SX XE 3-DOOR H/B COUPE		Automatic
AC20ECA4 ]		200SX XE POWER PACKAGE 2-DOOR N/B COUPE		
BC20ECA4 ]		200SX XE POWER PACKAGE 3-DOOR H/B COUPE		

Engine: Front X Mid. \_\_\_\_\_ Rear \_\_\_\_\_

Drive : FWD \_\_\_\_\_ RWD X 4WD Full Time \_\_\_\_\_ 4WD Part Time \_\_\_\_\_

Issue Date: 02/27/87

Revision Date:

5/25

\*17.12.00-2

17.12.00 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-15-124

Page 2

Passenger Cars X Light-Duty Trucks \_\_\_\_\_ Medium-Duty Vehicles \_\_\_\_\_ Gas X Diesel \_\_\_\_\_

Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: JNS2.OV5FCCX  
 Liter (CID) : 2.0 (120.4) Eng. Type: In-line 4, OHC  
 Emission Control Sys. (Special Features): EFI/EGR/AIV/TVC/CL/ECCS

Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System Part No.	EGR Valve Part No.	Catalyst *** Part No.
AC20ECM4	200SX XE 2-DOOR H/B COUPE (8.4)	H5	3000	Distributor DAP82-08 (HITACHI)	Control Unit A11-A24	EGR Valve AEY78-99	T-xx,xR T-xx,xS
	200SX XE 3-DOOR H/B COUPE (8.4)		3125	TOT01271 (MITSUBISI)	Air Flow Meter A31-634	T-xx,xJ T-xx,xK	
	200SX XE POWER PACKAGE 2-DOOR H/B COUPE (8.4)		3000	Control Unit A11-A24	Injector A46-001 A46-002 (JECS)		
	200SX XE POWER PACKAGE 3-DOOR H/B COUPE (8.4)		3125				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*\*\*The figures and numbers in the place of the mark x are variable according to lot number and production date.

Issue Date: 02/27/87  
 Revision Date:

6/25

\*17.12.00-3

17.12.00 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-15-124

Page 3

Passenger Cars X Light-Duty Trucks \_\_\_\_\_ Medium-Duty Vehicles \_\_\_\_\_ Gas X Diesel \_\_\_\_\_

Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: JNS2.0V5FCCX  
 Liter (CID) : 2.0 (120.4) Eng. Type: In-line 4, OHC  
 Emission Control Sys. (Special Features): EFI/EGR/AIV/TWC/CL/ECCS

Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System Part No.	EGR Valve Part No.	Catalyst *** Part No.
BC20ECM4	200SX XE 2-DOOR H/B COUPE (7.8)	M5	3000	Distributor D4P82-08 (HITACHI)	Control Unit A11-A24	EGR Valve AEY76-99	T-xx,xR T-xx,xS
	200SX XE 3-DOOR H/B COUPE (7.8)		3000	TOT81271 (MITSUBISI)	Air Flow Meter A31-834		T-xx,xJ T-xx,xK
	200SX XE POWER PACKAGE 2-DOOR N/B COUPE (7.8)		3000	Control Unit A11-A24	Injector A48-001 A48-002 (JECS)		
	200SX XE POWER PACKAGE 3-DOOR H/B COUPE (7.8)		3000				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*\*\*The figures and numbers in the place of the mark x are variable according to lot number and production date.

Issue Date: 02/27/87

Revision Date:

7/25

\*17.12.00-4

17.12.00 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-15-124

Page 4

Passenger Cars X Light-Duty Trucks \_\_\_\_\_ Medium-Duty Vehicles \_\_\_\_\_ Gas X Diesel \_\_\_\_\_

Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: JNS2.0V5FCCX  
 Liter (CID) : 2.0 (120.4) Eng. Type: In-line 4, OHC  
 Emission Control Sys. (Special Features): EFI/EGR/AIV/TWC/CL/ECCS

Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System Part No.	EGR Valve Part No.	Catalyst *** Part No.
AC20ECA4	200SX XE 2-DOOR N/B COUPE (8.4)	L4	3000	Distributor D4P82-08 (HITACHI)	Control Unit A11-A24	EGR Valve AEY76-78	T-xx,xR T-xx,xS
	200SX XE 3-DOOR H/B COUPE (8.4)		3125	TOT81271 (MITSUBISI)	Air Flow Meter A31-634		T-xx,xJ T-xx,xK
	200SX XE POWER PACKAGE 2-DOOR N/B COUPE (8.4)		3125	Control Unit A11-A24	Injector A48-001 A48-002 (JECS)		
	200SX XE POWER PACKAGE 3-DOOR H/B COUPE (8.4)		3125				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*\*\*The figures and numbers in the place of the mark x are variable according to lot number and production date.

Issue Date: 02/27/87

Revision Date:

8/25

\*17.12.00-5

17.12.00 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-15-124

Page 5

Passenger Cars X Light-Duty Trucks \_\_\_\_\_ Medium-Duty Vehicles \_\_\_\_\_ Gas X Diesel \_\_\_\_\_

Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: JNS2.0V5FCCX  
 Liter (CID) : 2.0 (120.4) Eng. Type: In-line 4, OHC  
 Emission Control Sys. (Special Features): EFI/EGR/AIV/TWC/CL/ECCS

Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System Part No.	EGR Valve Part No.	Catalyst *** Part No.
BC20ECA4	200SX XE 2-DOOR N/B COUPE (7.6)	L4	3000	Distributor D4P82-08 (HITACHI)	Control Unit A11-A24	EGR Valve AEY76-78	T-xx,xR
	200SX XE 3-DOOR H/B COUPE (7.6)		3125	TOT61271 (MITSUBISI)	Air Flow Meter A31-634		T-xx,xS
	200SX XE POWER PACKAGE 2-DOOR N/B COUPE (7.6)		3000	Control Unit A11-A24	Injector A46-001 A46-002 (JECS)		T-xx,xJ
	200SX XE POWER PACKAGE 3-DOOR H/B COUPE (7.6)		3125				T-xx,xK

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*\*\*The figures and numbers in the place of the mark x are variable according to lot number and production date.

Issue Date: 02/27/87

Revision Date: