# State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-6-455 Relating to Certification of New Motor Vehicles

#### GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year General Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family		lacement Cubic inches)	Exhaust Emission Control Systems (Special Features)
K2G3.8W8XEB6	3.8	(231)	Exhaust Gas Recirculation Three-Way Catalyst
			Three-Way Catalyst Oxygen Sensor (Electronic Port Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0.41	7.0	0.4

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0.14	3.8	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et sec.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this \_\_\_\_\_

\_\_ day of May, 1988.

K. D. Drachand, Chief Mobile Source Division

### 17-K2G3.8W8XEB6-1A

### (For CARB Use Only)

(1989)

### AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: General Motors Corporation

Executive Order No.: A-6-455

Engine Family: K2G3.8W8XEB6

Evaporative Family: KBO-2E

Engine Displacement Liters (Cubic Inches) - Type: 3.8 (231) - V6

Exhaust Emission Control System (Special Features): EGR, TWC, OS (EPFI)

#### **ABBREVIATIONS:**

Ignition System
CA-Centrifugal Advance
ECU-Electronic Control Unit
EI-Electronic Ignition
ESAC-Electronic Spark Advance Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
CFI,DID,DIP,EPFI,HOS,MPFI,OS,SFI
nV-nVenturi Carburetor
VV-Variable Venturi

Other Abbreviations
A/C-Air Conditioning
CID Cubic Inch Displacement
ETW-Equivalent Test Weight
FC-Forward Control
HD-Heavy Duty
RI-Rail & Injector
RWD-Rear Wheel Drive
FWD-Front Wheel Drive
4WD-Four Wheel Drive
TBI-Throttle Body Injection
4x2-Two Wheel Drive
4x4-Four Wheel Drive
6x4-Four Wheel Drive

Exhaust Emission Control System
AIP-Air Injection Pump
AIV-Air Injection Valve
EGR-Exhaust Gas Recirculation
EIC-Electronic Injection Control (Diesel Only)
EM-Engine Modification
DBC-Dual Bed Catalyst
HOS-Heated Oxygen Sensor
OC-Oxidation Catalyst
OS-Oxygen Sensor
SPL-Smoke Puff Limiter or Throttle Delay
TOC-Trap Oxidizer, Continual
TOP-Trap Oxidizer, Periodical
TWC-Three-Way Catalyst
WUOC-Warm-up Oxidation Catalyst
WUTWC-Warm-up Three-Way Catalyst

Special Features
CCV-Combustion Chamber Valve
CFI-Central Fuel Injection or Throttle
Body Injection
DID-Diesel Injection-Direct
DIP-Diesel Injection-Prechamber
EPFI-Electronic Port Fuel Injection
IC-Intercooler/Aftercooler
MPFI-Mechanical Port Fuel Injection
OBD-On-Board Diagnostics
SC-Supercharger
SFI-Sequential Fuel Injection
TC-Turbocharger

ISSUED: 04-29-88 REV. NO.:

0241V/

### 17-K2G3.8W8XEB6-Index 1A

### (For CARB Use Only)

(1989)

### SECTION 17.00.00.00

### B-O-C SUPPLEMENTAL DATA AND CERTIFICATION REVIEW SHEETS

Section and Page No.	Rev. No. <u>or Date</u>	Item
17-K2G3.8W8XEB6-Index 1A	005	Table of Contents
17-K2G3.8W8XEB6-1A	04-29-88	Supplemental Data Sheet
17-K2G3.8W8XEB6-2A	04-29-88	Supplemental Data Sheet
17-K2G3.8W8XEB6-3A	005	Supplemental Data Sheet
17_K2G3.8W8XEB6-4A	005	Supplemental Data Sheet
17-K2G3.8W8XEB6-4.1A	005	Supplemental Data Sheet
17-K2G3.8W8XEB6-5A	04-29-88	Certification Review Sheet

### NOTES:

- (1) See page one for abbreviations and family information.
- (2) Please refer to manufacturer's HP lists for correct dyno test HP settings based on model and equipment.
- (3) If two test weights are listed, the lower weight will be used for testing.
- (4) Letter derivative codes are the same as corresponding numeric codes except as indicated.

ISSUED: 04-29-88 REV. NO.: 001 (RC K2-030)

002 (RC K2-055) 003 (RC K2-075)

004 (RC K2-086)

005 (RC K2-108)

# 17-K2G3.8W8XEB6-2A

# (For CARB Use Only) (1989)

# AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET GASOLINE-FUELED PASSENGER CARS

Executive Order No. A-6-455

V	FL	ĮΤ	<b>~</b> I	•	MOD	F	.2
•	Lr	11			mul		

VEHICLE MODELS:	<u> 1 J U 2_7</u> (EXAMPLE)						
Digit 1 Selling Division	Digit 2 - Body	Designation					
1-Chevrolet 2-Pontiac 3-Oldsmobile 4-Buick 6-Cadillac	A-Celebrity, 6000, Cutlass Ciera B-Caprice, Safari Wagon, Custom ( C-Ninety-Eight Regency, Electra, D-Brougham E-Toronado, Riviera, Eldorado, Re F-Camaro, Firebird, Trans Am, For G-Monte Carlo, El Camino, Caballe H-Bonneville, Delta 88 Royale, Le J-Cavalier, Sunbird, Firenza, Sky K-Seville L-Corsica, Beretta N-Grand Am, Calais, Somerset/Skyl P-Fiero T-Lemans V-Allante W-Grand Prix, Regal, Cutlass Supr Y-Corvette Z-Commercial Chassis	Cruiser, LeSabre/Électra Wagon DeVille, Fleetwood, Limousine eatta rmula ero eSabre yhawk, Cimarron					
Digit 3 Trim Level	Digits 4 & 5 - Body Style						
	07-2Dr Sport Coupe 08-2Dr Hatchback Coupe 11-2Dr Notchback Coupe/Sedan 19-4Dr Sedan 23-4Dr Auxiliary Seat Sedan 27-2Dr (Notchback) Coupe 33-4Dr Auxiliary Seat Sedan 35-4Dr Station Wagon 37-2Dr Hardtop Coupe	47-2Dr Hardtop Coupe 57-2Dr Hardtop Coupe 67-2Dr Convertible Coupe 68-4Dr Hatchback Sedan 69-4Dr (Notchback) Sedan 77-2Dr Hatchback Coupe 80-2Dr Sedan Pickup 87-2Dr Hatchback Coupe 90-Commercial Chassis 97-2Dr Hardtop Coupe					
Engine: Front>	<pre>     Mid Rear </pre>						
Drive: FWD X	RWD 4WD Full Time	4WD Part Time					
	•						

SSUED: 04-29-88

REV. NO.:

0241V/

# 17-K2G3.8W8XEB6-3A

## (For CARB Use Only)

(1989)

### AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS\_X LIGHT DUTY TRUCKS\_\_\_ MEDIUM DUTY VEHICLES\_\_ GAS\_X DIESEL\_\_

Liters (CID): 3.8 (231) Type: V6 Executive Order No. A-6-455

ENG CODE	VEH MODELS	TRANS TYPE	ETW	IGN SYSTEM (ECU) PART NO.	FUEL SYSTEM (RI) PART-NO.	EGR VALVE PART NO.	CATALYST PART NO.
11	4CU69 3CW69 3CX69 4CW69 4CX69 3HN69 3HY37 4HP69 4HP37 4HR69 4HR37 2HZ69 3HN37	A4	3750 3625	16089474	25530398	17088012, 17088157, 17088159, 17089099	25100635
11A				16125714			

16132154

11B

ISSUED: 04-29-88

REV. NO.: 001

002 003

005

0241V/14V

## 17-K2G3.8W8XEB6-4A

### (For CARB Use Only)

(1989)

### AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS\_X LIGHT DUTY TRUCKS\_\_\_ MEDIUM DUTY VEHICLES\_\_\_ GAS\_X DIESEL\_\_\_

Liters (CID): 3.8 (231) Type: V6 Executive Order No. A-6-455

2.66.3 (010). 3.0 (231)				Type: VO		Executive order no. N 6 433		
ENG CODE	VEH MODELS	TRANS TYPE	ETW	IGN SYSTEM (ECU) PART NO.	FUEL SYSTEM (RI) PART NO.	EGR VALVE PART-NO.	CATALYST PART NO.	
12	3CV69 4CU69 4CF69 3CW69 3CX69 4CW69 4CX69 3HN69 3HY37 4HP69 4HP37 4HR37 4HR37 4HR37 4HR37 4HR37	A4	3750 3625	16089494	- 25530398	17088012, 17088157, 17088159, 17089099	25100635	
12A			_	16125734		. <del>-</del>		
12B		-		16132174				

ISSUED: 04-29-88

REV. NO.: 001

002

003

005

### 17-K2G3.8W8XEB6-4.1A

# (For CARB Use Only)

(1989)

### AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS\_X LIGHT DUTY TRUCKS\_\_\_ MEDIUM DUTY VEHICLES\_\_ GAS\_X DIESEL\_\_

Liters (CID): 3.8 (231)

Type: V6

Executive Order No. A-6-455

ENG CODE	VEH MODELS	TRANS TYPE	ETW	IGN SYSTEM (ECU) PART NO.	FUEL SYSTEM (RI) _ PART NO.	EGR VALVE PART NO.	CATALYST PART NO.
13	2HY69	A4	_3875	16089514	25530398	17088012, 17088157, 17088159, 17089099	25100635
13A				16125754			
14	3EZ57 3EV57 4EZ57		3750	16083584			
14A	-			16125774		-	
148				16132194			
15	3EZ57 3EV57 4EZ57 4EC97 4EC67	-		16089454			
15A				16125794			
15B				16132214			
16	2HY69		3875	16130864			

ISSUED: 001

REV. NO.: 002

003

004

005

0241V/14V