

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-101  
Relating to Certification of New Motor Vehicles

MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Mitsubishi Motors Corporation emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement</u> <u>Liters (Cubic Inches)</u>		<u>Exhaust Emission Control Systems</u> <u>(Special Features)</u>
KMT2.6V5FB19	2.6	(155.9)	Air Injection - Valve Exhaust Gas Recirculation Oxygen Sensor Three-Way Catalyst (Two) On-Board Diagnostics (Exempted) (Combustion Chamber Valve) (Central Fuel Injection) Intercooler) (Turbocharger)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.39	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.16	2.0	0.4

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emission standard, or is allowed a delay in implementation under small volume manufacturer provisions, or is allowed a delay in implementation under the "In lieu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with the 2 year/24,000 mile warranty provisions of Health and Safety Code Section 43204.

MITSUBISHI MOTORS CORPORATION

EXECUTIVE ORDER A-86-101  
(Page 2 of 3)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 1<sup>st</sup> day of July, 1988.

  
K. D. Drachand, Chief  
Mobile Source Division

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page 1/2

Manufacturer: Mitsubishi Motors Corporation

Eng. Family: KMT2.6V5FB19

Evap. Family: I

Eng. Type : IL4

Liters (CID): 2.6 (155.9)

ABBREVIATIONS

<u>Ignition System</u>	<u>Exhaust Emissions Control System</u>	<u>Special Features</u>
CA -Centrifugal Advance	AIP -Air Injection-Pump	CCV -Combustion Chamber Valve
ECU -Electronic Control Unit	AIV -Air Injection-Valve	CFI -Central Fuel Injection or Throttle Body Injection
EI -Electronic Ignition	DBC -Dual Bed Catalyst	DID -Diesel Injection-Direct
ESAC-Electronic Spark Advance Control	EGR -Exhaust Gas Recirculation	DIP -Diesel Injection-Prechamber
VA -Vacuum Advance	EIC -Electronic Injection Control (Diesel Only)	EPFI-Electronic Port Fuel Injection
VR -Vacuum Retard	EM -Engine Modification	IC -Intercooler or Aftercooler
	OC -Oxidation Catalyst	MPFI-Mechanical Port Fuel Injection
	OS -Oxygen Sensor	OBD -On-Board Diagnostics
	HOS -Heated Oxygen Sensor	SC -Supercharger
	SPL -Smoke Puff Limiter or Throttle Delay	SFI -Sequential Fuel Injection
	TOC -Trap Oxidizer, Continual	TC -Turbocharger
	TOP -Trap Oxidizer, Periodical	
	TWC -Three-Way Catalyst	
	WUOC -Warm-Up Oxidation Catalyst	
	WUTWC-Warm-Up Three-Way Catalyst	

Fuel System

- CFI, EPFI, MPFI, SFI,
- DID, DIP, HOS, OS
- nV-nVenturi Carburetor
- VV-Variable Venturi Carburetor

Vehicle Models: Chrysler Conquest & Mitsubishi Starion

Engine : Front X Mid \_\_\_ Rear \_\_\_

Drive : FWD \_\_\_ RWD X 4WD Full Time \_\_\_ 4WD Part Time \_\_\_

17.16.02

E.O. # A-86-1011989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page 2/2

Passenger Cars X Light-Duty Trucks \_\_\_\_\_ Medium-Duty Vehicles \_\_\_\_\_  
 Gas X Diesel \_\_\_\_\_  
 Mfr.: Mitsubishi Motors Corporation Eng. Family: KMT2.6V5FB19  
 Liter (CID): 2.6 (155.9) Eng. Type: IL4  
 Emission Control Sys.: AIV+EGR+OS+TWC(2)+CCV+CFI+TC+IC  
 (Special Features)

Eng. Code	Vehicle Models (If coded see attachment) (Dyno Hp)	T/M. Type	ETW	Ign. System (ECU)  Part No.	Fuel System  Part No.	EGR Valve  Part No.	Catalyst  Part No.
ABM	Chrysler Conquest Mitsubishi Starion	M5	3500	Distributor T2T72071  ECU E2T13677	FI Mixer Assy 46EID-735  ECU E2T13677	K5T53976	Front MD109863  Rear MD109866
ABA	Chrysler Conquest Mitsubishi Starion	L4	3500		Air Flow Sensor E5T01171		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.