State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-2-63-1 Relating to Certification of New Motor Vehicles

FUJI HEAVY INDUSTRIES, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That 1990 model-year Fuji Heavy Industries, Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family: LFJ2.2V5FCD4 Displacement: 2.2 Liters (135 Cubic Inches)

Exhaust Emission Control Systems (Special Features):

Heated Oxygen Sensor Three-Way Catalysts (Two) Multipoint Electronic Fuel Injection On-Board Diagnostics

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

| Hydrocarbons | Carbon Monoxide | Nitrogen Oxides | | |
|------------------|------------------|------------------|--|--|
| (Grams per Mile) | (Grams per Mile) | (Grams per Mile) | | |
| 0.41 | 7.0 | 0.4 | | |

The following are the certification emission values for this engine family:

| Hydrocarbons | Carbon Monoxide | Nitrogen Oxides | | |
|-------------------------|------------------|------------------|--|--|
| <u>(Grams per Mile)</u> | (Grams per Mile) | (Grams per Mile) | | |
| 0.26 | 3.1 | 0.2 | | |

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executive Order A-2-63 signed January 25, 1989 is superceded by Executive Order A-2-63-1.

Executed at El Monte, California this 27 day of December, 1989.

K. D. Drachand, Chief
Mobile Source Division

L. Surming

| | _ | - |
|-----|-----|-----|
| - / | ٠. | |
| 1 | 4 | - 1 |
| 1 | - 1 | |

| Manufacturer Fu Pass Cars x L Eng. Type HO4 Emission Control Engine: Front | ji Heavy Indus t-Duty Trucks Liter (CI Sys. (Use SAB | Med- D) 2. | d. E. duty Veh 2 (135) HO25, | ng. Fan icles Eve TWC(2) | Gas x Gas (MPI, OBD) | Diesel | |
|--|---|-------------------------------------|------------------------------|---|--|--------------------------|---|
| Eng. Code/ (Cert Std.) | Veh. Models (If Coded see Attachmt.) | Trans. Type: A-Auto M-Man. | Equiv. Test Weight | or | | EGR Syst. Part No. | Catalyst Part No. |
| L2.2V5CDM (0.41/7.0/0.4) | BC6 (-) BC6 (L) BJ6 (-) BJ6 (L) BF6 (L) | M-5 | 3000 | 6.3 6.7 6.3 6.7 6.9 7.3 6.9 7.3 7.1 | Electronic Control Unit: Fuji's Part No. 22611AA563 (R/C#90-10) or 22611AA562 | None | Fuji's Part No. Front: 20805AA340 Rear: 20805AA380 |
| | BC7 (L) BJ7 (L) BF7 (L) | | 3250 | 7.9 8.2 8.5 8.8 8.9 9.1 | | | |

#The model is tested at higher ETW in accordance with 40 CFR 86.084-26(a)(2).

Date of Issue: December 5, 1988 Revisions: 055-1/20/'89 by R/C #90-2

008-5/31/'89 by R/C #90-5

011-6/22/189 by R/C #90-6

012-6/23/189 by R/C #90-7

013-9/1/'89 by R/C #90-8

016-10/19/'89 by R/C #90-10

1,14

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. A - 2 - 63-1 Page 2

| anufacturer Fuji Heavy Industries Ltd. Eng. Family LF02,249FCD4 |
|---|
|---|

| ិ ឆ | Cars x Lt-Duty Trucks | Med-duty Vehicles | Gas <u>x</u> | Diesel |
|------|-----------------------|-------------------|--------------|-----------|
| Eng. | Type HO4 Liter (CID | 2.2 (135) Evap. | Pamily | <u>HU</u> |

Emission Control Sys. (Use SAE Abbrv.) HO2S, TWC(2), (MPI, OBD)

Engine: Front x Mid. Rear Drive: FWD x RWD 4WD-FT x 4WD-PT

| Eng. Code/ (Cert Std.) | Veh. Models (If Coded see Attachmt.) | Trans. Type: A-Auto M-Man. | Equiv. Test: Weight | RLHP or DPA | Ign. Sys. (ECU.PROM) Part No. | EGR Syst. Part No. | Catalyst Part No. |
|---------------------------------|---|-------------------------------------|---------------------------|-------------------|-------------------------------------|--------------------------|------------------------------|
| L2.2V5CDMA (0.41/7.0/0.4) | BC6 (-) | M-5 | | 6.9 7.4 6.9 | Electronic Control Unit: | None | Fuji's Part No. Front: |
| | BC6 (L) | 1 | 3125 | 7.4 | Fuji's Part No. | | 20805AA340 |
| | BC6 (LS-D) | | | 7.4 | 22611AA563 (R/C#90-10) | · | Rear: 20805AA380 |
| | BC6 (LS) | | 3250 | 7.4 | or 22611AA562 | ļ | |
| | BJ6 (-) | 1 | (3125)# | 8.0 | <u> </u> | | |
| | BJ6 (L) | | | 7.6 | - | | |
| | BJ6 (LS) | | | 7.6 8.0 | _ | | |
| | BJ6 (LS-D) | | | 7.6 | - | | |
| | BF6 (L) | | 3250 | 7.6 | - | | |
| | BF6 (LS) | | | 7.8 | | | |
| | BF6 (LS-D) | | | 8.3 | _ | | |
| | BC7 (L) | | | 8.7 9.0 | _ | | |
| | BC7 (LS) BC7 (LS-D) | \exists | , | 8.7 | | | |
| | BJ7 (L) | - | 3375 | 9.4 | | | |
| · | BF7 (L) | | | 9.8 | | | |
| | BJ7 (LS) BJ7 (LS-D) | _ | | 9.4 | | | |
| | BF7 (LS) BF7 (LS-D) | | 3500 | 9.8 | | | |

The model is tested at higher ETW in accordance with 40 CFR 86.084-26(a)(2),

Tate of Issue: December 5; 1988

Revisions: 055-1/20/'89 by R/C #90-2 008-5/31/'89 by R/C #90-5 011-6/22/'89 by R/C #90-6 012-6/23/'89 by R/C #90-7

013-9/1/189 by R/C #90-8 016-10/19/189 by R/C #90-10

| 990 <u>air resources board supplemental data sheet</u> E.O. A - 2 - 63-1 _{page 3} | j |
|---|---|
| anufacturer Fuji Heavy Industries Ltd. Eng. Family LFJ2.2V5FCD4 | |
| | |
| Ses Cars x Lt-Duty Trucks Med-duty Vehicles Gas x Diesel | |
| rig. Type HO4 Liter (CID) 2.2 (135) Evap. Family HU rission Control Sys. (Use SAE Abbrv.) HO26, TWC(2), (MPI, OBD) | |
| gine: Front x Mid. Rear Drive: FWD x RWD 4WD-FT x 4ND-PT | |
| | |

| Eng. Code/ (Cert Std.) | Veh. Models (If Coded see Attachmt.) | Trans. Type: A-Auto M-Man. | Equiv. Test Weight | RLHP or DPA | Ign. Sys. (ECU.PROM) Part No. | EGR Syst. Part No. | Catalyst Part No. |
|---------------------------------|---|-------------------------------------|--------------------------|-------------------|---|--------------------------|---|
| L2.2V5CDA | BC6 (-) | A-4 | | 5.9 6.3 | Electronic | None | Fuji's Part No. Front: 20805AA340 Rear: 20805AA380 |
| (0.41/7.0/0.4) | BC6 (L) | | 3125 | 5.9 6.3 | Control Unit: Fuji's Part | | |
| | BJ6 (-) | 1 | | 6.5 6.9 6.5 | 22611AA383 (R/C#90-10) or 22611AA562 .1 .6 .8 | | |
| | BJ6 (L) | | 3250 3375 (3250)# | | | | |
| | BF6 (L) | | | 6.7 7.1 | | | |
| | BC7 (L) | | | 7.6 | | | |
| | BJ7 (L) | | | 8.0 | | | |
| | BF7 (L) | | 3375 | 8,5 | · | | |

#The model is tested at higher ETW in accordance with 40 CFR 86.084-26(a)(2).

Date of Issue: December 5, 1988 Revisions: 055-1/20/'89 by R/C #90-2

008-5/31/'89 by R/C #90-5

011-6/22/'89 by R/C #90-6

012-6/23/'89 by R/C #90-7

013-9/1/'89 by R/C #90-8

016-10/19/'89 by R/C #90-10

| 02+104130 [3:00 | rull HEAV | Y INDUST | אונט בוטיו | MITAKA | | | P. 1/13 |
|-----------------|-----------------|------------------|-----------------|--------|-------------------------------------|----------------|----------------------|
| 1990 AIR RESOUR | CES BOARD SUPP | LEMENTAL | DATA SHE | ET E | .o. <u> A-2-63-1</u> | Page | 4 |
| Manufacturer F | | | | | | | |
| | | | | | | 1 | |
| "ass Cars x | | | | • | | | |
| Eng. Type HO | 4 Liter (C | ID)2 | .2 (135) | Ev | ap. Family | HU | |
| Emission Contro | l Sys. (Use SA) | E Abbry, |) <u>HO2S</u> , | TWC(2) | (MPI, OBD) | | |
| Engine: Front_ | x Mid | Rear | Drive: | FWD_ | X RWD 4 | WD-FT <u>x</u> | 4WD-PT |
| Eng. | Veh. Models | Trans. | n | 7,112 | | | |
| Code/ (Cert | (If Coded | Type: | Equiv. Test | RLHP | Ign. Sys. (ECU.PROM) | EGR Syst. | Catalyst |
| Std.) | Attachmt.) | A-Auto H-Man. | Weight | DPA , | Part No. | Part No. | Part No. |
| L2.2V5CDAA | BC6 (-) | A-4 | 3250 | 6.5 | Electronic | Nong | Fuji's Part |
| (0.41/7.0/0.4) | BC6 (L) | | (3125) | 6.5 | Control Unit: Fuji's Part No. | | No. |
| | BCG (B) | | 3250 | 6,9 | | · | Front: 20805AA340 |
| | BC6 (LS) | | | 6.5 | 22611AA383 | | Reart |
| | BC6 (LS-D) | | | 6.5 | 1 | | 20805AA380 |
| | BJ6 (-) | | , | 7.2 | 22611AA 38 2 | | |
| | <u> </u> | 1 | | 7.6 | | i . | |
| | BJ6 (L) | | | 7.6 | | | |
| | BJ6 (LS) | | | 7.2 | | | |
| • | BJ6 (LS-D) | | | 7.2 | | | |
| • | BF6 (L) | 1 | | 7.6 | _ | | |
| | | - | 3375 | 7.8 |] | | |
| | BF6 (LS) | | | 7.4 | | | |
| | BF6 (LS-D) | | [| 7.4 | - | | |
| | BC7 (L) | 1 | | 8.4 | <u> </u> | | |
| | BC7 (LS-D) | - | | 8.6 | - | İ | |
| | BC7 (LS) |] | ę | 8.4 | 1 | | |
| | BJ7 (L) | | | 9.1 | - | | |
| | BJ7 (LS-D) |] | 3500 | 8.8 |] | | |
| 1 | BF7 (L) | 1 | | 9.4 | - | 1 | |

#The model is tested at higher ETW in accordance with 40 CPR 86.084-26(a)(2).

3625

(3500)#

8.8

9.4

te of Issue: December 5, 1988

BJ7 (LS)

(LS)

BF7 (LS-D)

BF7

Revisions: 055-1/20/'89 by R/C 490-2 008-5/31/'89 by R/C #90-5 011-6/22/'89 by R/C \$90-6 012-6/23/'89 by R/C #90-7 013-9/1/'89 by R/C 190-8 016-10/19/'89 by R/C 490-10

Vehicle Models

Engine Family LFJ2.2V5FCD4

BC6: LEGACY 4-door Sedan

BC7: LEGACY 4-door Sedan 4WD

BJ6: LEGACY Station Wagon

BJ7: LEGACY Station Wagon 4WD

BJB: LEGACY Station Wagon 4WD