

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER P-6-30
Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year General Motors Corporation federally-certified emission control systems are certified for sale in California as described below for gasoline-powered passenger cars:

Engine Family: L1G5.7V8DCAX Displacement: 5.7 Liters (350 Inches³)

Equipped with the following exhaust emission control systems:

- Secondary Air Injection
- Exhaust Gas Recirculation
- Oxygen Sensor
- Three-Way Catalyst + Oxidation Catalyst
- Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.41	3.4	1.0

The following are the certification emission values for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.26	2.4	0.8

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided evidence of federal certification of vehicle models listed in the attachments which are not available as California-certified models.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate that the vehicle manufacturer has sufficient emissions credits for its estimated California sales of federally-certified 1990 model-year vehicles using the "Guidelines for Certification of 1983 and Subsequent Model-Year Federally Certified Light-Duty Motor Vehicles For Sale in California" (Title 13, California Code of Regulations, Section 1960.5).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 and California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 18th day of April, 1989.


K. D. Drachand, Chief
Mobile Source Division

(FOR CARB USE ONLY)

SUPPLEMENTAL DATA AND CERTIFICATION REVIEW SHEETS

<u>Section and Page No.</u>	<u>Rev. No. or Date</u>	<u>Item</u>
17-L1G5.7V8DCAX-Index 1	02-22-89	Table of Contents
17-L1G5.7V8DCAX-1	02-22-89	Supplemental Data Sheet
17-L1G5.7V8DCAX-2	02-22-89	Supplemental Data Sheet
17-L1G5.7V8DCAX-3	02-22-89	Certification Review Sheet

NOTES:

- (1) Please refer to manufacturer's HP lists (Attachment I) for correct dyno test HP settings based on model and equipment.
- (2) If two test weights are listed, the lower weight will be used for testing.
- (3) Letter derivative codes are the same as corresponding numeric codes except as indicated.

ISSUED: 02-22-89

REV. NO.:

17-L1G5.7V8DCAX-Index 1
(1990)

(FOR CARB USE ONLY)

E.O. # P-6-30

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
GASOLINE-FUELED PASSENGER CARS

VEHICLE MODELS:

1 J C 3 7 (EXAMPLE)

Digit 1
Selling Division

1-Chevrolet
2-Pontiac
3-Oldsmobile
4-Buick
6-Cadillac

Digit 2 - Body Designation

A-Celebrity, 6000, Cutlass Ciera, Cutlass Cruiser, Century
B-Caprice, Safari Wagon, Custom Cruiser, LeSabre/Electra Wagon,
Coachbuilder Wagon
C-Ninety-Eight, Touring, Electra, DeVille, Fleetwood, Commercial
Chassis
D-Brougham
E-Toronado, Riviera, Eldorado, Reatta
F-Camaro, Firebird, Trans Am
H-Bonneville, Eighty-Eight, LeSabre
J-Cavalier, Sunbird, Skyhawk
K-Seville
L-Corsica, Beretta
N-Grand Am, Cutlass Calais, Skylark
T-Lemans
V-Allante
W-Grand Prix, Regal, Cutlass Supreme, Lumina
Y-Corvette
Z-Commercial Chassis

Digit 3
Trim Level

B, C, D, E, F,
H, J, K, M, N,
L, P, R, S, T,
U, V, W, X, Y, Z

Digits 4 & 5 - Body Style

07-2Dr Sport Coupe	57-Dr Hardtop Coupe
08-2Dr Hatchback Coupe	67-2Dr Convertible Coupe
19-4Dr Sedan	68-4Dr Hatchback Sedan
27-2Dr (Notchback) Coupe	69-4Dr (Notchback) Sedan
35-4Dr Station Wagon	87-2Dr Hatchback Coupe
37-2Dr Hardtop Coupe	90-Commercial Chassis
47-2Dr Hardtop Coupe	97-2Dr Hardtop Coupe

ISSUED: 02-22-89

REV. NO.:

17-L1G5.7V8DCAX-1
(1990)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MANUFACTURER: GENERAL MOTORS CORPORATION

ENGINE FAMILY: L1G5.7V8DCAX

PASSENGER CARS X LIGHT DUTY TRUCKS ___ MEDIUM DUTY VEHICLES ___ GAS X DIESEL ___

ENGINE TYPE: V8 LITER (CID): 5.7 (350) EVAP FAMILY: LB0L-1A

EMISSION CONTROL SYSTEM: AIR/EGR/TWC+OC/O2S (MPI)

ENGINE: FRONT X MID ___ REAR ___ DRIVE: FWD ___ RWD X 4WD-FT ___ 4WD-PT ___

CERTIFICATION STANDARDS: 1.0 NOx DPA: SEE ATTACHMENT I

<u>ENG CODE</u>	<u>VEH MODELS (SEE PAGE 1A)</u>	<u>TRANS TYPE: A-AUTO M-MAN</u>	<u>EQUIV TEST WEIGHT</u>	<u>IGN SYSTEM (ECU/PROM) PART NO.</u>	<u>EGR SYSTEM PART NO.</u>	<u>CATALYST PART NO.</u>
1	1YY07 1YY67	A4	3625 3750	16125091/ ANHU	17086078	25056993, 25056825
3	1YY07		3625	16125081/ ANHT		
5		M6		16125071/ ANHS		
13	1YY67	A4	3750	16125101/ ANHW		
15	1YY67 1YY07	M6	3625	16135801/ ARFP		

ISSUED: 02-22-89

REV. NO.: 001, 002, 004

17-L1G5.7V8DCAX-2
(1990)

17-DCAX

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MANUFACTURER: GENERAL MOTORS CORPORATION

ENGINE FAMILY: L1G5.7V8DCAX

PASSENGER CARS X LIGHT DUTY TRUCKS___ MEDIUM DUTY VEHICLES___ GAS X DIESEL___

ENGINE TYPE: V8 LITER (CID): 5.7 (350) EVAP FAMILY: LBOL-1A

EMISSION CONTROL SYSTEM: AIR/EGR/TWC+OC/O2S (MPI)

ENGINE: FRONT X MID___ REAR___ DRIVE: FWD___ RWD X 4WD-FT___ 4WD-PT___

CERTIFICATION STANDARDS: 1.0 NOx DPA: SEE ATTACHMENT I

<u>ENG CODE</u>	<u>VEH MODELS (SEE PAGE 1A)</u>	<u>TRANS TYPE: A-AUTO M-MAN</u>	<u>EQUIV TEST WEIGHT</u>	<u>IGN SYSTEM (ECU/PROM) PART NO.</u>	<u>EGR SYSTEM PART NO.</u>	<u>CATALYST PART NO.</u>
1A	1YY07 1YY67	A4	3625 3750	16125091/ ANHU	17086078, 17090106	25056993, 25056825
3A	1YY07		3625	16125081/ ANHT		
5A		M6		16125071/ ANHS		
13A	1YY67	A4	3750	16125101/ ANHW		
15A	1YY67 1YY07	M6	3625	16135801/ ARFP		

ISSUED: 003

REV. NO.: 004

17-L1G5.7V8DCAX-2.1
(1990)

17-DCAX

TEST HORSEPOWER VALUES

Body Style	Test Weight Classes	50mph Road Load Hp	without.AC Coast Dyno Hp	Time	.with..AC. Coast Dyno Hp	Time	CD, CA or FA
------------	---------------------	--------------------	--------------------------	------	--------------------------	------	--------------

***** W BODY (FWD) (continued) *****

CHEVROLET LUMINA (1W_69)
 PONTIAC GRAND PRIX (2W_19)
 OLDSMOBILE CUTLASS SUPREME (3W_69)
 BUICK REGAL (4W_19)

auto tran & P215/60R16 AL3	3625-3750	13.19	4.2	17.50	4.6	16.96	CA
auto tran & P215/60R16 AL3	0-3500	12.93	4.0	16.67	4.4	16.17	CA
man. tran & P215/60R16 AL3	3625-3750	12.69	4.2	18.19	4.6	17.61	CA
man. tran & P215/60R16 AL3	0-3500	12.43	4.0	17.34	4.5	16.80	CA

OLDSMOBILE CUTLASS SUPREME CONVERTIBLE (3W_69)

auto tran & P205/70R15 ALS	0-3750	11.93	6.0	19.33	6.6	18.40	CA
man. tran & P205/70R15 ALS	0-3750	11.43	6.0	20.17	6.6	19.17	CA
auto tran & P195/75R14 ALS	0-3875	12.32	5.8	19.33	6.3	18.46	CA
man. tran & P195/75R14 ALS	0-3875	11.82	5.8	20.14	6.3	19.21	CA
auto tran & P215/60R16 AL3	0-3875	14.05	4.6	16.95	5.1	16.41	CA
man. tran & P215/60R16 AL3	0-3875	13.55	4.6	17.58	5.1	17.00	CA

***** Y BODY (RWD) *****

CHEVROLET CORVETTE (1YY07)

w/P275/40ZR17 HW4 (WITH MANUAL)	3750 Only	12.54	5.4	18.53	6.0	17.76	CA
w/P275/40ZR17 HW4 (WITH MANUAL)	3625 Only	12.37	5.4	18.17	6.0	17.40	CA
w/P275/40ZR17 HW4	3500 Only	12.20	5.4	17.80	6.0	17.04	CA
w/P275/40ZR17 HW4	3375 Only	12.02	5.4	17.43	6.0	16.68	CA

w/P275/40ZR17 HW4 (WITH AUTOMATIC) 3750 ONLY 12.54 6.0 18.53 6.6 17.76 CA
 w/P275/40ZR17 HW4 (WITH AUTOMATIC) 3625 ONLY 12.37 6.0 18.17 6.6 17.40 CA

ATTACHMENT I

TEST HORSEPOWER VALUES

Body Style	Test Weight Classes	50mph Road Load Hp	without.AC Coast Dyno Hp	.with..AC. Coast Dyno Hp	CD, CA or FA
***** Y BODY (RWD) (continued) *****					
CHEVROLET CORVETTE (1YY67) - CONVERTIBLE					
w/P275/40ZR17 HW4	3750 Only	13.09	6.1 17.75	6.7 17.26	CA
w/P275/40ZR17 HW4	3625 Only	12.88	6.1 17.45	6.7 16.67	CA
w/P275/40ZR17 HW4	3500 Only	12.73	6.1 17.06	6.7 16.28	CA
CHEVROLET CORVETTE (1ZR07)					
(P275/40&P315/35)ZR17 front&rear	0-3750	13.01	6.2 17.86	6.7 17.14	CA
***** C TRUCK (2WD) *****					
CHEVROLET C1500 PICKUP (CC10703+E62,CC10703+E63,CC10753+E63, CC10903+E63,CC10953+E63)					
GMC C1500 SIERRA (TC10703+E62,TC10703+E63,TC10753+E63, TC10903+E63,TC10953+E63)					
A11	5250 Only	17.48	13.0 18.55	14.3 17.28	CD
A11	4750-5000	17.43	13.0 17.74	14.3 16.53	CD
w/(P195,P205 or P225)/75R15	0-4500	17.23	12.8 16.17	14.1 15.09	CD
w/P235/75R15	0-4500	17.30	12.4 16.11	13.6 15.08	CD
w/P275/60HR15 AL3	4750-5250	19.05	12.2 16.93	13.4 15.91	CD
w/P275/60HR15 AL3	0-4500	18.66	11.5 14.85	12.6 13.99	CD
CHEVROLET C2500 PICKUP (CC20753+E63,CC20903+E63,CC20953+E63)					
GMC C2500 SIERRA (TC20753+E63,TC20903+E63,TC20953+E63)					
A11	5500 Only	20.41	14.0 16.70	15.4 15.59	CD
A11	0-5250	19.11	13.6 17.06	15.0 15.94	CD