

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-128
Relating to Certification of New Motor Vehicles

MITSUBISHI CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1991 model-year Mitsubishi Corporation emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family: MMT2.4T5FC12 Displacement: 2.4 Liters (143.4 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Exhaust Gas Recirculation
Oxygen Sensor
Sequential Multipoint Electronic Fuel Injection
Three Way Catalyst

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Loaded Vehicle Weight (lbs.)</u>	<u>Hydrocarbons (Grams per Mile)</u>	<u>Carbon Monoxide (Grams per Mile)</u>	<u>Nitrogen Oxides (Grams per Mile)</u>
0 - 3750	0.39	9.0	0.4

The following are the certification emission values for this engine family:

<u>Loaded Vehicle Weight (lbs.)</u>	<u>Hydrocarbons (Grams per Mile)</u>	<u>Carbon Monoxide (Grams per Mile)</u>	<u>Nitrogen Oxides (Grams per Mile)</u>
0 - 3750	0.30	4.1	0.2

BE IT FURTHER RESOLVED: That the listed models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 7th day of August, 1990.


R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET



E.O. # A-96-128

Mfr.: Mitsubishi Motors Corporation

Eng. Family: MMT2.4T5FC12

Passenger Cars: Light-Duty Trucks: X Gas: X
 Eng. Type: IL4 Liter (CID): 2.4 (143.4) Evap. Family: I
 Emission Control Sys.: EGR+O2S+TWC+ SMPI
 (Special Features)

Engine: Front X Rear
 Drive : FWD RWD X 4WD-FT 4WD-PT X (for RAM50 4WD)

Eng. Code	Vehicle Models	Trans. Type	ETW	Ign. System (ECU/PROM) Part No.	EGR System Part No.	Catalyst Part No.
CM ACM	Dodge RAM50 2WD Mitsubishi Truck 2WD	M5	3000 3125 3250	Distributor T1T42075 ECU E2T34176	EGR Valve K5T50285 Solenoid K5T47172	MD140506 ( H2)
CA ACA	Dodge RAM50 2WD Mitsubishi Truck 2WD	L4	3125 3250			
CM-F ACM-F	Dodge Power RAM50 4WD	M5	3375	Distributor T1T42075 ECU E2T34176	EGR Valve K5T50285 Solenoid K5T47172	MD140508 ( H3)
CA-F ACA-F	Dodge Power RAM50 4WD	L4	3500			

Note: Refer to §08.13.02 for RLHP.

Date of Issue: _____

Revisions: