

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-132
Relating to Certification of New Motor Vehicles

MITSUBISHI CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1991 model-year Mitsubishi Corporation emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family: MMT3.0V5FC28 Displacement: 3.0 Liters (181.4 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Three Way Catalyst
- Heated Oxygen Sensor
- Exhaust Gas Recirculation
- Sequential Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.39	7.0	0.4

The following are the certification emission values for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.25	1.7	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 27th day of August, 1990.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division


17.16.02

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-86-132 Page 1
3.585Mfr.: Mitsubishi Motors Corporation Eng. Family: MMT3.0V5FC28

Passenger Cars: X Light-Duty Trucks: _ Gas: X
 Eng. Type: V6 Liter (CID): 3.0 (181.4) Evap. Family: I
 Emission Control Sys.: EGR+HO2S+TWC+ SMPI
 (Special Features)

Engine: Front X Rear _
 Drive : FWD X RWD _ 4WD-FT _ 4WD-PT _

Eng. Code	Vehicle Models	Trans. Type	ETW	Ign. System (ECU/PROM)	EGR System	Catalyst
				Part No.	Part No.	Part No.
CM ACM	Dodge Stealth Mitsubishi 3000 GT	M5	3625	Crank Angle Sensor T1T49371 ECU E2T35675#	EGR Valve K5T56472 Solenoid K5T47172	MD162137 ( K4)
CA ACA	Dodge Stealth Mitsubishi 3000 GT	L4	3625 3750		EGR Valve K5T56471 Solenoid K5T47172	

Note: Refer to §08.13.02 for RLHP.

Date of Issue: _____ Revisions:

Issued: 7-27-90

17.16.02-16