

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-534  
Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Ford Motor Company 1993 model-year exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: PFM4.0T5FCC6 Displacement: 4.0 Liters (244 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

- Exhaust Gas Recirculation
- Dual Heated Oxygen Sensors
- Three Way Catalytic Converters (Two)
- Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Loaded Vehicle Weight (lbs.)</u>	<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
3751-5750	50,000	0.32	4.4	1.0
	100,000	0.40	5.5	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Loaded Vehicle Weight (lbs.)</u>	<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
3751-5750	50,000	0.10	1.6	0.5
	100,000	0.10	1.9	n/a

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 10<sup>th</sup> day of August, 1992.



R. B. Summerfield  
Assistant Division Chief  
Mobile Source Division

## 1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1 of 6Manufacturer Ford Motor Company Engine Family P4.0T5FCC6 (P4.0TCC)Passenger Car     (PC) Light-Duty Truck T-2 (T1/T2) Medium-Duty Vehicle     (M1-M5)Stds Type: Tier 1 (Tier 0/1, AB965, TLEV, LEV, ULEV) Veh Type:     (FFV, HEV)Fuel Type: Gasoline Evap Family HM Engine Conf V-6 Liter (CID) 4.0 (244)Engine: Front X Mid     Rear     Drive: FWD     RWD X 4WD-FT     4WD-PT XExhaust ECS & Special Features (including Carb, MFI, etc.) EGR/HO2S/TWC/SFI<sup>(2)</sup>  
(Use abbreviations per SAE J1930, May 91)

Engine Code (Cert Std)	Vehicle Models (If Coded see attachment)	Trans. Type A-Auto M-Manual	Equiv. Test Weight	DPA	Ign. System (ECM/PCM)	EGR System	Catalyst
					Part No.	Part No.	Part No.
357TR00A/N	Ranger 4x2 SC SWB	M5	3750**	12.4	F37F-LA	E6AE-BA	F37A-HC
	Ranger 4x4 RC SWB		3750**	13.3			
	RC LWB		3750#	12.0			
			3875*	13.3			
	SC SWB		4000	12.0			
		4000**	13.3				

\* With air conditioning

# Revised per R/C 4.0-102; also removed 4x2 RCS non-A/C and 4x4 SCS non-A/C

032592

ENGINE FAMILY: P4.0TCC

20.09.17.02-1

ISSUED: '7-22-92

REVISED: MAY 13 1993

## 1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 2 of 6

Manufacturer Ford Motor Company Engine Family PFM4.0T5FCC6 (P4.0TCC)  
 Passenger Car \_\_\_ (PC) Light-Duty Truck T-2 (T1/T2) Medium-Duty Vehicle \_\_\_ (M1-M5)  
 Stds Type: Tier 1 (Tier 0/1, AB965, TLEV, LEV, ULEV) Veh Type: \_\_\_ (FFV, HEV)  
 Fuel Type: Gasoline Evap Family HM Engine Conf V-6 Liter (CID) 4.0 (244)  
 Engine: Front X Mid \_\_\_ Rear \_\_\_ Drive: FWD \_\_\_ RWD X 4WD-FT \_\_\_ 4WD-PT X  
 Exhaust ECS & Special Features (including Carb, MFI, etc.) EGR<sup>2</sup>/HO<sup>(2)</sup>2S/TWC/SFI  
 (Use abbreviations per SAE J1930, May 91).

Engine Code (Cert Std)	Vehicle Models (If Coded see attachment)	Trans. Type A-Auto M-Manual	Equiv. Test Weight	DPA	Ign. System (ECM/PCM)	EGR System	Catalyst
					Part No.	Part No.	Part No.
357RR00A/N	Explorer 4x2 2 Door SWB	M5	4000	11.3	F37F-AGA	E6AE-BA	F37A-HC
			4250*	12.4			
			4250	11.3			
			4250*	12.4			
	Explorer 4x4 2 Door SWB		4250	12.0			
			4250*	13.2			
			4500	12.0			
			4500*	13.2			
			4500	12.0			
			4500*	13.2			
	4 Door LWB						

\* With air conditioning

032592

ENGINE FAMILY: P4.0TCC  
 ISSUED: JUL 22 1992  
 REVISED:

20.09.17.02-2

## 1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 3 of 6

Manufacturer Ford Motor Company Engine Family PFM4.0T5FCC6 (P4.0TCC)Passenger Car     (PC) Light-Duty Truck T-2 (T1/T2) Medium-Duty Vehicle     (M1-M5)Stds Type: Tier 1 (Tier 0/1, AB965, TLEV, LEV, ULEV) Veh Type:     (FFV, HEV)Fuel Type: Gasoline Evap Family HM Engine Conf V-6 Liter (CID) 4.0 (244)Engine: Front X Mid     Rear     Drive: FWD     RWD X 4WD-FT     4WD-PT    Exhaust ECS & Special Features (including Carb, MFI, etc.) EGR<sup>2</sup>/HO2S/TWC<sup>2</sup>/SEI  
(Use abbreviations per SAE J1930, May 91)

Engine Code (Cert Std)	Vehicle Models (If Coded see attachment)	Trans. Type A-Auto M-Manual	Equiv. Test Weight	DPA	Ign. System (ECM/PCM) Part No.	EGR System Part No.	Catalyst Part No.
358UR00A/N	Ranger 4x2 SC SWB	A4	3750# 3875*	11.3 12.4	F37F-PA	E6AE-BA	F37A-HC

\* With air conditioning  
# Revised per R/C 4.0-102

032592

ENGINE FAMILY: P4.0TCC  
ISSUED: 7-22-92  
REVISED: MAY 13 1993

20.09.17.02-3

## 1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 4 of 6Manufacturer Ford Motor Company Engine Family PFM4.0T5FCC6 (P4.0TCC)Passenger Car    (PC) Light-Duty Truck T-2 (T1/T2) Medium-Duty Vehicle    (M1-M5)Stds Type: Tier 1 (Tier 0/1, AB965, TLEV, LEV, ULEV) Veh Type:    (FFV, HEV)Fuel Type: Gasoline Evap Family HM Engine Conf V-6 Liter (CID) 4.0 (244)Engine: Front X Mid    Rear    Drive: FWD    RWD X 4WD-FT    4WD-PT XExhaust ECS & Special Features (including Carb, MFI, etc.) EGR<sup>2</sup>/HO2S<sup>(2)</sup>/TWC/SFI  
(Use abbreviations per SAE J1930, May 91)

Engine Code (Cert Std)	Vehicle Models (If Coded see attachment)	Trans. Type A-Auto M-Manual	Equiv. Test Weight	DPA	Ign. System (ECM/PCM) Part No.	EGR System Part No.	Catalyst Part No.
358PRO0A/N	Explorer 4x2 2 Door SWB	A4	4000	11.3	F37F-RA	E6AE-BA	F37A-HC
	4 Door LWB		4250*	12.4			
	4 Door LWB		4250	11.3			
	4 Door LWB		4250*	12.4			
	Explorer 4x4 2 Door SWB		4250	12.0			
	2 Door SWB		4250*	13.2			
	4 Door LWB		4500	12.0			
	4 Door LWB		4500*	13.2			

\* With air conditioning

032592

ENGINE FAMILY: P4.0TCC  
ISSUED: JUL 22 1992  
REVISED:

20.09.17.02-4

## 1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 5 of 6Manufacturer Ford Motor Company Engine Family P4M4.0T5FCC6 (P4.0TCC)Passenger Car     (PC) Light-Duty Truck T-2 (T1/T2) Medium-Duty Vehicle     (M1-M5)Stds Type: Tier 1 (Tier 0/1, AB965, TLEV, LEV, ULEV) Veh Type:     (FFV, HEV)Fuel Type: Gasoline Evap Family HM Engine Conf V-6 Liter (CID) 4.0 (244)Engine: Front X Mid     Rear     Drive: FWD     RWD X 4WD-FT     4WD-PT XExhaust ECS & Special Features (including Carb, MFI, etc.) EGR/HO2S<sup>2</sup>/TWC<sup>(2)</sup>/SFI  
(Use abbreviations per SAE J1930, May 91)

Engine Code (Cert Std)	Vehicle Models (If Coded see attachment)	Trans. Type A-Auto M-Manual	Equiv. Test Weight	DPA	Ign. System (ECM/PCM)	EGR System	Catalyst
					Part No.	Part No.	Part No.
358TR00A/N	Ranger 4x4	A4			F37F-NA	E6AE-BA	F37A-HC
	RC SWB		3750#	12.0			
			3875*	13.3			
	RC LWB		3875	12.0			
			3875*	13.3			
	SC SWB		4000#	12.0			
	4250*	13.3					

\* With air conditioning  
# Revised per R/C 4.0-102

032592

ENGINE FAMILY: P4.0TCC  
ISSUED: 7-22-92  
REVISED: MAY 13 1993

20.09.17.02-5

## 1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 6 of 6Manufacturer Ford Motor Company Engine Family PFM4.0T5FCC6 (P4.0TCC)Passenger Car    (PC) Light-Duty Truck T-2 (T1/T2) Medium-Duty Vehicle    (M1-M5)Stds Type: Tier 1 (Tier 0/1, AB965, TLEV, LEV, ULEV) Veh Type:    (FFV, HEV)Fuel Type: Gasoline Evap Family HM Engine Conf V-6 Liter (CID) 4.0 (244)Engine: Front X Mid    Rear    Drive: FWD    RWD X 4WD-FT    4WD-PT XExhaust ECS & Special Features (including Carb, MFI, etc.) EGR/HO<sup>2</sup>S/TWC/SFI<sup>(2)</sup>  
(Use abbreviations per SAE J1930, May 91)

Engine Code (Cert Std)	Vehicle Models (If Coded see attachment)	Trans. Type A-Auto M-Manual	Equiv. Test Weight	DPA	Ign. System (ECM/PCM)	EGR System	Catalyst
					Part No.	Part No.	Part No.
358RR00A/N	Explorer 4x2 2 Door SWB  4 Door LWB	A4	4000	11.3	F37F-SA	E6AE-BA	F37A-HC
			4250*	12.4			
			4250	11.3			
			4250*	12.4			
	Explorer 4x4 2 Door SWB  4 Door LWB		4250	12.0			
			4250*	13.2			
			4500	12.0			
			4500*	13.2			

\* With air conditioning

032592

ENGINE FAMILY: P4.0TCC  
ISSUED: JUL 22 1992  
REVISED:

20.09.17.02-6