

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-254-21
Relating to Certification of New Motor Vehicles

HYUNDAI MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 6, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Hyundai Motor Company 1993 model-year exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: PHY2.0V5FC42 Displacement: 2.0 Liters (121.9 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Heated Oxygen Sensor
Exhaust Gas Recirculation
Three Way Catalytic Converter
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.39	7.0	0.4

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.25	3.1	0.2

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the 50,000-mile non-methane hydrocarbons and carbon monoxide standards based on its projected total sales of 1993 model California-certified passenger cars and light-duty trucks.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 9th day of September, 1992.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

Manufacturer Hyundai Motor Company

Engine Family PHY2.0V5FC42

Pass Cars X(PC) Lt-Duty Trucks (T1/T2) Med-Duty Vehicles (M1/M2/M3/M4/M5)

Stds Type Tier 0(Tier 0/1, TLEV, LEV) Veh. Type(FFV, HEV) Fuel Type Gasoline

Evap. Family PHY2.0IF Engine Config. I-4 Liter(CID) 2.0L(121.9)

Engine: Front X Mid Rear Drive: FWD X RWD 4WD-FT 4WD-PT

Exhaust ECS & Special Features (incl. CARB, MPI, etc) HO2S+EGR+TWC+SFI

Eng. Code/ (Cert Std.)	Veh. Models (IF Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	DPA or RLHP	Ign. Sys. (ECM/PCM) Part No.	EGR Syst. Part No.	Catalyst Part No.
ACM5-4 /CM5-4	SONATA	M5	3375	7.8	39110-33110 (CLSD2) or 39110-33160 (CLSD2)	28480 -33150 (TE4) or 28480 -33160 (JTE4)	28950-33190 or 28950-33195 or 28950-33120
ACL4-4 /CL4-4	SONATA	L4	3375	7.8	39110-33110 (CLSD2) or 39110-33160 (CLSD2)	28480 -33180 (TF1) or 28480 -33190 (JTF10)	28950-33190 or 28950-33195 or 28950-33120