

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-232  
Relating to Certification of New Motor Vehicles

TOYOTA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Toyota Motor Corporation 1993 model-year exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: PTY3.0V5FCE5 Displacement: 3.0 Liters (182.9 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Sequential Multiport Fuel Injection
- Exhaust Gas Recirculation
- Dual Heated Oxygen Sensors
- Three-Way Catalytic Converters (Two)
- Heated Oxygen Sensor

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.25	3.4	0.4
100,000	0.31	4.2	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.15	1.6	0.2
100,000	0.16	1.8	n/a

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 20<sup>th</sup> day of January, 1993.

  
R. B. Summerfield  
Assistant Division Chief  
Mobile Source Division

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer TOYOTA Engine family PTY3.0V5FCE5  
 Passenger Car PC(PC) Light-Duty Truck      (T1/T2) Medium-Duty Vehicle      (M1/M2/M3/M4/M5)  
 Stds Type: Tier 1 (Tier 0/1, AB965, TLEV, LEV, ULEV) Veh. Type (FFV, HEV(type A/B/C)): N/A  
 Fuel Type: Gasoline Evaporative Family: EV-SE/EV-RE  
 Engine Config. I6 Liter (CID) 3.0 (182.9)  
 Engine: Front x Mid.      Rear      Drive: FWD      RWD x 4WD-FT      4WD-PT       
 Exhaust ECS & Special Features (incl. CARB, MFI, etc.) SFI, EGR, 2HO2S, TWC(2), HO2S  
 (use abbreviations per SAE 1930 MAY91)

Engine Code/ (Cert. std.)	Vehicle Models (If Coded see attachmt)	Trans. Type: A-Auto M-Man.	ETW	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic converter Part No.
1	JZA80L-AJMVFA -ALMVFA	M5	3625	7.5	89661-14570	25620-46040	Front : 18450-46130(M03)*1
2	JZA80L-AJPVFA -ALPVFA	A4			89661-14560		Rear : 18450-46170(L08)*1
3	JZS147L-BEPQFA		4000	8.8	89661-30680		Front : 18450-46220(M02)*1 Rear : 18450-46200(L06)*1

Comments : Please refer to manufacturer's HP list for correct dyno test HP setting based on model and equipment.

Note \*1 : Parenthetical information represents identifying marks found on production parts.

VEHICLE MODELS :

<u>Supra</u>	<u>GS300</u>
JZA80L-AJMVFA	JZS147L-BEPQFA
-ALMVFA	
-AJPVFA	
-ALPVFA	

*Evap Family EV-SE; Eng Code 3*  
*Evap Family EV-RE; Eng Code 1, 2*