State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-7-168 Relating to Certification of New Motor Vehicles

VOLKSWAGEN AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Volkswagen AG 1993 model-year exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: PVW1.8V5FWCX Displacement: 1.8 Liters (109 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Multiport Fuel Injection
Three Way Catalytic Converter
Heated Oxygen Sensor

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

| <u>Miles</u> | Non-Methane | Carbon | Nitrogen |
|--------------|---------------------|-----------------|---------------|
| | <u>Hydrocarbons</u> | <u>Monoxide</u> | <u>Oxides</u> |
| 50,000 | 0.39 | 7.0 | 0.4 |

The certification exhaust emission values for this engine family in grams per mile are:

| Miles | Non-Methane | Carbon | Nitrogen |
|--------|---------------------|-----------------|---------------|
| | <u>Hydrocarbons</u> | <u>Monoxide</u> | <u>Oxides</u> |
| 50,000 | 0.11 | 1.0 | 0.1 |

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the 50,000-mile non-methane hydrocarbons and carbon monoxide standards based on its projected total sales of 1993 model California-certified passenger cars and light-duty trucks.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this $\frac{97}{2}$ day of September, 1992.

R &B. Summerfield

Assistant Division Chief Mobile Source Division

PAGE NO. 17.04. -02 ISSUE DATE: 03-30-92

| 1993 AIR RESOURCES HORRO SUPPLEMENTAL DRIP SHEET | | | | | E.O.# / 1 100 Page 1 or 1 | | |
|--|--|-------------------------------------|----------|----------|-----------------------------------|---------------------------|----------------------|
| Manufacturer VOLKSWAGEN | | | | | Engine Family PW 1.8 V5FWCX | | |
| Passenge | er Car <u>X</u> (PC) | Light | Duty Tr | ruck | (T1/T2) Mediu | m-Duty Vehicle | (M1/N2/N3/M4/N5) |
| Stds Typ | pe: <u>Tier-O</u> (Ti | ler0/1,AB9 | 65,TLEV, | LEV,ULEV |) Veh. 1 | ype (FFV,HEV(t | ype A/B/C)): |
| Fuel Typ | pe: <u>CASOLIN</u> | <u> </u> | <u></u> | | Evapora | tive Family: | VAS |
| Engine (| Config. <u>L - 4</u> | | Liter | (CID) _ | 1.8 (109) | | |
| Engine: | Front X Mid. | Re | ar | D | rive: FWD X 'F | WD 4WD-F | r 4WD-Pr _ |
| | ECS & Special Fea e abbreviations pa | | | | tc.) | FT / TWC / HO29 | 3 |
| Occide. | Vehicle Models (if coded see attachment) | Trans. Type: A-Auto M-Man. | EIW | RLHP | Ignition (ECM/PCM) Part No. | ECR System Part No. | Catalyst Part no. |
| 2H | Cabriolet | M/A | 2,750 | 8.6 | 037 906 023 A | | 533 131 701 B |

Revisions: 03-13-90