

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-16-193
Relating to Certification of New Motor Vehicles

MAZDA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1995 model-year Mazda Motor Corporation exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Gasoline

Engine Family: STK2.0VJG2EA Displacement: 2.0 Liters (122 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Warm-Up Three Way Catalytic Converter
- Three Way Catalytic Converter
- Heated Oxygen Sensor
- Exhaust Gas Recirculation
- Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Organic Gas</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Formaldehyde</u>
50,000	0.125	3.4	0.4	0.015
100,000	0.156	4.2	0.6	0.018

Reactivity Adjustment Factor for NMOG Mass Emission: 0.98

The certification exhaust emission values set forth for non-methane organic gas (NMOG) reflect application of a 0.98 RAF for 1995 model-year TLEVs. The TLEV certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Organic Gas</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Formaldehyde</u>
50,000	0.068	0.9	0.1	0.001
100,000	0.072	1.0	0.2	0.001

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 2nd day of April, 1994.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O.# A-16-93 page of

Manufacturer Mazda Motor Corporation Engine Family STK2.0VJG2EA
 Passenger Car X (PC) Light-Duty Truck (T1/T2) Medium-Duty Vehicle (M1/M2/M3/M4/M5)
 Stds Type: TLEV (Tier 0/1, AB965, TLEV, LEV, ULEV) Vehicle Type (FFV, HEV(Type A/B/C)): N/A
 Fuel Type Gasoline Evaporative Family STK1065BYP02
 Engine Config. I-4 Liter (CID) 2.0 (122.0)
 Engine: Front X Mid. Rear Drive: FWD X RWD 4WD-FT 4WD-PT
 Exhaust ECS & Special Features (incl. CARB, MFI, etc.) HO2S, SFI, TWC, WU-TWC, EGR

(use abbreviations per SAE 1930 MAY91)

Evap Std: 50K Single Cert Std for Multi-Class Eng Fam N/AExh Cert Fuel (s): Phase-II Hybrid: N/A APU Cycle: Otto

Engine Code (Cert, Std.)	Vehicle Model (If coded see attachment)	Trans. Type A-automatic M-manual	ETW	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Part No.
2FSD2AAN	MX-6	M5	3000	6.2 (B)	Distributor:	EGR	Monolith
2FSD2AAN	MX-6	M5	3000	5.4 (D)	FP13*1	Control Valve:	Converter:
2FSD2AAA	MX-6	M5	3000	6.8 (B)	FS78*2	FS56	FS62(Pre.)
2FSD2AAA	MX-6	M5	3000	5.9 (D)			FS01(Main)
2FSD2AAN	626	M5	3000	6.2 (B)			
2FSD2AAN	626	M5	3000	5.4 (D)			
2FSD2AAA	626	M5	3000	6.8 (B)			
2FSD2AAA	626	M5	3000	5.9 (D)	ECU:		
2FSDTAAN	MX-6	A4	3000	6.2 (B)	FS79*1		
2FSDTAAN	MX-6	A4	3000	5.4 (D)	FS78*2		
2FSDTAAA	MX-6	A4	3000	6.8 (B)			
2FSDTAAA	MX-6	A4	3000	5.9 (D)			
2FSDTAAN	626	A4	3125	6.2 (B)			
2FSDTAAN	626	A4	3125	5.4 (D)			
2FSDTAAA	626	A4	3125	6.8 (B)			
2FSDTAAA	626	A4	3125	5.9 (D)			

Revisions:
1290

*1 : Only for Manual Transmission vehicle

*2 : Only for Automatic Transmission vehicle

(B) Bridgestone P195/65R14

(D) Dunlop P195/65R14

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O.# A-16-193 page of

Manufacturer Mazda Motor Corporation Engine Family STK2.0VJG2EA
 Passenger Car X (PC) Light-Duty Truck (T1/T2) Medium-Duty Vehicle (M1/M2/M3/M4/M5)
 Stds Type: TLEV (Tier 0/1, AB965, TLEV, LEV, ULEV) Vehicle Type (FFV, HEV(Type A/B/C)): N/A
 Fuel Type Gasoline Evaporative Family STK1065BYP02
 Engine Config. I-4 Liter (CID) 2.0 (122.0)
 Engine:Front X Mid. Rear Drive:FWD X RWD 4WD-FT 4WD-PT
 Exhaust ECS & Special Features (incl. CARB, MFI, etc.) HO2S, SFI, TWC, WU-TWC, EGR

(use abbreviations per SAE 1930 MAY91)

Evap Std: 50K Single Cert Std for Multi-Class Eng Fam N/A

Exh Cert Fuel (s): Phase-II Hybrid: N/A APU Cycle: Otto

Engine Code (Cert, Std.)	Vehicle Model (if coded see attachment)	Trans. Type A-automatic M-manual	ETW	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Part No.
2FSD2AAN	MX-6	M5	3000	6.2 *3	Distributor:	EGR	Monolith
2FSD2AAN	MX-6	M5	3000	5.4 *4	FP13*1	Control Valve:	Converter:
2FSD2AAA	MX-6	M5	3000	6.8 *3	FS78*2	FS56	FS62(Pre.)
2FSD2AAA	MX-6	M5	3000	5.9 *4			FS01(Main)
2FSD2AAN	626	M5	3000	6.2 *3			
2FSD2AAN	626	M5	3000	5.4 *4			
2FSD2AAA	626	M5	3000	6.8 *3			
2FSD2AAA	626	M5	3000	5.9 *4	ECU:		
2FSDTAAAN	MX-6	A4	3000	6.2 *3	FS79*1		
2FSDTACN*5							
2FSDTAAAN	MX-6	A4	3000	5.4 *4	FS78*2		
2FSDTACN*5							
2FSDTAAA	MX-6	A4	3000	6.8 *3			
2FSDTACA*5							
2FSDTAAA	MX-6	A4	3000	5.9 *4			
2FSDTACA*5							
2FSDTAAAN	626	A4	3125	6.2 *3			
2FSDTACN*5							
2FSDTAAAN	626	A4	3125	5.4 *4			
2FSDTACN*5							
2FSDTAAA	626	A4	3125	6.8 *3			
2FSDTACA*5							
2FSDTAAA	626	A4	3125	5.9 *4			
2FSDTACA*5							

Revisions: *1 : Only for Manual Transmission vehicle *3 : for Bridgestone Tire
 1290 *2 : Only for Automatic Transmission vehicle *4 : for Dunlop Tire
 *5 : added by Running Change No. 95-FSC-4