

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-327
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1996 model-year Chrysler Corporation exhaust emission control systems are certified as described below for medium-duty vehicles:

Fuel Type: Gasoline

Engine Family: TCR360H8G1EK Displacement: 5.2 Liters (318 Cubic Inches)
5.9 Liters (360 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three Way Catalytic Converter
Sequential Multiport Fuel Injection
Heated Oxygen Sensors (two)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Test Weight</u> <u>(lbs.)</u>	<u>Miles</u>	<u>Non-Methane</u> <u>Hydrocarbons</u>	<u>Carbon</u> <u>Monoxide</u>	<u>Nitrogen</u> <u>Oxides</u>	<u>Carbon</u> <u>Monoxide (20°F)</u>
3751-5750	50,000	0.32	4.4	0.7	12.5
	120,000	0.46	6.4	0.98	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Test Weight</u> <u>(lbs.)</u>	<u>Miles</u>	<u>Non-Methane</u> <u>Hydrocarbons</u>	<u>Carbon</u> <u>Monoxide</u>	<u>Nitrogen</u> <u>Oxides</u>	<u>Carbon</u> <u>Monoxide (20°F)</u>
3751-5750	50,000	0.19	3.0	0.7	6.8
	120,000	0.20	3.6	0.89	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).


BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.1) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 7 day of July 1995.


R. B. Summerfield
Assistant Division Chief
Mobile Source Division

Manufacturer: Chrysler Corporation Exh Eng Fam: TCR360H8G1EK Evap Fam: TCR1073AYPOB
 All Eng Codes in Eng Fam: CA X 49S 50S AB965
 Exh Std: CA Tier-1 X TLEV LEV ULEV ZEV ; US EPA Tier-1
 Evap Std: 50K X Useful Life with R/L In-Use Exh Std: Full In Use Alt In Use X
 Veh Class(es): PC LDT1 LDT2 MDV1 MDV2 X MDV3 MDV4 MDV5
 Single Cert Std for Multi-Class Eng Fam: N/A (Specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
 Fuel Type(s): Dedicated X Flex-Fuel Dual-Fuel Bi-Level Gasoline X Diesel
 CNG LNG LPG M85 Other (specify)
 Emis Test Fuel(s): Indo Ph2 X CNG LPG M85 Other(specify)
 Diesel: 13 CCR 2282 or 40 CFR 86.113-90 or 40 CFR 86.113-94
 Service Accum: Std AMA Mod AMA Mfr ADP Other (Specify)
 NMOG Test Procedure: N/A X Std Equiv R/L Test Proce: SHED Pt Source
 Hybrid: Type A B C , APU Cycle (e.g., Otto, Diesel, Turbine)
 Engine Configuration: V-8 Displacement: 5.2 / 5.9 Liters 318 / 360 Cubic Inches
 Valves per Cylinder: 2 Rated HP: 220 / 230 @ 4400/4000 RPM
 Engine: Front X Mid Rear Drive: FWD RWD 4WD-FT 4WD-PT X
 Exhaust ECS (eg., EGR, MFI, TC, CAC): TWC, SFT, HO2S(2)
 (use abbreviations per SAE J1930 SEP91)

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type M5 A4	ETW or Test Wt.*	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.
CA-100'	AB2L11	A3	5000	S E E A T T A C H E D	56031106		52020285
	AB1L51 AB2L12		5250				
	AB2L12 AB2L13 AB2L52 AB2L53		5500				
	CA-150		AB2L11 AB2L12				
	AB1L51 AB2L12 AB2L13 AB2L52		5500				

* Test weights reflect ALVW.

Date Issued: 6/9/95

Revisions: _____

1996 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page 2 of 2
 PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES
 (cont'd.)

Manufacturer: Chrysler Corporation Exh Eng Fam: TCR360H8G1EK Evap Fam: TCR1073AYPOB

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type M5 A4	ETW or Test Wt.*	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.	
CA-200	AB2L12	A4	5250	S E E A T T A C H M E N T	56031108	None	52020285	
	AB2L12 AB2L13 AB2L52		5500					
CA-300	AN1L61 AN1L62		5000			56031657		52020283
CA-400	BR6L61 BR6L62 BR1L31 BR1L32 BR1L61 BR1L62		5500			56031662		52019294
CA-500	BR6L61 BR6L62 BR1L31 BR1L32 BR1L61 BR1L62					56031665		
CM-100	BR6L61 BR6L62 BR1L31 BR1L32 BR1L61 BR1L62	M5	5500			56027996		
CM-200	AN1L61 AN1L62		5000		56031656		52020293	

* Test Weights reflect ALVW.

Date Issued: 6/9/95

Revisions: _____

1996 Chrysler Corporation

VEHICLE MODEL	ENGINE/TRANS	WEIGHT LBS TEST	GVW	6010	A	TIRE USE	DESCRIPTION	TRD	MFG	COASTDOWN TIME SEC	*DYN HP	TIRE F	PRES R
TCR360H8G1EK	ELF DGH RW 5000	6010	TSC	TAD	Y	STD 96	TZA	TZA	13.84	16.30	35		
						OPT 96	TZH	TZH	14.19	15.70	35		
						OPT 96	TSD	TAD	13.84	16.30	35		
						OPT 96	TSD	TAD	14.19	15.70	35		
						OPT 96	TSF	TAD	13.84	16.30	35		
						OPT 96	TSF	TAD	14.19	15.70	35		
						OPT 96	TW9	TAD	13.53	14.90	35		
						OPT 96	TW9	TAD	13.88	15.20	35		
						OPT 96	TSC	TAD	13.84	16.30	35		
						OPT 96	TSC	TAD	14.19	15.70	35		
AB1L51	ELF DGT RW 5000	6010	Y	STD 96	TSC	TAD	TZA	13.84	16.30	35			
				OPT 96	TSD	TAD	TZA	13.84	15.70	35			
				OPT 96	TSD	TAD	TZH	14.19	15.70	35			
				OPT 96	TSF	TAD	TZA	13.84	16.30	35			
				OPT 96	TSF	TAD	TZH	14.19	15.70	35			
				OPT 96	TW9	TAD	TZA	13.53	14.90	35			
				OPT 96	TW9	TAD	TZH	13.98	15.20	35			
				STD 96	TRE	TAD	TZA	13.20	16.40	35			
				OPT 96	TRF	TAD	TZA	13.20	18.40	35			
				OPT 96	TSC	TAD	TZA	12.81	16.50	35			
AB2L11	ELF DGH RW 4500	6010	Y	STD 96	TSC	TAD	TZH	13.07	16.00	35			
				OPT 96	TSC	TAD	TZH	12.81	16.50	35			
				OPT 96	TSF	TAD	TZA	12.81	16.00	35			
				OPT 96	TSF	TAD	TZH	13.07	16.00	35			
				OPT 96	TW9	TAD	TZA	12.51	15.30	35			
				OPT 96	TW9	TAD	TZH	12.95	15.40	35			
				STD 96	TRE	TAD	TZA	13.20	18.40	35			
				OPT 96	TRF	TAD	TZA	13.20	18.40	35			
				OPT 96	TSC	TAD	TZA	12.81	16.50	35			
				OPT 96	TSF	TAD	TZH	13.07	16.00	35			
AB2L12	ELF DGH RW 4750	6010	Y	STD 96	TW9	TAD	TZA	12.51	15.30	35			
				OPT 96	TW9	TAD	TZH	12.95	15.40	35			
				STD 96	TRE	TAD	TZA	13.85	16.40	35			
				OPT 96	TRF	TAD	TZA	13.85	16.40	35			
				OPT 96	TSC	TAD	TZA	13.43	18.60	35			
				OPT 96	TSC	TAD	TZH	13.72	16.00	35			

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

1996 Chrysler Corporation

VEHICLE MODEL	ENGINE/TRANS	WEIGHT LBS TEST	GVW	A USE	TIRE DESCRIPTION	TRD	MFG	COASTDOWN TIME SEC	DYNO HP	TIRE F	PRES R
TCR360H8G1EK					OPT 96 TSD	TAD	TZA	13.43	16.60	35	35
					OPT 96 TSD	TAD	TZH	13.72	16.00	35	35
					OPT 96 TSF	TAD	TZA	13.43	16.60	35	35
					OPT 96 TSF	TAD	TZH	13.72	16.00	35	35
					OPT 96 TW9	TAD	TZA	13.12	15.40	35	35
					OPT 96 TW9	TAD	TZH	13.57	15.50	35	35
AB2L12	ELF DGH RW	4750	6400	Y	STD 96 TSC	TAD	TZA	13.43	16.60	35	35
					OPT 96 TSC	TAD	TZH	13.72	16.00	35	35
					OPT 96 TSD	TAD	TZA	13.43	16.60	35	35
					OPT 96 TSD	TAD	TZH	13.72	16.00	35	35
					OPT 96 TSF	TAD	TZA	13.43	16.60	35	35
					OPT 96 TSF	TAD	TZH	13.72	16.00	35	35
					OPT 96 TW9	TAD	TZA	13.12	15.40	35	35
					OPT 96 TW9	TAD	TZH	13.57	15.50	35	35
AB2L12	ELF DGH RW	4750	6800	Y	STD 96 TSC	TAD	TZA	13.43	16.60	35	35
					OPT 96 TSC	TAD	TZH	13.72	16.00	35	35
					OPT 96 TSD	TAD	TZA	13.43	16.60	35	35
					OPT 96 TSD	TAD	TZH	13.72	16.00	35	35
					OPT 96 TSF	TAD	TZA	13.43	16.60	35	35
					OPT 96 TSF	TAD	TZH	13.72	16.00	35	35
					OPT 96 TW9	TAD	TZA	13.12	15.40	35	35
					OPT 96 TW9	TAD	TZH	13.57	15.50	35	35
AB2L12	ELF DGT RW	4750	6010	Y	STD 96 TSC	TAD	TZA	13.85	16.40	35	35
					OPT 96 TRF	TAD	TZA	13.85	16.40	35	35
					OPT 96 TSC	TAD	TZA	13.43	16.60	35	35
					OPT 96 TSC	TAD	TZH	13.72	16.00	35	35
					OPT 96 TSD	TAD	TZA	13.43	16.60	35	35
					OPT 96 TSD	TAD	TZH	13.72	16.00	35	35
					OPT 96 TSF	TAD	TZA	13.43	16.60	35	35
					OPT 96 TSF	TAD	TZH	13.72	16.00	35	35
					OPT 96 TW9	TAD	TZA	13.12	15.40	35	35
					OPT 96 TW9	TAD	TZH	13.57	15.50	35	35
AB2L12	ELF DGT RW	4750	6400	Y	STD 96 TSC	TAD	TZA	13.43	16.60	35	35
					OPT 96 TSC	TAD	TZH	13.72	16.00	35	35
					OPT 96 TSD	TAD	TZA	13.43	16.60	35	35
					OPT 96 TSD	TAD	TZH	13.72	16.00	35	35
					OPT 96 TSF	TAD	TZA	13.43	16.60	35	35
					OPT 96 TSF	TAD	TZH	13.72	16.00	35	35
					OPT 96 TW9	TAD	TZA	13.12	15.40	35	35
					OPT 96 TW9	TAD	TZH	13.57	15.50	35	35

Chrysler Corporation

1996

TCR360H8G1EK

FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT LBS TEST	GYW	A USE	TIRE DESCRIPTION	TRD	MFG	TIME SEC	COASTDOWN	*DYNO HP	TIRE F	PRES R
AB2L12	ELF DGT RW 4750	6800	Y	OPT 98	TW9	TAD	TZA	13.12		15.40	35	35
				OPT 98	TW9	TAD	TZH	13.57		15.50	35	35
				STD 96	TSC	TAD	TZA	13.43		16.80	35	35
				OPT 96	TSC	TAD	TZH	13.72		16.00	35	35
				OPT 96	TSD	TAD	TZA	13.43		16.80	35	35
				OPT 96	TSD	TAD	TZH	13.72		16.00	35	35
				OPT 96	TSF	TAD	TZA	13.43		16.80	35	35
				OPT 96	TSF	TAD	TZH	13.72		16.00	35	35
				OPT 96	TW9	TAD	TZA	13.12		15.40	35	35
				OPT 96	TW9	TAD	TZH	13.57		15.50	35	35
AB2L12	EML DGT RW 4750	6010	Y	STD 96	TRE	TAD	TZA	13.85		16.40	35	35
			OPT 96	TRF	TAD	TZA	13.85		16.40	35	35	
			OPT 96	TSC	TAD	TZA	13.43		16.80	35	35	
			OPT 96	TSC	TAD	TZH	13.72		16.00	35	35	
			OPT 96	TSD	TAD	TZA	13.43		16.80	35	35	
			OPT 96	TSD	TAD	TZH	13.72		16.00	35	35	
			OPT 96	TSF	TAD	TZA	13.43		16.80	35	35	
			OPT 96	TSF	TAD	TZH	13.72		16.00	35	35	
			OPT 96	TW9	TAD	TZA	13.12		15.40	35	35	
			OPT 96	TW9	TAD	TZH	13.57		15.50	35	35	
AB2L12	EML DGT RW 4750	6400	Y	STD 96	TSC	TAD	TZA	13.43		16.60	35	35
			OPT 96	TSC	TAD	TZH	13.72		16.00	35	35	
			OPT 96	TSD	TAD	TZA	13.43		16.80	35	35	
			OPT 96	TSD	TAD	TZH	13.72		16.00	35	35	
			OPT 96	TSF	TAD	TZA	13.43		16.80	35	35	
			OPT 96	TSF	TAD	TZH	13.72		16.00	35	35	
			OPT 96	TW9	TAD	TZA	13.12		15.40	35	35	
			OPT 96	TW9	TAD	TZH	13.57		15.50	35	35	
			STD 96	TSC	TAD	TZA	13.43		16.60	35	35	
			OPT 96	TSD	TAD	TZH	13.72		16.00	35	35	
AB2L13	ELF DGH RW 5000	6400	Y	STD 96	TSC	TAD	TZA	13.84		16.30	35	35
			OPT 96	TSC	TAD	TZH	14.19		15.70	35	35	
			OPT 96	TSD	TAD	TZA	13.43		16.60	35	35	
			OPT 96	TSD	TAD	TZH	13.72		16.00	35	35	
			OPT 96	TSF	TAD	TZA	13.43		16.80	35	35	
			OPT 96	TSF	TAD	TZH	13.72		16.00	35	35	
			OPT 96	TW9	TAD	TZA	13.12		15.40	35	35	
			OPT 96	TW9	TAD	TZH	13.57		15.50	35	35	
			STD 96	TSC	TAD	TZA	13.84		16.30	35	35	
			OPT 96	TSC	TAD	TZH	14.19		15.70	35	35	

1996

Chrysler Corporation

TCR360H8G1EK

FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/TRANS	WEIGHT TEST	LBS GYW	A C	TIRE USE	DESCRIPTION	TRD	MFG	COASTDOWN TIME SEC	DYNO HP	TIRE F	PRES R
AB2L13	ELF DGT RW 5000	6400	8400	Y	OPT 96	TSD	TAD	TZA	13.84	16.30	35	35
					OPT 96	TSD	TAD	TZH	14.19	15.70	35	35
					OPT 96	TSF	TAD	TZA	13.84	16.30	35	35
					OPT 96	TSF	TAD	TZH	14.19	15.70	35	35
					OPT 96	TW9	TAD	TZA	13.53	14.90	35	35
					OPT 96	TW9	TAD	TZH	13.98	15.20	35	35
					STD 96	TSC	TAD	TZA	13.84	16.30	35	35
					OPT 96	TSC	TAD	TZH	14.19	15.70	35	35
					OPT 96	TSD	TAD	TZA	13.84	16.30	35	35
					OPT 96	TSD	TAD	TZH	14.19	15.70	35	35
AB2L13	EML DGT RW 5000	6400	8400	Y	OPT 96	TSD	TAD	TZA	13.84	16.30	35	35
					OPT 96	TSD	TAD	TZH	14.19	15.70	35	35
					OPT 96	TSF	TAD	TZA	13.84	16.30	35	35
					OPT 96	TSF	TAD	TZH	14.19	15.70	35	35
					OPT 96	TW9	TAD	TZA	13.53	14.90	35	35
					OPT 96	TW9	TAD	TZH	13.98	15.20	35	35
					STD 96	TSC	TAD	TZA	13.84	16.30	35	35
					OPT 96	TSC	TAD	TZH	14.19	15.70	35	35
					OPT 96	TSD	TAD	TZA	13.84	16.30	35	35
					OPT 96	TSD	TAD	TZH	14.19	15.70	35	35
AB2L52	ELF DGH RW 5250	6400	6400	Y	OPT 96	TSD	TAD	TZA	14.34	16.20	35	35
					OPT 96	TSD	TAD	TZH	14.74	15.50	35	35
					OPT 96	TSF	TAD	TZA	14.34	16.20	35	35
					OPT 96	TSF	TAD	TZH	14.74	15.50	35	35
					OPT 96	TW9	TAD	TZA	14.03	14.90	35	35
					OPT 96	TW9	TAD	TZH	14.48	14.90	35	35
					STD 96	TSC	TAD	TZA	14.34	16.20	35	35
					OPT 96	TSC	TAD	TZH	14.74	15.50	35	35
					OPT 96	TSD	TAD	TZA	14.34	16.20	35	35
					OPT 96	TSD	TAD	TZH	14.74	15.50	35	35
AB2L52	ELF DGT RW 5250	6400	6400	Y	OPT 96	TSD	TAD	TZA	14.34	16.20	35	35
					OPT 96	TSD	TAD	TZH	14.74	15.50	35	35
					OPT 96	TSF	TAD	TZA	14.34	16.20	35	35
					OPT 96	TSF	TAD	TZH	14.74	15.50	35	35
					OPT 96	TW9	TAD	TZA	14.03	14.90	35	35
					OPT 96	TW9	TAD	TZH	14.48	14.90	35	35
					STD 96	TSC	TAD	TZA	14.34	16.20	35	35
					OPT 96	TSC	TAD	TZH	14.74	15.50	35	35
					OPT 96	TSD	TAD	TZA	14.34	16.20	35	35
					OPT 96	TSD	TAD	TZH	14.74	15.50	35	35

1996

Chrysler Corporation

TCR360HBG1EK

FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GYW	A C	TIRE USE	DESCRIPTION	TRD	MFG	COASTDOWN TIME SEC	"DYNO HP	TIRE F	PRES R
AB2L52	EML DGT RW 5250	6400	6400	Y	STD	96 TSC	TAD	TZA	14.34	16.20	35	35
					OPT	96 TSC	TAD	TZH	14.74	15.50	35	35
					OPT	96 TSD	TAD	TZA	14.34	16.20	35	35
					OPT	96 TSD	TAD	TZH	14.74	15.50	35	35
					OPT	96 TSF	TAD	TZA	14.34	16.20	35	35
					OPT	96 TSF	TAD	TZH	14.74	15.50	35	35
					OPT	96 TW8	TAD	TZA	14.03	14.50	35	35
					OPT	96 TW8	TAD	TZH	14.49	14.90	35	35
AB2L53	ELF DGH RW 5500	6400	6400	Y	STD	96 TSC	TAD	TZA	14.90	15.80	35	35
					OPT	96 TSC	TAD	TZH	15.28	15.40	35	35
					OPT	96 TSD	TAD	TZA	14.90	15.80	35	35
					OPT	96 TSD	TAD	TZH	15.28	15.40	35	35
					OPT	96 TSF	TAD	TZA	14.90	15.80	35	35
					OPT	96 TSF	TAD	TZH	15.28	15.40	35	35
AN1L61	ELF DDC RW 4000	6170	6170	Y	STD	96 TMK	TAD	TZH	13.98	13.30	30	35
	ELF DGT RW 4000	6170	6170	Y	STD	96 TMK	TAD	TZH	12.98	13.40	30	35
AN1L62	ELF DDC RW 4000	6260	6260	Y	STD	96 TMK	TAD	TZH	13.98	13.30	30	35
	ELF DGT RW 4250	6260	6260	Y	STD	96 TMK	TAD	TZH	13.88	13.30	35	35
BR1L31	ELF DDC RW 5000	6400	6400	Y	STD	96 TYF	TAD	TZA	15.56	15.80	35	35
					OPT	96 TYF	TAD	TZA	15.56	15.80	35	35
					OPT	96 TYG	TAD	TZA	15.56	15.80	35	35
					OPT	96 TYG	TAD	TZH	15.56	15.80	35	35
BR1L31	ELF DGT RW 5000	6400	6400	Y	STD	96 TRY	TAD	TZA	14.84	16.00	35	35
					OPT	96 TRY	TAD	TZA	14.84	16.00	35	35
					OPT	96 TYF	TAD	TZA	14.64	16.00	35	35
					OPT	96 TYG	TAD	TZA	14.64	16.00	35	35
					OPT	96 TYG	TAD	TZH	14.64	16.00	35	35
BR1L31	EML DGT RW 5000	6400	6400	Y	STD	96 TRY	TAD	TZA	14.64	16.00	35	35
					OPT	96 TRY	TAD	TZA	14.64	16.00	35	35
					OPT	96 TYF	TAD	TZA	14.64	16.00	35	35
					OPT	96 TYG	TAD	TZA	14.64	16.00	35	35
BR1L32	ELF DDC RW 5250	6400	6400	Y	STD	98 TRY	TAD	TZA	16.20	15.90	35	35
					OPT	98 TRY	TAD	TZA	16.20	15.90	35	35
					OPT	96 TYG	TAD	TZA	16.20	15.90	35	35
					OPT	96 TYG	TAD	TZH	16.20	15.90	35	35
BR1L32	ELF DGT RW 5250	6400	6400	Y	STD	96 TRY	TAD	TZA	15.14	16.00	35	35
					OPT	96 TYF	TAD	TZA	15.14	16.00	35	35
					OPT	96 TYG	TAD	TZA	15.14	16.00	35	35
					OPT	96 TYG	TAD	TZH	15.14	16.00	35	35
BR1L32	EML DGT RW 5250	6400	6400	Y	STD	96 TRY	TAD	TZA	15.14	16.00	35	35
					OPT	96 TYF	TAD	TZA	15.14	16.00	35	35
					OPT	96 TYG	TAD	TZA	15.14	16.00	35	35
					OPT	96 TYG	TAD	TZH	15.14	16.00	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10 - TJ02 - 404 /

Report Date: 03/11/95
Time: 09:44:56

Chrysler Corporation

1996

TCR360H8G1EK

FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/TRANS	WEIGHT TEST	LBS GWV	A C	TIRE DESCRIPTION	TRD	MFG	COASTDOWN TIME SEC	HP	TIRE F	PRES R
BR1L61	ELF DDC RW 4750	6400	6400	Y	STD 96 TRY TAD	TZA	15.12	15.70	35	35	35
					OPT 96 TYF TAD	TZA	15.12	15.70	35	35	35
					OPT 96 TYG TAD	TZA	15.12	15.70	35	35	35
BR1L61	ELF DGT RW 4750	6400	6400	Y	STD 96 TRY TAD	TZA	14.14	15.80	35	35	35
					OPT 96 TYF TAD	TZA	14.14	15.80	35	35	35
					OPT 96 TYG TAD	TZA	14.14	15.80	35	35	35
BR1L61	EML DGT RW 4750	6400	6400	Y	STD 96 TRY TAD	TZA	14.14	15.80	35	35	35
					OPT 96 TYF TAD	TZA	14.14	15.80	35	35	35
					OPT 96 TYG TAD	TZA	14.14	15.80	35	35	35
BR1L62	ELF DDC RW 4750	6400	6400	Y	STD 96 TRY TAD	TZA	15.12	15.70	35	35	35
					OPT 96 TYF TAD	TZA	15.12	15.70	35	35	35
					OPT 96 TYG TAD	TZA	15.12	15.70	35	35	35
BR1L62	ELF DGT RW 5000	6400	6400	Y	STD 96 TRY TAD	TZA	14.64	16.00	35	35	35
					OPT 96 TYF TAD	TZA	14.64	16.00	35	35	35
					OPT 96 TYG TAD	TZA	14.64	16.00	35	35	35
BR1L62	EML DGT RW 5000	6400	6400	Y	STD 96 TRY TAD	TZA	14.64	16.00	35	35	35
					OPT 96 TYF TAD	TZA	14.64	16.00	35	35	35
					OPT 96 TYG TAD	TZA	14.64	16.00	35	35	35
BR6L61	ELF DDC 4W 5250	6400	6400	Y	STD 96 TWA TAD	TZH	13.70	16.50	40	35	35
					OPT 96 TXD TAD	TZA	13.25	18.30	35	35	35
					OPT 96 TYL TAD	TZA	13.86	17.60	35	35	35
					OPT 96 TYM TAD	TZA	13.56	17.20	35	35	35
BR6L61	ELF DGT 4W 5250	6400	6400	Y	STD 96 TWA TAD	TZH	12.94	16.50	40	35	35
					OPT 96 TXD TAD	TZA	12.54	18.40	35	35	35
					OPT 96 TYL TAD	TZA	13.08	17.70	35	35	35
					OPT 96 TYM TAD	TZA	12.82	17.30	35	35	35
BR6L61	EML DGT 4W 5250	6400	6400	Y	STD 96 TWA TAD	TZH	12.94	16.50	40	35	35
					OPT 96 TXD TAD	TZA	12.54	18.40	35	35	35
					OPT 96 TYL TAD	TZA	13.08	17.70	35	35	35
					OPT 96 TYM TAD	TZA	12.82	17.30	35	35	35
BR6L62	ELF DDC 4W 5250	6400	6400	Y	STD 96 TWA TAD	TZH	13.70	16.50	40	35	35
					OPT 96 TXD TAD	TZA	13.25	18.30	35	35	35

1986

Chrysler Corporation

TCR380H8G1EK

FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/TRANS	WEIGHT TEST	LBS GWV	A	TIRE USE	DESCRIPTION	TRD	MFG	TIME	COASTDOWN	*DYN	TIRE	HP	F	R	PRE
BR6L62	ELF DGT 4W	5250	6400	Y	OPT	86	TYK	TAD	TZA	13.86	17.60	35	35			35
					OPT	86	TYL	TAD	TZA	13.56	17.20	35	35			35
					OPT	86	TYM	TAD	TZA	13.56	17.20	35	35			35
					STD	86	TWA	TAD	TZH	12.94	16.50	40	35			35
					OPT	86	TKD	TAD	TZA	12.54	18.40	35	35			35
					OPT	86	TYK	TAD	TZA	13.08	17.70	35	35			35
BR6L62	EML DGT 4W	5500	6400	Y	OPT	86	TYL	TAD	TZA	12.82	17.30	35	35			35
					OPT	86	TYM	TAD	TZA	12.82	17.30	35	35			35
					STD	86	TWA	TAD	TZH	13.55	14.80	40	35			35
					OPT	86	TKD	TAD	TZA	12.95	17.10	35	35			35
					OPT	86	TYK	TAD	TZA	13.84	16.50	35	35			35
					OPT	86	TYL	TAD	TZA	13.53	15.80	35	35			35
OPT	86	TYM	TAD	TZA	13.53	15.80	35	35			35					

* For DYNO HP = 0.00
 Ref To FRONTAL AREA

/ 10. - TJ02 - 406 /

Report Date: 03/11/95
 Time: 09:44:56

Chrysler Corporation
FAMILY TIRE DESCRIPTION

1996
TOR360H8G1EK

TIRE DESCRIPTION VR COD TRD MFG NAME	SIZE	RPM	CONSTRUCTION COD TREAD MATERIAL	P L	Y	SW	SIDEWALL MATERIAL	P L	OVERLAY Y MATERIAL	L	X	TREAD DEPTH P (IN.)	
												Y	1/32
96 TMK TAD TZH XCH4 (A/S)	LT216/75R15-D	752	SBR 2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE	2	NONE	11		
96 TRE TAD TZA INVICTA-GL (A/S)	P225/75R15	736	SBR 2-STEEL/2-POLYESTER	4	BSW	Polyester	2	NONE	2	NONE	10		
96 TRF TAD TZA INVICTA-GL (A/S)	P225/75R15	736	SBR 2-STEEL/2-POLYESTER	4	WSW	POLYESTER	2	NONE	2	NONE	10		
96 TRY TAD TZA WRANGLER AP (A/S)	P225/75R18-XL	711	SBR 2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE	2	NONE	11		
96 TSC TAD TZA INVICTA-GL (A/S)	P235/75R15-XL	724	SBR 2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NYLON	2	NYLON	10		
96 TSD TAD TZA INVICTA-GL (A/S)	P235/75R15-XL	724	SBR 2-STEEL/2-POLYESTER	4	WSW	POLYESTER	2	NONE	2	NONE	10		
96 TSD TAD TZA INVICTA-GL (A/S)	P235/75R15-XL	724	SBR 2-STEEL/2-POLYESTER	4	WSW	POLYESTER	2	NYLON	2	NYLON	10		
96 TSF TAD TZA INVICTA-GL (A/S)	P235/75R15XL	724	SBR 2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2	NONE	2	NONE	10		
96 TW9 TAD TZA WRANGLER AT (A/S)	LT235/75R15-D	716	SBR 2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE	2	NONE	13		
96 TWA TAD TZA WRANGLER AT (A/S)	LT235/75R15-C	720	SBR 2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE	2	NONE	10		
96 TYD TAD TZA WRANGLER AP (A/T)	LT225/75R18-C	712	SBR 2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE	2	NONE	13		
96 TYF TAD TZA WRANGLER AP (A/S)	LT285/75R16	687	SBR 2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2	NONE	2	NONE	17		
96 TYK TAD TZA WRANGLER AP (A/S)	P245/75R16	687	SBR 2-STEEL/2-POLYESTER	4	BSW	Polyester	2	NONE	2	NONE	12		
96 TYL TAD TZA WRANGLER RT/S (A/S)	LT245/75R16-C	683	SBR 2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2	NONE	2	NONE	14		
96 TYM TAD TZA WRANGLER (A/T)	LT245/75R16-C	679	SBR 2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE	2	NONE	16		
96 TYM TAD TZA WRANGLER (A/T)	LT245/75R16-C	679	SBR 2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2	NONE	2	NONE	16		

1996 MY HORIBA 48 INCH DYNAMOMETER 20F SET UP INFORMATION

CALLOUT	MODEL	ENGINE	TRANS	IWC	40% FILL CERT DAW	TIRE SIZE	CODE	NAME	TIRE PRESS	SET COEFFICIENTS	A	B	C
TJ02-4	BR6L61	5.2	A-4	5250	1967	LT265/75R16C	TXD	WRANGLER AT	35		77.32	-2.6236	0.07463

REPORT DATE: 04-29-95

10-TJ02-450

COLDCO/96TJ02

MODELS COVERED BY CERTIFICATE

Vehicle MFR: CHRYSLER Engine Family: TCR360R8G1EK Certificate #: _____
 Evaporative Fam: TCR1073AYPOB

Model ID	Car Line	California Sales
AN1L61	Dakota Pickup 2WD	YES
AN1L62	Dakota Pickup 2WD	YES
BR1L31	Ram 1500 Pickup 2WD	YES
BR1L32	Ram 1500 Pickup 2WD	YES
BR1L61	Ram 1500 Pickup 2WD	YES
BR1L62	Ram 1500 Pickup 2WD	YES
BR6L61	Ram 1500 Pickup 4WD	YES
BR6L62	Ram 1500 Pickup 4WD	YES
AB2L11	Ram Van 2500 2WD	YES
AB2L12	Ram Van 2500 2WD	YES
AB2L13	Ram Van 2500 2WD	YES
AB1L51	Ram Wagon 1500 2WD	YES
AB2L52	Ram Wagon 2500 2WD	YES
AB2L53	Ram Wagon 2500 2WD	YES

Model Codes	Model Codes	Model Codes
BR 2 L 62	AB 1 L 11	AN 1 L 31
1st digit: 2nd digit:	1st digit: 2nd digit:	1st digit: 2nd digit:
3=Club Cab 1=119" or 139" wb	1=Van 1=109.6" wb	3=Club Cab 1=119" or 130.9" wb
6=Regular Cab 2=135" or 155" wb	5=Wagon 2=127.6" wb	6=Regular Cab 2=123.9" wb
3=139" wb Chassis Cab	3=127.6" maxi wb	
4=163" wb Chassis Cab		
Price Class	Price Class	Price Class
L=Covers all trim levels		
C=Chassis Cab	Model:	Model:
	1=81500	1=2 wheel drive
	2=82500	5=4 wheel drive
	3=83500	
Model:	Body Code:	Body Code:
1=1500 6=1500 4X4	Vans	Dakota Pickup
2=2500 7=2500 4X4	Wagons	
3=3500 8=3500 4X4		
Body Code:		
Ram pickup		
Ram Club Cab		
Ram Chassis Cab		