Tule (Page 1 of 3)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-16-208 Relating to Certification of New Motor Vehicles

MAZDA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1996 model-year Mazda Motor Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: TTK1.8VJGKEK Displacement: 1.8 Liters (112 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three Way Catalytic Converter Heated Oxygen Sensors (two) Exhaust Gas Recirculation Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20°F)</u>	
50,000	0.25	3.4	0.4	10.0	
100,000	0.31	4.2	0.6	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	_Oxides	Monoxide (20°F)	
50,000	0.16	1.1	0.2	5.4	
100,000	0.17	1.2	0.2	n/a	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.1) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 27 day of July 1995.

R. B. Summerfield Assistant Division Chief Mobile Source Division

1996AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Date

E.O.#A-16-208 of 1

		ioin	Engine F	amilv	TTK1.8VJGKEK			
Manufacturer Mazda Motor Corporation		Evap Family			TTK1078BYMA1			
		406	EUC X	141 y .				
All Eng Codes in	Eng Fam: CA_ Tier-1 X AB96	495		` - ,	H F	v ZEV	US E	PA Tier 1 X
Stds. Type: CA	Tier-1 X AB96	55ILEV_	LEV.	e Eyh St	4.	'	Full	In Use
Evap Std:	50K		In-Use Exh Std: Full In Use Single Cert Std for Multi-Class Eng Fam: N/A					
Veh. Calss: PC			Emission Test Fuel(s): Indolene				ene	
Fuel Type(s):			Emission rest ruei(s).					
Service Accum:	Sid AMA	<u> </u>	Bit Tast Procedure: N/A					
NMOG Test Procedure: N/A			R/L Test Procedure:			-OHO WA		
Hybrid:	N/A		APU Cycle: Displacement 1.8 Liters				Cu. inches	
Engine Config :	<u>I-4</u>		Displa	acement	-	1.8 Liters	(112.3) 6500 F	
Valves/Cly.	4		Rated	1 HP	}	33 @	0300 T	u w ⊿WD₌PT
Engine : Front	X Mid.	Rear	Drive	: FWD		RWD X	4WD-F1	4440-11
						(2)		
Eubauet ECS &	Special Feature (in	cl. CARB. MFI.	etc.)			HO2S/TW	C/EGR/SFI	
(Llas abbond	tions per SAE J193	30 MAY91)	•					
(Use abbrevia				DPA		Ignition	EGR	
	Vehicle Model	Trans. Type				(ECM/PCM)		Catalyst
Engine Code	(if coded see	A-autonatic	ETW	or		Part No.	Part No.	Part No.
(Cert, Std.)	attachment)	M-manual		RLH	——- <u> </u>		ļ	Monolith
KBPD2LA6	MX-5 Miata	M5	2625	8.0	1	Crank Angle	B6BF	1
				7.3	•2	Sensor:		Converter:
LINDON AT	4			8.8	•1	BPE8		BPS1
KBPD2LAT					*2			
				- 0.0	_	rou.		
KBPDTLA6		A4		ļ		ECU:		
				7.3	*2	BPS1		
KBPDTLAT	7			8.8	* 1			1
KDI DIE				8.0	*2		ļ	
							j	ļ
						İ		
		ł	ŀ				}	
1								
·								
			1	1		[
		1		1				
		1		1		1		
		-		1				
		<u> </u>	<u> </u>			<u></u>	<u> </u>	
Revisions:			*1:P	185 tire				
1290			*2:P	195 tire				
<u>17-</u>	aug data:	April 28, 199:	5				<u></u>	
		April 20, 199.	- 		T	T		
ĮH	ev. No.				+			