Field (Page 1 of 2)

## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-22-69 Relating to Certification of New Motor Vehicles

## SAAB AUTOMOBILE AB

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-9;

IT IS ORDERED AND RESOLVED: That 1996 model-year Saab Automobile AB exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: TSA2.0VJGKEK Displacement: 2.0 Liters (121 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection Heated Oxygen Sensors (Two) Three Way Catalytic Converter Turbocharger Charge Air Cooler

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards (in-use compliance standards in parentheses) for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane	Carbon	Nitrogen	Carbon	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20<sup>0</sup>F)</u>	
50,000	0.25 (0.32)	3.4 (5.2)	0.4 (0.4)	10.0 (10.0)	
100,000	0.31 (n/a)	4.2 (n/a)	0.6 (n/a)	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20<sup>0</sup>F)</u>	
50,000	0.07	1.0	0.1	7.5	
100,000	0.08	1.2	0.1	n/a	

BE IT FURTHER RESOLVED: That the listed vehicle models are permitted alternative in-use compliance set forth in the "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles", pursuant to provisions in the said standards and test procedures applicable to small-volume manufacturers.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", pursuant to provisions in said standards and test procedures applicable to small-volume manufacturers.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.1) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 26 day of October 1995.

R. B. Summerfield / Assistant Division Chief

Mobile Source Division

E.O.# A-22-69

## 199 6 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page\_\_\_

Manufacture	r: SAAB Automobil	e Aa	Fvh Eng (			_	
All Eng Cod	er: Same Automobiles in Eng Fam: (	A.	40¢	EOC 1	A Z. WYJGKEK	Evap Fam: T	A 1035BYPAA
Exh Std: C	A Tier-1 <u>X</u> 7	LEV	I FV	303	A8965	-	
Evap Std:	50K_X Useful L s): PC X LDT1	ife with	R/I	. ULC In Non	-V ZEV_	; US E	PA Tier-1 <u>×</u>
Veh Class(e	s): PC <u>X</u> LDTI Std for Multi-Cl	דחו	'Y '2 MD	N.1 TIII-026	MDV2 (II)	In Use	Alt In Use <u>×</u>
Single Cert	Std for Multi-Cl	ass Fng F	am: AI/A	/speci	MUV2 MU\	/3 MDV4_	MDV5
Fuel Type(s	): Dedicated	Flex-Fue	1 Dua	_(speci	TY: N/A, LUI]	, MDV1, MDV2	, MDV3, MDV4)
	CNGLNG	LPG	MAR.	U+Pom	B1-Fuel	Gasoline_	L_ Diesel
Emiss Test 1	Fuel(s): Indo X	 Ph2	CNG !	orilet	(specify)		
	Diesel:	13 CCR :	2282	40 ·	mos <u> </u>	r (specify)_	
Service Accu	um: Std AMA_X	Mod AMA	Mf»	י טר	CFR 86.113-90_	40 CFR	86.113-94
NMOG Test Pr	rocedure: N/A X	Std	Enuiv	YDL	Other (spec	ify)	
Hybrid: Typ	e A B C	APU Cyc	- Lyury Te (e.a.	<u> </u>	N'E lest Proc	: SHED	Pt Source
Engine Confi	guration: <u>IY</u> ylinder: 4	Displace	ment. 7	. 0.10,	viesel, [urb]	ne):	
Valves per C	ylinder: 4	- 10,000	Pate	A HD.	Liters	121 /	Cubic Inches
haust ECS	(e.g., MFI, EGR.	TC. CAC):	\FT \FT	e. FWL	X KWU	4WD-FT	4WD-PT
	(e.g., MFI, EGR,	· · · · · · · · · · · · · · · · · · ·	(u	se abbr	eviations per	SAF JIGAN SE	POIL
FIGHT CODE	Yenicle Modele	Trans.	ETW	DPA			
(also list <u>CA/49ST/50S</u> T	(if coded see	(M5, A4	l or	or	Ignition (ECM/PCM)	EGR System	Catalytic Converter
	attachment)  900se Coupe	etc.}	Test Wt.	RLHP	Part No.	Part No.	Part No.
(5057)	Ĭ.	M 5	3500	7.2	91 32 689	NA	46 24 227
( - 0 0 / )	900 SE HATCHEACK		-		İ		Acr.
	PORDSE CONVERTIBLE		ĺ .			]	46 23 104
						j	
						]	
					:		
į					İ		
			1	-			1
				ł			
				!			
						,	· •
Date Issued:							