

File

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-220-47
Relating to Certification of New Motor Vehicles

JAGUAR CARS, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1997 model-year Jaguar Cars, Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: VJC4.0VJGKHK Displacement: 4.0 Liters (243 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Dual Warm Up Oxidation Catalytic Converters
- Dual Warm Up Three Way Catalytic Converters
- Dual Three Way Catalytic Converters
- Dual Heated Oxygen Sensors (two)
- Exhaust Gas Recirculation
- Secondary Air Injection
- Sequential Multiport Fuel Injection
- Supercharger
- Charge Air Cooler

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.25	3.4	0.4	10.0
100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.19	1.1	0.4	6.9
100,000	0.24	1.5	0.4	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," pursuant to provisions in the said standards and test procedures applicable to small-volume manufacturers.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations,

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 7th day of October 1996.


R. B. Summerfield, Chief
Mobile Source Operations Division



MY 1997

Engine Family VJC4.0VJGKHK 17-16

17.00.00.00 cont'd

E.O. # A-220-47 Page 1 of 1

07.02.01 1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS, LIGHT-DUTY TRUCKS & MEDIUM-DUTY VEHICLES

Manufacturer: Jaguar Cars Ltd Exh Eng Fam: VJC4.0VJGKHK Evap Fam: VJC1142AYMA0

Exh Std: CA - Tier-1 TLEV LEV ULEV ZEV ; US EPA - Tier-1

Evap Std: 50K Useful Life with R/L

In-Use Exh Std: Full In-Use Alt In-Use *Eng. Codes 50ST*

Veh Class(es): PC LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5

Single Cert Std for Multi-Class Eng Fam: N/A

Fuel Type(s): Dedicated Flex-Fuel Dual-Fuel BI-Fuel Gasoline
 Diesel M85 CNG LNG LPG Other

Emission Test Fuel(s): Ind Ph2 M85 CNG LPG Other
 Diesel: 13 CRR 2282 40CFR86.113-90 40CFR86.113-94

Service Accum: Std AMA Mod AMA Mfr ADP Other *ADF*

NMOG Test Procedure: N/A Std Equip R/L Test Proc: SHED Pt Source

Hybrid: Type A B C ; APU Cycle

Engine Configuration: L6 Displacement: 4.0 liters 243 cubic inches

Valves per Cylinder: 4 Rated HP: 322 @ 5000

Engine: Front Mid Rear Drive: FWD RWD 4WD-FT 4WD-PT

Exhaust ECS: AIR;EGR;2HO2S(2);2WVDC;2WUTWC;2TWC;SEI;CAC;SC

Engine Code	Vehicle Models	Trans A- Auto M- Man	ETW	DPA	ECM Part No	EGR System Part No	Catalyst Part No.
4.0SFC-97 (50ST)	XJR	A	4500	7.1	LN81410DB	LHE1550AB	D/P: PCD U/F: PDB



MY 1997

Engine Family VJC4.0VJGKHK 17-16.1

17.00.00.00 cont'd

E.O. # A-220-47

07.02.02 1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS, LIGHT-DUTY TRUCKS & MEDIUM-DUTY VEHICLES

Manufacturer: Jaguar Cars Ltd Exh Eng Fam: VJC4.0VJGKHK Evap Fam: VJC1142AYMA0

All Eng. Codes in Eng. Fam: CA _ 49S _ 50S AB965 _ _

Exh Std: CA - Tier-1 TLEV _ LEV _ ULEV _ ZEV _ ; US EPA - Tier-1

Evap Std: 50K Useful Life with R/L _

In-Use Exh Std: Full In-Use Alt In-Use _

Veh Class(es): PC LDT1 _ LDT2 _ MDV1 _ MDV2 _ MDV3 _ MDV4 _ MDV5 _

Single Cert Std for Multi-Class Eng Fam: N/A

Fuel Type(s): Dedicated Flex-Fuel _ Dual-Fuel _ Bi-Fuel _ Gasoline
Diesel _ M85 _ CNG _ LNG _ LPG _ Other _

Emission Test Fuel(s): Ind Ph2 _ M85 _ CNG _ LPG _ Other _
Diesel: 13 CRR 2282 _ 40CFR86.113-90 _ 40CFR86.113-94 _

Service Accum: Std AMA Mod AMA _ Mfr ADP _ Other _

NMOG Test Procedure: N/A Std _ Equiv _ R/L Test Proc: SHED _ Pt Source _

Hybrid: Type A _ B _ C _ ; APU Cycle _

Engine Configuration: L6 Displacement: 4.0 liters 243 cubic inches

Valves per Cylinder: 4 Rated HP: 322 @ 5000

Engine: Front Mid _ Rear _ Drive: FWD _ RWD 4WD-FT _ 4WD-PT _

Exhaust ECS: AIR;EGR;2HO2S(2);2WUO;2WUTWC;2TWC;SFI;CAC;SC

Engine Code	Vehicle Models	Trans A- Auto M- Man	ETW	DPA	ECM Part No	EGR System Part No	Catalyst Part No.
4.0SFC-97 (50ST)	XJR	A	4500	7.1	LNB1410DC*	LHE1550AB	D/P: PCD U/F: PDB

* Introduced by RC # 4.0s/c-97/5 - see Page 21-5



MY 1997

Engine Family VJC4.0VJGKHK 17-17

0.128

17.07.00.00 cont'd E.O. # A-220-47 Page 1 of 2

02.01 1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS, LIGHT-DUTY TRUCKS & MEDIUM-DUTY VEHICLES

Manufacturer: Jaguar Cars Ltd Exh Eng Fam: VJC4.0VJGKHK Evap Fam: VJC1142AYMA0

Exh Std: CA - Tier-1 X TLEV LEV ULEV ZEV ; US EPA - Tier-1 X

Evap Std: 50K X Useful Life with R/L

In-Use Exh Std: Full In-Use X Alt In-Use *Eng Codes 505T*

Veh Class(es): PC X LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5

Single Cert Std for Multi-Class Eng Fam: N/A

Fuel Type(s): Dedicated X Flex-Fuel Dual-Fuel Bi-Fuel Gasoline X
 Diesel M85 CNG LNG LPG Other

Emission Test Fuel(s): Ind X Ph2 M85 CNG LPG Other
 Diesel: 13 CRR 2282 40CFR86.113-90 40CFR86.113-94

Service Accum: Std AMA Mod AMA Mfr ADP Other X ADP

NMOG Test Procedure: N/A X Std Equiv R/L Test Proc: SHED P1 Source

Hybrid: Type A B C ; APU Cycle

Engine Configuration: L6 Displacement: 4.0 liters 243 cubic inches

Valves per Cylinder: 4 Rated HP: 322 @ 6000

Engine: Front X Mid Rear Drive: FWD RWD X 4WD-FT 4WD-PT

Exhaust ECS: AIR:EGR:2HQ2S(2):2WU0C:2WUTWC:2TWC:SFI:CAC:SC

	Section/page		Section/Page
1	Authorized Representative	01-1	21 Gen Std, Increase in Em.
2	Fuel Specifications	03-1 & 3	Safety, Mtg all Reqts
3	Test Equipment	04-1	22 Emiss Label Durability
4	Test Procedure	05-1	17-5
5	Mileage Accumulation Route	04-1	23 Driveability Statement
6	Emission Warranty Statement	06-2	24 Adjustable Parameters
7	Maint: Cert/Req'd/Recm'd	06-1 & 2	26 Tamper Resistance Method(s)
8	Emiss Label/Vac Hose Diag	07-3	n/a
9	Evap. Control System	19-1	28 Fill Pipe Specifications
10	Engine Parameters	20-21	27 Altitude A/F Requirements
11	Fuel System	06 01-1	28 OBD Sys incl Marked Rev.
12	Ignition System	06.01-1	29 I/M Test Procedure & Data
13	Exhaust Control System	20-22	30 50°F Compliance
14	Projected Sales	20-32	31 Manufacturer's RAF
15	Vehicle Description	17-8	32 Phase-in Plans: Exh Cert Std
16	Evap Bench Test Procedure	19-2	Exh In-Use
17	R/L Temp & Press Profiles	n/a	Evap Cert Std
18	EDV selection	20-29	33 NMOG Fleet Average Calcs
19	Prod Veh Same as Test Veh.	17-5	34 AB966 Credits/Withdrawals
20	Test Vehicle Information	Dur Data Veh	35 EPA Certificate <u>JCI LVV 9703</u>
	C/O MY & ID	1995 XJ40/974*	36 Equiv NMOG Proo-ARB Approval
	Vehicle Log Page(s)	on request	Em Data Veh
	Zero Mile Book Page(s)	on request	
	Maint Logs & Engr Eval	on request	
		* Evap DF only.	