

File

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-315
Relating to Certification of New Motor Vehicles

TOYOTA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1997 model-year Toyota Motor Corporation exhaust emission control systems are certified as described below for light-duty trucks:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Gasoline

Engine Family: VTY3.42JG2GK Displacement: 3.4 Liters (206.1 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Sequential Multiport Fuel Injection
- Heated Oxygen Sensors (two)
- Three Way Catalytic Converter

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The non-methane organic gas (NMOG), carbon monoxide (CO), oxides of nitrogen (NOx), and formaldehyde (HCHO) TLEV certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle Weight (lbs.)	Miles	NMOG	CO	NOx	HCHO	CO (20°F)
3751-5750	50,000	0.160	4.4	0.7	0.018	12.5
	100,000	0.200	5.5	0.9	0.023	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.98

The certification exhaust emission values set forth for NMOG reflect application of a 0.98 RAF for 1997 model-year TLEVs. The TLEV certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle Weight (lbs.)	Miles	NMOG	CO	NOx	HCHO	CO (20°F)
3751-5750	50,000	0.146	1.8	0.2	0.001	4.9
	100,000	0.161	2.1	0.2	0.001	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."


BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 7th day of August 1996.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

17.11.00

E.O.# A-14-315

Page 1 of 4

1997 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: TOYOTA Exh Eng Fam: VTY3.42JG2GK Evap Fam: VTY1115AYMEO
 All Eng Codes in Eng Fam: CA x 49S 30S AB965
 Exh Std: CA Tier-1 TLEV x LEV ULEV ZEV US EPA Tier-1
 Evap std: 50K Useful Life with R/L x In-Use Exh Std: Full In Use x Alt In Use
 Vch Class(es): PC LDT1 LDT2 x MDV1 MDV2 MDV3 MDV4 MDV5
 Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
 Fuel Type(s): Dedicated x Flex-Fuel Dual-Fuel Bi-Fuel Gasoline x Diesel
CNG LNG LPG M85 Other(specify)
 Emiss Test Fuel(s): Indo Ph2 x CNG LPG M85 Other(specify)
Diesel: 13CCR 2282 40 CFR 86.113-90 40 CFR 86.113-94
 Service Accum: Std AMA x Mod AMA Mfr ADP Other(specify)
 NMOG Test Procedure: N/A Std: x Equiv R/L Test Proc: SHED x Pt Source
 Hybrid: Type A B C APU Cycle(e.g., Otto, Diesel, Turbine):
 Engine Configuration: V-6 Displacement: 3.4 / Liters 206.1 / Cubic Inches
 Valves per Cylinder: 4 Rated HP: 190 @ 4,800 RPM
 Engine: Front x Mid Rear Drive: FWD RWD x*1 4WD-FT 4WD-PT x*2
 Exhaust ECS(e.g., MFI, EGR, TC, CAC): SFI, HO2S(2), TWC

(use abbreviations per SAE J1930 SEP91)

Engine Code/ (also list CA/ 49S/ 30ST)	Vehicle Models (if coded see attachment)	Trans. (M5, A4 etc.)	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
1	VCK21L-CRMDKA VCK21L-CRMSKA VCK21L-TRMDKA	M5	4250	15.2, 16.6	89661-34290	N/A	S95*2 S96*1
2	VCK21L-CRMDKA VCK21L-CRMSKA VCK21L-TRMDKA			16.6, 18.0			
3	VCK11L-CRSDKA VCK11L-CRSSKA VCK11L-THSDKA VCK21L-CRSDKA VCK21L-CRSSKA VCK21L-TRSDKA	L4	3875 4250 4500 4250	12.3, 13.6, 13.6 15.2, 16.6 15.2, 16.6, 15.2, 16.6	Before R/C 97-TR-6: 89661-0W040*1 89661-0W030*2 After R/C 97-TR-6: 89661-0W041*1 89661-0W031*2		
4	VCK11L-CRSDKA VCK11L-CRSSKA VCK11L-THSDKA VCK21L-CRSDKA VCK21L-CRSSKA VCK21L-TRSDKA		3875 3875 4500 4500 4250	13.6, 15.0 15.0 16.6, 18.0 16.6, 18.0 16.5, 18.0			

Note *1 : Applied to truck line TOYOTA T100 2WD.
 *2 : Applied to truck line TOYOTA T100 4WD.

1997-MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: TOYOTA Exh Eng Fam: VTY3.42JG2GK Evap Fam: VTY1115AYME0

Engine Code (also list CA/49S/50ST)	Vehicle Models (if coded see attachment)	Trans. (M5, A4 etc.)	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
5	VCK11L-CRMDKA	M5	3875	12.3,	89661-34300	N/A	S96
	VCK11L-CRMSKA VCK11L-THMDKA		3750	13.6 13.6			
6	VCK11L-CRMDKA		3875	13.6,			
	VCK11L-CRMSKA VCK11L-THMDKA			15.0 15.0			

Comments : Please refer to manufacturer's HP list for correct dyno test HP setting based on model and equipment.

VEHICLE MODELS:

TOYOTA T100 2WD
VCK11L-CRMDKA
 -CRMSKA
 -CRSDKA
 -CRSSKA
 -THMDKA
 -THSDKA

TOYOTA T100 4WD
VCK21L-CRMDKA
 -CRMSKA
 -CRSDKA
 -CRSSKA
 -TRMDKA
 -TRSDKA

1997 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: TOYOTA Exh Eng Fam: VTY3.42JG2GK Evap Fam: VTY1095AYME0
 All Eng Codes in Eng Fam: CA x 49S 50S AB965
 Exh Std: CA Tier-1 TLEV x LEV ULEV ZEV; US EPA Tier-1
 Evap std: 50K Useful Life with R/L x In-Use Exh Std: Full In Use x Alt In Use
 Veh Class(es): PC LDT1 LDT2 x MDV1 MDV2 MDV3 MDV4 MDV5
 Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
 Fuel Type(s): Dedicated x Flex-Fuel Dual-Fuel Bi-Fuel Gasoline x Diesel
CNG LNG LPG M85 Other(specify) _____
 Emiss Test Fuel(s): Indo Ph2 x CNG LPG M85 Other(specify) _____
Diesel: 13CCR 2282 40 CFR 86.113-90 40 CFR 86.113-94
 Service Accum: Std AMA x Mod AMA Mfr ADP Other(specify) _____
 NMOG Test Procedure: N/A Std x Equiv R/L Test Proc: SHED x Pt Source
 Hybrid: Type A B C, APU Cycle(e.g., Otto, Diesel, Turbine): _____
 Engine Configuration: V-6 Displacement: 3.4 / _____ Liters 206.1 / _____ Cubic Inches
 Valves per Cylinder: 4 Rated HP: _____ 190 @ _____ 4,800*1 RPM
 _____ 183 @ _____ 4,800 *2,*3 RPM
 Engine: Front x Mid Rear Drive: FWD RWDx*2 4WD-FT 4WD-PTx*1*3
 Exhaust ECS(e.g., MFI, EGR, TC, CAC): _____ SFI, HO2S(2), TWC + TWC

(use abbreviations per SAE J1930 SEP91)

Engine Code/ (also list CA/49S/50ST)	Vehicle Models (if coded see attachmt)	Trans. (M5, A4, etc.)	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic converter part No.
1	VZN170L-CRMDKAB VZN170L-CRMGKAB	M5	3750	14.5, 14.6*4 14.9	89661-04310	N/A	S99
2	VZN170L-CRMDKAB VZN170L-CRMGKAB		3875 3750	15.9, 16.0*4 16.3			
3	VZN170L-CRPDKAB VZN170L-CRPGKAB	L4	3750	14.5, 14.6*4 14.9	Before R/C 97-TR-6: 89661-04320		
4	VZN170L-CRPDKAB VZN170L-CRPGKAB		3875	15.9, 16.0*4 16.3	After R/C 97-TR-6: 89661-04321		
7	VZN180L-GKPGKA VZN185L-GKPGKA	L4	3875 4250	12.0, 12.1, 12.2, 13.3	Before R/C 97-TR-6: 89661-3D320*3 89661-3D330*2		S91
8	VZN180L-GKPGKA VZN180L-GKpzKA VZN185L-GKPGKA VZN185L-GKpzKA		3875 4000 4250	13.2, 13.3, 13.3, 13.5, 14.7 14.7	After R/C 97-TR-6: 89661-3D321*3 89661-3D331*2		
9	VZN185L-GKMGKA	M5	4000	12.2, 13.3	89661-3D310		
10	VZN185L-GKMGKA		4250	13.5, 14.7			

Note *1 : Applied to TOYOTA TACOMA 4WD. *3 : Applied to 4-RUNNER 4WD.
 *2 : Applied to 4-RUNNER 2WD. *4 : Added by Running Change 97-TR-12.
 Comments : Please refer to manufacturer's HP list for correct dyno test HP setting based on model and equipment.

17.11.00

E.O.# A-14-315
Page 4/4

1997 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: TOYOTA Exh Eng Fam: VTY3.42JG2GK Evap Fam: VTY1095AYME0

VEHICLE MODELS:

TOYOTA TACOMA 4WD
VZN170L-CRMDKAB
-CRMGKAB
-CRPDKAB
-CRPGKAB

4-RUNNER 2WD
VZN180L-GKPGKA
VZN180L-GKPZKA

4-RUNNER 4WD
VZN185L-GKMGKA
VZN185L-GKPGKA
VZN185L-GKPZKA