State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-323-3 Relating to Certification of New Motor Vehicles

PANOZ AUTO-DEVELOPMENT COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Panoz Auto-Development Company exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: WP3XV04.698A Displacement: 4.6 Liters (280 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Dual Three Way Catalytic Converters (two)
Dual Heated Oxygen Sensors (two)
Exhaust Gas Recirculation
Secondary Air Injection
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	Carbon <u>Monoxide (20°F)</u> 10.0 n/a	
50,000 100,000	0.25 0.31	3.4 4.2	0. 4 0.6		

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	Carbon Monoxide (20°F) 5.6 n/a	
50,000 100,000	0.18 0.21	1.2 1.6	0.2 0.2		

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", pursuant to provisions in said standards and test procedures applicable to ultra-small volume manufacturers.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 20 d

day of November 1997.

R. B. Summerfield, Chief

MobiTe Source Operations Division

1998 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page_1

Manufacture	er: Panoz Auto-Dev	elopment	Exh Eng	Fam: WP:	3XV04.698A	Evap Fam: WP:	3XV004598A
All Eng Coc	des in Eng Fam: (CA	49S	505	X AB965		- · · · · · · · · · · · · · · · · · · ·
Exh Std: C	A Tier-l_X	LLEA	LEV	111	FV 7FV	. 115 5	PA Tier-1 X
Evap Sta:	50K <u>X</u> Useful [ife with	R/L (c	11+19-5	sim)	กคบค	· No
1611 (1522/6	:2). LC <u>v</u> [Di]	LUI	2 ML)Y 1	MDV2 MDV	/3 MDV4	MOVE
Single Cert	Std for Multi-Cl	ass Eng F	am: N/A	(speci	ify: N/A. IDT1	. MDV1 MDV2	MDV3 MDV43
Fuel Type(s): Dedicated_ <u>x</u>	Flex-Fue	:1 Dua	l-Fuel	Bi-Fuel	Gasoline	X Diesel
	CNG LNG	LPG	M85	Other	(specify)		
Emiss Test 1	rnei(z): Iudo <u>v</u>	Ph2	CNG	LPG	M85 Othe	r (specify)	
	Diesel:	13 CCR	2282	40	CFR 86,113-90	An CED	96 112 04
Service Accu	um: Std AMA	_AMA boM	<u>X</u> Mfr	ADP	Other (spec	ifv)	_
minog lest bi	rocedure: N/A <u>X</u>	_ Std	_ Equiv		R/L Test Proc	: SHED	Pt Source
Hybrid: Typ	De A B C	, APU Çye	cle (e.g.	, Otto,	Diesel, Turbi	ne):	
Engine Conti	iguration: <u>v8</u>	Displace	ement: 4.	6 /	Liters 2	80.0 Z	Cubic Inches
Valves per C	ylinder: 4	_	Rate	ed HP:_	300	_@ <u>5750</u>	RPM
ingine: Fro	nt_X_ Mid	Rear	Driv	/e: FW[/2)	D RWD_X	4WD-FT	4WD-PT
Kliaust EC2	(e.g., MFI, EGR,	TC, CAC):	SFI/2HO	2S/2TWC	(2)/EGR/AIR	CAE 11020 CE	2011
Engine Code	1 1/2/2 - 1 - 1/2 / 2	·			eviations per		P91)
(also list	(if coded see	Trans. (M5, A4	Or	DPA	Ignition (ECM/PCM)	EGR System	Catalytic
CA/49ST/50ST	attachment)	etc.)	Test Wt.	RLHP	Part No.	Part No.	Converter Part No.
PNZRD93	Panoz AIV	M5	2875	10.1	ECM	Pége 00/3r	
(50 ST)	Roadster		50.5	10.1	F6ZF-12A650-	F6ZE-90475 or 90477-DF	F6ZC-5F250-MI F6ZC-5F250-MC
ĺ					JE		(alt.)
1		j	ļ				
							1
}		· .			}	•	
	j		1	ŀ			
		-	1				
ĺ	·			- 1	1		
.			l	1	ĺ		
1				1	,		
	1						
te Issued:							