(Page 1 of 3)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-413 Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Chrysler Corporation exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Gasoline

Engine Family: XCRXV0165V20 Displacement: 2.7 Liters (165 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Exhaust Gas Recirculation
Dual Three Way Catalytic Converters
Dual Heated Oxygen Sensors (two)
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen Oxides	<u>Formaldehyde</u>	Carbon <u>Monoxide (20⁰F)</u>
50,000	0.125	3.4	0.4	0.015	10.0
100,000	0.156	4.2	0.6	0.018	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.98

The certification exhaust emission values set forth for non-methane organic gas (NMOG) reflect application of a 0.98 RAF for 1999 model-year TLEVs. The TLEV certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen Oxides	<u>Formaldehyde</u>	Carbon Monoxide (20°F)
50,000	0.110	0.9	0.2	0.003	5.0
100,000	0.147	1.0	0.2	0.004	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 and Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.)

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 30 c

__ ,

R. B. Summerfield, Chief Mobile Source Operations Division

E.O.	
	Page <u>1 of 1</u>
am:_	XCRXR0101G1D

1999 MODEL	YEAR	AIR RESOURCES	BOARD	SUPPLEMENTAL	DATA SHEET
PASSENGER	CARS.	LIGHT-DUTY T	RUCKS .	AND MEDIUM-DU	TY VEHICLES

The Std: CA Tier-1 TLEV_X LEV ULEV SULEV : US EPA Tier-1 Veh Class(es): PC_X LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5 Single Cert Std for Multi-Class Eng Fam: N/A (Specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4) MDV3 MDV4 MDV4 MDV3 MDV4 MDV3 MDV4 MDV4 MDV4 MDV3 MDV4 MDV3 MDV4 MDV4	Manufacturer:							
Single Cert Std for Multi-Class Eng Fam: N/A	'h Std: CA Tier	r-1 TLEV_X	LEV	ULEV	SUL	_EV: US	EPA Tier-1	
Fuel Type(s): Dedicated_XFlex-Fuel	Veh Class(es):	PC_X LDT1	LDT2	MDV1	MDV2_	MDV3	_ MDV4	MDV5
CNGLNGLPGM85Other (specify)	Single Cert Std	for Multi-Class	Eng Fam: N/	<u>'A</u> (Sp	ecify:	N/A, LDT1, M	DV1, MDV2,	MDV3, MDV4)
Emis Test Fuel(s): IndoCBGXCNGLPGM85Other(specify)	Fuel Type(s): De	edicated <u>X</u> Fle	x-Fuel[)ual-Fuel_	Bi-	-Level Ga	soline <u>X</u> [iesel
Diesel: 13 CCR 2282		-				· · ·		·
Evaporative Emission Test Procedure: California	Emis Test Fuel(
Service Accum: Std AMA Mod AMA X Mfr ADP Other (Specify) NMOG Test Procedure: N/A Std Equiv_X R/L Test Proce: SHED Pt Source_X Engine Configuration: V-6 Displacement: / 2.7 Liters / 165 Cubic Inches Valves per Cylinder: 4 Rated HP: 200 © 5800 RPM Engine: Front_X Mid Rear								
NMOG Test Procedure: N/A Std Equiv X R/L Test Proce: SHED Pt Source X Engine Configuration: V-6 Displacement: / 2.7 Liters / 165 Cubic Inches Valves per Cylinder: 4 Rated HP: 200 6 5800 RPM Engine: Front_X Mid Rear Drive: FWD_X RWD 4WD-FT 4WD-PT 4WD-PT Exhaust ECS (eg., EGR, MFI, TC, CAC): 2H02S(2), 2TWC, EGR, SFI, 0BDII CBDII CWD-PT CWD-PT	•	·						
Engine Configuration: V-6								
Valves per Cylinder: 4 Rated HP:								
Engine: Front_X	Engine Configura	ation: <u>V-6</u> Dis	placement:_	/ 2.	<u>7</u> Lit	ters/	<u> 165 </u>	oic Inches
Exhaust ECS (eg. EGR, MFI, TC. CAC): 2HO2S(2), 2TWC, EGR, SFI, OBDII	Valves per Cyli	nder: <u>4</u>	Rate	ed HP:	20	0 (0	5800	RPM
Engine Code (also list (if coded see (also list (if coded see (Algorithms)) A4							FT 4WL)-PI
(also list (if coded see attachment) A4 Test Wt. RLHP Part No. Part No. Part No. CA-100 LHCH41 A4 3875 S 04896260AA 04591230AD 04581706AF E 04591814AA 04581707AF AA C C H H M M E E	Exhaust ECS (eg	., EGR, MFI, TC.	CAC): <u>2HQ2S</u> (us	5 <u>(2), 2TWC</u> se abbrevi	. EGR. ations	SFI, OBDII per SAE J193	0 JUN93)	·
CA-100 (CA) LHCH41 A4 3875 S 04896260AA 04591230AD 04581706AF E 04591814AA 04581707AF 04581707AF 04581707AG 04581707AG 04581707AG 04581707AH T A A C C H M M E E	Engine Code	-		ETW			EGR	
CA-100 (CA) LHCH41 A4 3875 S 04896260AA 04591230AD 04581706AF 04581707AF 04581707AF 04581707AG 04581707AG 04581707AG 04581707AH T AA C C H M M E	11	·			1			1 1
(CA) LHDH41 3750 E 04591814AA 04581707AF 04581707AG 04581707AH T A C H M E E								04581706AF
04581707AG A T T A C H M E	4				E	0.030203.00	4	04581707AF
A T 04581706AH T 04581707AH T A C H M E E		LHDH41		3750	E			1 17
T A C H M E					A			04581706AH
C H H M E					T			U4581/U/AH
E I					A			
E I					U H			
T					E N			
					T			
		·					1	
]					

Date Issued: 01/21/98

Revisions: _

VE02-SDS/99

	~
	-
	'n
	Ö
	•
	0
	=
_	
5	-
ሗ	
	-
•	×

1999 XCRXV0165V20		Chryst Fami	Chrysler Corporation Family Tire Usage	ATTACHMENT TO SDS PAGE 1 OF EXECUTIVE ORDER A-9-413
			LOADED VEHICLE WEIGHT	ADJUSTED LOADED VEHICLE WGT
•		COAST TIRE		
A HKT L	W TIRE DESCRIPTION	ON DOWN *DYNO PRES		ALVW DOWN *DYNO PRES
MODEL ENG TRANS C GVW TYPE ETW USE YR COD MFG OPT TIME HP	TW USE YR COD HFG	OPT TIME HP F R	(LINE 1 IS 20 DEG COEFFS, LINE 2 IS 50 DEG WHEN NEEDED)	
	111 111 11 111 111			1
LHCH41 EER DGX FW Y 0 C 3875	375 STD 99 TPB TZA	21.24	35.43	
	OPT 99 TRU TZA		40.59	
LHDH41 EER DCX FW Y 0 C 3750	750 STD 99 TPB TZA		36.10 0.02154	
	ACT HOT GO TON		65 07	

Report Date: 01/21/98 Time: 13:46:24

/ 10. - VE02 - 400

- For DYNO HP = 0.00 Ref To FRONTAL AREA

ш	
-	
ER	
SL	
٨	
E	
~	
F	
a	
i c l	
Vehicto	

Engine Family: XCRXV0165V20 Certificate #: Evaporative Fam: XCRXR010161D		California	Sales		YES	100
Engine Fami Evaporative F	•		Car Line		Concorde	
ER			Model 1D	1	LHCH41	

er
Chrys
read
_
=
late
пашер
the
Possessions
s.
<u>_</u>
For
•