

*File*

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-862  
Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year General Motors Corporation exhaust emission control systems are certified as described below for medium-duty vehicles:

Fuel Type: Gasoline

Engine Family: XGMXA04.8184 Displacement: 4.8 Liters (294 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Exhaust Gas Recirculation
- Sequential Multiport Fuel Injection
- Dual Three Way Catalytic Converters
- Dual Heated Oxygen Sensors (two)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Test Weight</u> <u>(lbs.)</u>	<u>Miles</u>	<u>Non-Methane</u> <u>Hydrocarbons</u>	<u>Carbon</u> <u>Monoxide</u>	<u>Nitrogen</u> <u>Oxides</u>	<u>Carbon</u> <u>Monoxide (20°F)</u>
3751-5750	50,000	0.32	4.4	0.7	12.5
	120,000	0.46	6.4	0.98	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Test Weight</u> <u>(lbs.)</u>	<u>Miles</u>	<u>Non-Methane</u> <u>Hydrocarbons</u>	<u>Carbon</u> <u>Monoxide</u>	<u>Nitrogen</u> <u>Oxides</u>	<u>Carbon</u> <u>Monoxide (20°F)</u>
3751-5750	50,000	0.21	3.2	0.3	5.8
	120,000	0.25	3.9	0.44	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the medium-duty vehicle phase-in requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles" (Title 13, California Code of Regulations, Section 1960.1(h)(2)).

BE IT FURTHER RESOLVED: That under the submitted medium-duty vehicle phase-in compliance plan, if the manufacturer incurs "Vehicle Equivalent Debits" for the aforementioned model year due to the manufacturer's failure to produce and deliver for sale in California the equivalent quantity of medium-duty vehicles certified to low-emission vehicle and/or ultra-low-emission vehicle exhaust emission standards required by the above-referenced standards and test procedures, all "Vehicle Equivalent Debits" incurred by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 26<sup>th</sup> day of May 1998.



R. B. Summerfield, Chief  
Mobile Source Operations Division

**LIGHT DUTY TRUCK MODEL NUMBER DEFINITION**

(Includes California Medium Duty Trucks)

E.O. #A-6-862

Example, Pattern A: CC10703+E62

Example, Pattern B: 1UM05

**Digit 1 = Marketing Division**

Pattern A

C = Chevrolet  
T = GMC  
H = Oldsmobile  
J = Isuzu

Pattern B

1 = Chevrolet  
2 = Pontiac  
3 = Oldsmobile

Note: Digit 1 is only used for Pattern A models on engine family pages or California Supplemental Data Sheets when necessary to discriminate by division model.

**Digit 2 = Chassis Type (all)**

U = Conventional 4x2 Front Wheel Drive  
C, S, M = Conventional 4x2 Rear Wheel Drive  
G = Forward Control 4x2 Rear Wheel Drive  
K, T, L = Conventional 4x4 Four Wheel Drive, All Wheel Drive

**Digit 3 = Series/GVWR**

Pattern A

1 = 11,15,1500/3500-7300  
2 = 21,25,2500/6400-8600  
3 = 31,35,3500/7100-14500

Pattern B

Letter code designates trim level rather than series/GVWR.

**Digits 4 & 5**

Pattern A = Dimensional Grouping

05 = Utility: Tahoe (2Dr), Yukon (2Dr), Blazer, Jimmy, Bravada  
06 = S/T Short Box  
07 = C/K Short Box, Tahoe (4Dr), Yukon (4Dr)  
08 = S/T Long Box & Cab-Chassis  
09 = C/K Long Box, Suburban  
10 = M/L Long Body  
14 = G Short Wheelbase  
17 = G Long Wheelbase

Pattern B = Body Style

06 = Passenger (Venture, Trans Sport, Silhouette)  
16 = Passenger (Venture, Trans Sport, Silhouette) Dual Sliding Doors

**Digits 6 & 7 = Body/Cab Codes (Pattern A Only)**

03 = Conventional Cab, Cab-Chassis  
05 = Cargo Van  
06 = Passenger Van, 4 Door Special Purpose Vehicle  
16 = 2 Door Special Purpose Vehicle  
43 = Crew Cab  
53 = Extended Cab

**Pickup Body Codes (Optional, Used with Pattern A Only)**

+E62 = Stepside, Fenderside  
+E63 = Fleetside, Wideside

ISSUED: ML-XP151

REVISED:

17-XGMXA04.8184-2  
(1999)

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: XGMXA04.8184 EVAP FAMILY: XGMXE0111911  
 ALL ENGINE CODES IN ENGINE FAMILY: CA (X) 49S ( ) 50S ( ) AB965 ( ) ORVR: YES ( ) NO (X)  
 EXH STD: CA TIER-1 (X) TLEV ( ) LEV ( ) ULEV ( ) SULEV ( ); U.S: EPA TIER-1 ( )  
 VEH CLASS(ES): PC ( ) LDT1 ( ) LDT2 ( ) MDV1 ( ) MDV2 (X) MDV3 ( ) MDV4 ( ) MDV5 ( )  
 SINGLE CERT STANDARD FOR MULTI-CLASS ENGINE FAMILY: NA  
 FUEL TYPE(S): DEDICATED (X) GASOLINE (X); EXH EMIS TEST FUEL(S): INDOLENE ( ) CBG (X)  
 EVAP EMIS TEST PROCEDURE: CALIF ( ) FED (X)  
 SERVICE ACCUMULATION: STD AMA ( ) MFR ADP (X); NMOG TEST PROCEDURE: NA (X) EQUIV ( )  
 R/L TEST PROCEDURE: PT SOURCE (X)  
 ENGINE CONFIGURATION: I4 ( ) V6 ( ) V8 (X) DISPLACEMENT: 4.8 LITERS / 294 CU. IN.  
 VALVES / CYLINDER: 2 (X) 4 ( ) RATED HP: 240 @ 5000 RPM  
 ENGINE LOCATION: FRONT (X) DRIVE: FWD ( ) RWD (X) 4WD-FT ( ) 4WD-PT (X)  
 EXHAUST EMISSION CONTROL SYSTEM: SFI, EGR, 2TWC, 2HO2S(2)  
 RLHP / DPA VALUES: SECTION 08.13.02.00

ENGINE CODE & LETTER DERIVATIVES*1	LOC (C/F/NW)	VEH MODELS (SEE PAGE 1)	TRANS (M5,A4,ETC.)	EQUIV. TEST WEIGHT	EGR SYSTEM PART NO.	CATALYTIC CONVERTER PART NO.	
61	C	C15703	M5	5000	17200250,	25180213,	
		C15753		5250			17099323
		K15703		5500	(11641/11638)		
		K15753					
62		C15703		5250			
		C15753		5500			
		K15703					
		K15753					

\*1 Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

CARLINE NAME	CARLINE CODE
CHEVROLET C1500 SILVERADO 2WD	03015
CHEVROLET K1500 SILVERADO 4WD	03030
GMC C1500 SIERRA 2WD	04010
GMC K1500 SIERRA 4WD	04020

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: XGMXA04.8184 EVAP FAMILY: XGMXE0133916  
 ALL ENGINE CODES IN ENGINE FAMILY: CA (X) 49S ( ) 50S ( ) AB965 ( ) ORVR: YES ( ) NO (X)  
 EXH STD: CA TIER-1 (X) TLEV ( ) LEV ( ) ULEV ( ) SULEV ( ); U.S: EPA TIER-1 ( )  
 VEH CLASS(ES): PC ( ) LDT1 ( ) LDT2 ( ) MDV1 ( ) MDV2 (X) MDV3 ( ) MDV4 ( ) MDV5 ( )  
 SINGLE CERT STANDARD FOR MULTI-CLASS ENGINE FAMILY: NA  
 FUEL TYPE(S): DEDICATED (X) GASOLINE (X); EXH EMIS TEST FUEL(S): INDOLINE ( ) CBG (X)  
 EVAP EMIS TEST PROCEDURE: CALIF ( ) FED (X)  
 SERVICE ACCUMULATION: STD AMA ( ) MFR ADP (X); NMOG TEST PROCEDURE: NA (X) EQUIV ( )  
 R/L TEST PROCEDURE: PT SOURCE (X)  
 ENGINE CONFIGURATION: I4 ( ) V6 ( ) V8 (X) DISPLACEMENT: 4.8 LITERS / 294 CU. IN.  
 VALVES / CYLINDER: 2 (X) 4 ( ) RATED HP: 240 @ 5000 RPM  
 ENGINE LOCATION: FRONT (X) DRIVE: FWD ( ) RWD (X) 4WD-FT ( ) 4WD-PT (X)  
 EXHAUST EMISSION CONTROL SYSTEM: SFI, EGR, 2TWC, 2HO2S(2)  
 RLHP / DPA VALUES: SECTION 08.13.02.00

ENGINE CODE & LETTER DERIVATIVES*1	LOC (C/F/NW)	VEH MODELS (SEE PAGE 1)	TRANS (M5,A4,ETC.)	EQUIV. TEST WEIGHT	EGR SYSTEM PART NO.	CATALYTIC CONVERTER PART NO.
61,62	C	C15903 C15953 K15903 K15953	M5	5250 5500	17200250, 17099323	25180213, 25318379 (11641/11638)

\*1 Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

CARLINE NAME	CARLINE CODE
CHEVROLET C1500 SILVERADO 2WD	03015
CHEVROLET K1500 SILVERADO 4WD	03030
GMC C1500 SIERRA 2WD	04010
GMC K1500 SIERRA 4WD	04020

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PCM AND CALIBRATION PART NUMBERS

MFR: GENERAL MOTORS CORP.      ENGINE FAMILY: XGMXA04.8184      EVAP FAMILY: XGMXE0111911  
XGMXE0133916

<u>ENGINE CODE</u>	<u>PCM/VCM PART NUMBER</u>	<u>ENGINE CALIB</u>	<u>OPER CALIB</u>	<u>TRANS CALIB</u>
61,62	16253971 (CASN)	16253239	16254590KA	16253295 (3.42), 16253296 (3.73), 16253297 (4.10)
61A,62A	09363871 (CNUK)	16263739	09363996	16253295 (3.42), 16253296 (3.73), 16253297 (4.10)
61B,62B	09367521 (CRKZ)		09365637	