## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-9-451 Relating to Certification of New Motor Vehicles

## DAIMLERCHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9:

IT IS ORDERED AND RESOLVED: That 2000 model-year DaimlerChrysler Corporation exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Low-Emission Vehicle (LEV)

Fuel Type: Gasoline

Engine Family: YCRXV0215V30 Displacement: 3.2 Liters (195 Cubic Inches)

3.5 Liters (215 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Dual Three Way Catalytic Converters Dual Heated Oxygen Sensors (two) Sequential Multiport Fuel Injection Exhaust Gas Recirculation

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The LEV certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen Oxides	Formaldehyde	Carbon Monoxide (20°F)
50,000	0.075	3.4	0.2	0.015	10.0
100,000	0.090	4.2	0.3	0.018	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.94

The certification exhaust emission values set forth for non-methane organic gas (NMOG) reflect application of a 0.94 RAF for 2000 model-year LEVs. The LEV certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen Oxides	Formaldehyde	Carbon <u>Monoxide (20<sup>0</sup>F)</u>
50,000	0.044	0.3	0.1	0.002	3.6
100,000		0.5	0.1	0.002	n/a

- BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."
- BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.
- BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.
- BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 and Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and the listed vehicle models comply with those standards.
- BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).
- BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."
- BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).
- BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").
- BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 16th day of July 1999.

R. B. Summerfield, Chief

Raplach Sumowit

Mobile Source Operations Division

2000 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

E.O.# <u>A-9-451</u> Page <u>1</u> of <u>1</u>

Manufacturer: DaimlerChrysler Corp Exh Eng Fam: YCRXV0215V30 Evap Fam: YCRXR0101G1D All Eng Codes in Eng Fam: CA X 49S X 50S AB965 ORVR: YES X NO Exh Std: CA Tier-1 TLEV LEV X ULEV SULEV US: EPA Tier-1 NLEV X Veh Class(es): PC X LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5 Single Cert Std for Multi-Class Eng Fam: N/A (Specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4) Fuel Type(s): Dedicated X Flex-Fuel Dual-Fuel Bi-Level Gasoline X Diesel  CNG LNG LPG M85 E85 Other(specify)
Emis restrict(s). Indo CBG A CNG LPG M85 F85 Other(care) (c.)
Evaporative Emission Test Procedure: California Federal V
Service Accum: Std AMA Mod AMA X Mfr ADP Other(specify)  NMOG Test Procedure: N/A Std Equiv X R/L Test Proc: SHED Pt Source X
Engine Configuration: V-0 Displacement 3.7/3.5 Litera 105/015 California
Engine: Front X Rear Prive: FWD X RWD 4WD FT 4WD RT 4WD RT
Exhaust ECS (eg. EGR, MFI, TC, CAC): 2HO2S(2), 2TWC, EGR, SFI, OBDII  (use abbreviations per SAE J1930 JUN93)

Engine Code (also list CA/49ST/50ST	Vehicle Model (if coded see attachment)	Trans, Type ETW M5 Or A4 TestWt	or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.
NA-100 (CA) (w/o Autostick)	LHCM41	A4 3875	S E E	04896350AB	04591815AA	04581726AA 04581727AA
NA-200 (CA) (w/ Autostick)	LHDP41	: : :	A T T A			
3.5L NA-300 (CA) (w/o Autostick)	LHCP41		C H M E N	04896240AB 04896742AB		
NA-400 (CA) (w/ Autostick)	LHYS41		T :			
NA-500 (CA) (w/o Autostick)	LHDX41		· · !	04896742AB	· :	
NA-600 (CA) (w/ Autostick)	LHDX41		:	·		

Date Issued: 06/07/99

Revisions:

LOADED VEHICLE WEIGHT

ED VEHICLE WGT \*----

3	į													
ICLE	TIRE PRES F R													
VEH	*DYNO HP	. ;												
ADED	. ~	,												
ADJUSTED LOADED VEHICLE WO	COAST DOWN TIME													
ADJUS	ALVW	}												
LOADED VEHICLE WEIGHT	COLD CO ELECTRIC DYNO COEFFICIENTS  TARGET A B C SET A B C (LINE 1 IS 20 DEG COEFFS, LINE 2 IS 50 DEG WHEN NEEDED)	37.63 0.02108 34.21 0.01916	45.35 0.02363 41.23 0.02148			46.03 0.02155								

32 32

STD 00 TRU 1ZA STD 00 TR3 TZA

17.97 17.97 18.54

STD 00 TR3 TZA STD 00 TR3 TZA STD 00 TR3 TZA

LHDX41 EGC DGX FW Y 0 LHDX41 EGC DHD FW Y 0 LHYS41 EGG DHD FW Y 0

LHDP41 EGW DHD FW Y 0 LHCP41 EGG DGX FW Y O

30 30

6.5

17.21

OPT OO TRS TZH

30 30 32 32

> 7.4 6.1

32 32

20.76 6.4

3875 STD 00 TP8 TZA

LHCM41 EGW DGX FW Y 0 C 3875

6.0

20.54 17.97 20.19

OPT 00 TRU 1ZA

3875 3875

Ç ں

TIRE PRES F R

\*DYNO

MODEL ENG TRANS C GVW TYPE ETW USE YR COD MFG OPT TIME

全

0	
400	
*	
•	
2	
VF0Z	
=	- 3
	ï
	i
-	i
	i
5	1
_	;
	٠
	ŧ
•	٠

Report Date: 06/07/99 Time: 10:52:04

Vehicle NFR: CHRYSLER

YCRXV0215V30 YCRXR0101G1D

Engine Family: Evaporative Fam:

Certificate #:

California Sales YES

YES YES YES

Concorde LXi Intrepid R/I LHS Car Line Intrepid 300 H

Model 1D

LHYS41

LHCM41 LHDP41 LHDX41 LHCP41

- For U.S. Possessions the nameplate will read Chrysler

Model Codes

Body Style
22=2 door coupe
27=2 door convertible
41=4 door sedan
42=4 door subcompact sedan

L=Low Line S=Sport Trim tevel H≃High Line P=Premium

D=Dodge P=Plymouth Division L,C=Chrysler X=Eagle

JA=Cirrus, Stratus, Breeze PL=Neon JX=Sebring Convertible LH=Concorde, New Yorker, LHS, Vision, Intrepid SR=Viper , PR=Prowler Car Line

Report Date: 04/26/99