GENERAL MOTORS CORPORATION

EXECUTIVE ORDER A-006-1036
New Passenger Cars, Light-Duty Trucks
and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

*	*	* *				*	-							
*	*	* *		•										
•	*	*												
1	1	4.2		Chevrolet Trailblazer EXT 2WD/4WD; GMC Envoy XL 2WD/4WD										
EVAP No.	P ECS No.	No. SIZE (L)			VEHICLES SUBJ STANDARDS AR	E UNDERLINED	ABBREVIATIONS:							
4	- alice of Abdenber	The second second second	4	a kandingsi senggapapan	Contract to 1.0/1960 circum	OBD (F) / OBD (P) = on-board diagnosis; full / partial compliance (prefix) 2 = parallel (2) (suffix) = serie:								
3	*		3		*	MFI = multiport fuel injection SFI = sequential MF TC/SC = turbo/super charger CAC = charge air coole								
2		•			*	AIR = secondary air injection PAIR = pulsed AIR								
1	2GMXE02	12924	1	SFI, TWC, HO	2S(2), EGR, OBD	TWC = 3-way catalytic converter WUTWC = warm-up TWC ADSTWC = adsorber TWC OC = oxidation catalytic converter O2S = oxygen sensor HO2S = heated O2S EGR = exhaust gas recirculation								
No.	FAMILY (2GMXA04.2187 EVAPORATIVE FAMILY (EVAP)		SPECIAL FEATUR EMISSION CONTROL SYS	STEMS (ECS)					* = not applicable				
2002	2 2GM			3751-5750 Pounds Adjusted Loaded Vehicle Weigh Medium-Duty Vehicle	nt Low E	mission Vehicle (LEV)	Gasoline							
MODE				VEHICLE TYPE		UST EMISSION ARD CATEGORY	FUEL TYPE							

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows. Any debit in the manufacturer's compliance plan for "NMOG Fleet Average" (passenger cars and light-duty trucks) or "Vehicle Equivalent Credit" (medium-duty vehicles) shall be equalized as required. The 50° Fahrenheit standards and CERT levels are listed below or compliance has been met based on the manufacturer's submitted compliance plan in lieu of actual testing.

NMOG FLEET NMOG [g/i AVERAGE [g/mi] @RAF = 0.			[g/mi] = 0.94	CH4 = m NOx = o	ethane I xides of nits			organic formald		HC = non-C	H4 hydro			carbon moi		
CERT	CERT STD		CH4 RAF = *		CO [g/mi]			NOx [g/mi]		HCHO [mg/mi]		PM [g/mi]			Hwy NOx [g/mi]	
*	•		CERT	STD	CERT STD		CER	₹T	STD	CERT	STD	CER	T S	TD	CERT	STD
	@ 50	K	0.097	0.160	1.1	4.4	0.2	!	0.4	2	18	*		*	0.04	0.8
K = 1000 miles	@ 120	к	0.097	0.230	1.1	6.4	0.2	:	0.6	2	27	*		•	0.04	1.2
	@ 50°F, 4	ĸ	*	*		•							*	•	•	
	[g/mi] °F, 50K		g = gr ma =	am milligram	NMHC+NOx [g/mi] (composite)		NMH	NMHC+NOx [g/mi] [US06]		CO [g/mi] [US06]			NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]	
CERT	STD		mi = mile		CERT	STD	CER	RT	STD	CERT	STD	CER		TD	CERT	STD
11.2	12.5		@ 4K		*	*	*		•	*	*	*		*	*	•
F = degree	Fahrenheit	ahrenheit		@ 120K		•	*	*	*	*	*	*		•	*	*
@	EVAPORATIVE FAMILY 1			EVAPORATIVE FAMILY 2 EV				VAPORATIVE FAMILY 3			EVAPORATIVE FAMILY 4					
120K	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVR
CERT	1.4	1.6	0.00	*	*	*	*		*	*	*	•	*	*	*	•
STD	2.0	2.5	0.05	*	*	*	*	*	*	•	+	*	*	*	*	+ -
2-D, 3-D [g/	test] = 2-day	, 3-day	diurnal a	ınd hot-soal	(RL [g/mi]	= running	loss		ORVR [g/ga	llon of fue	l dispense	d] = on-b	oard ref	ueling vapo	r recovery

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 (labeling), 1968.1 or 1968.1(m)(6.2) (on-board diagnostic systems; full or partial compliance), 2035 et seq. (emission control warranty), 2235 (fuel tank fill pipes and openings), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 6

day of November 2001

R. B. Summerfield, Chief Mobile Source Operations Division