

NISSAN MOTOR CO., LTD

EXECUTIVE ORDER A-015-0365 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODEL YEAR 2002		TEST GROUP		P	VEHICLE TYPE	EXHAUS	T EMISSION STAND CATEGORY	ARD	FUEL TYPE			
		2NSXV01.852A			Passenger Car	"LEV II" S Veh	Super Ultra Low Emis nicle (LEV II SULEV)	ssion	Gasoline			
No.		EVAPORATIVE FAMILY (EVAP)		No.	SPECIAL FEAT EMISSION CONTROL		* = not applicable	TWC = 3-way catalytic converter WUTWC = warm-up TWC ADSTWC = adsorber TWC OC = oxidation				
1	2NS	2NSXR0085RCB			TWC, ADSTWC(2),	AFS, HO2S(2), EGR,	catalytic converter 025 = oxygen sensor					
2		•				•	AIR = seco	eated O2S EGR = exhaust gas recirculation ondary air injection PAIR = pulsed AIR				
3		•	•			•	MFI = multiport fuel injection SFI = sequential MFI TC/SC = turbo/super charger CAC = charge air cooler					
4		•				*	OBD (F) / OBD (P) = on-board diagnosis; full / partial compliance (prefix) 2 = parallel (2) (suffix) = serie:					
EVAF No.	1 -	CS No.	ENGINI SIZE (L		VEHICLE MAKES & MODELS	VEHICLES SUBJESTANDARDS ARE	ECT TO SFTP E UNDERLINED					
1	1 1.8			NISSAN SENTRA CA								
	•											
. *		•					+					
-	•		• •				•					

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows. Any debit in the manufacturer's compliance plan for "NMOG Fleet Average" (passenger cars and light-duty trucks) or "Vehicle Equivalent Credit" (medium-duty vehicles) shall be equalized as required. The 50° Fahrenheit standards and CERT levels are listed below or compliance has been met based on the manufacturer's submitted compliance plan in lieu of actual testing.

NMOG FLEET AVERAGE [g/mi]		NMOG [g/mi] @RAF = 1.00		CH4 = methane NMOG = non-CH4 organic gas NMHC ≈ non-CH4 hydrocarbon CO = carbon monoxide NOx = oxides of nitrogen HCHO = formaldehyde PM = particulate matter RAF = reactivity adjustment factor												
CERT	STD		CH4 RAF = *		CO [g/mi]			NOx [g/mi]		HCHO [mg/mi]			PM [g/mi]		Hwy NOx [g/mi]	
0.061	0.0	68	CERT	STD	CERT STD		CER	T STD		CERT	STD CEI			TD	CERT	STD
K = 1000 miles	(0	50K	•	•	•	•	•		*	•		*	 	•	•	*
	@	150K	0.005	0.010	0.1	1.0	0.01		0.02	0.2	4	-		-	0.01	0.03
	@ 50°	F, 4K	0.01	0.02	0.4	1.0	0.003	3	0.02	0.2	8	•	_	•	•	•
) [g/mi] 0°F, 50K		g = gram mg = milligram		NMHC+NOx [g/mi] (composite)		NMHC	NMHC+NOx [g/mi]		CO [g/mi] [US06]		NMH	NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]	
CERT	STD		mi = mile		CERT	STD	CERT	Т	STD	CERT	STD	CER	• • •	TD	CERT	STD
1.4	10.	10.0		@ 4K	*	•	0.004	1	0.14	1.0	8.0	0.004	4 O	.20	0.03	2.7
F ≃ degree	Fahrenh	eit		@ 150K	*	• •			*	*	-				•	*
@	EVAPORATIVE FAMILY 1			EVAPORATIVE FAMILY 2 EV				VAPORATIVE FAMILY 3			EVAPORATIVE FAMILY 4					
150K	3-D	2-D	RL	ORVR	3-D	2-D	RL (ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVR
CERT	0.20	0.21	0.001	0.01	•	*	+	*	*	•	•	•		*	+	- Little
STD	0.35	0.35	0.05	0.20	•	•	•	•	•		*	+				+ -
2-D, 3-D [g/	test] = 2-	lay, 3-d	lay diurnal a	nd hot-soak	recovery	RL [g/mi] = run	ning k	oss (ORVR [g/ga	illon of fue	l dispense	d] = on-be	ard refu	eling vapo	r recovery

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 (labeling), 1968.1 or 1968.1(m)(6.2) (on-board diagnostic systems; full or partial compliance), 2035 et seq. (emission control warranty), 2235 (fuel tank fill pipes and openings), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles).

BE IT FURTHER RESOLVED: That the listed vehicle models have been certified to meet the requirements in 13 CCR Section 1962 (c)(2) and are hereby granted a partial zero-emission-vehicle (PZEV) allowance of 0.2.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 3RD day of August 2001.

R. B. Summerfield, Chief Mobile Source Operations Division