

GENERAL MOTORS CORPORATION

EXECUTIVE ORDER A-006-1107 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MOD				M	VEHICLE TYPE C=passenger car; LDT=light-duty truck; DV=medium-duty vehicle; LVW=loaded vehicle weight; ALVW=adjusted LVW)		AUST EMISSION PARD CATEGORY	EXHAUST / EVAPORATIVE USEFUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefied natural gas; LPG=liquefied petroleum gas)					
200		3GMXV05.7081			PC	Low E	mission Vehicle (LEV)	100K / 100K	Gasoline					
No.		APORATIVE MILY (EVAF)		No.	SPECIAL FEATURES & EMISSION CONTROL SYSTEM	IS (ECS)	* = not applicable	OC/TWC=oxidizing/3-w	ay cat. ADSTWC=adsorbing TWC					
1	3GMXF	₹013	3910	1	SFI, 2WUTWC, 2TWC, 2F	102S(2), AIR	AFS/HAFS=air-fuel ratio	/HO2S=oxygen sensor/heated O2S sensor/heated AFS EGR=exhaust						
2		•		2	*		yas recirculation AIR/P	AIR≃secondary air injection/nuteed						
3		*		3	*			⊪ i Di= throπie boαv iniec	TBI= throttle body injection TC/SC=turbo /super charger					
4		*		4	*		CAC=charge air cooler OBD (F) / (P)=full /partial on-board diagnostic prefix 2=parallel (2) suffix=series							
EVAF No.	EC: No		ENGINE SIZE (L)		VEHICLE VEH MAKES & MODELS STAN	ICLES SUBJ	ECT TO SFTP E UNDERLINED	ABBREVIATIONS:						
1	1		5.7		Chevrolet Corvette									
*	*	Ţ	*		*									
*	*	* *			*									
*	* *		*		•									

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

NMO(N	IOG @ CH4 R	RAF=0.94 AF = *	NMOG or							H4 hydrocai RAF=reactiv					
CERT	STD		MOG	NMHÇ	NMHC	diurnal+h mg=millig	UL-SUAK F	rr [8/1113]~1	unning los =1000 mile	S ORVR	[g/gallor	dispensed]:	≐on-board ı	refueling va _l	por recover	v a=aram
0.060	0.060 0.062		ERT ı/mi]	CERT [g/mi]	[g/mi]	CO [g/mi]		N	Ox [g/mi]		HCHO [mg/mi]		SFTP=supplemental (PM [g/mi]		Hwy NOx [g/mi]	
77.56.786.97.000			,,,,,,	[A,]		CERT	STD	CEF	RT S	TD (CERT	STD	CERT	STD	CERT	STD
	@ 50K @ UL		0.032		0.075	1.1	3.4	0.0	5 0	.2	0.1	15	*	*	0.03	0.3
			.036	*	0.090	1.4	4.2	0.1		0.3	0.2	18	*	*	0.04	0.4
7.3	@ 50°F & 4	& 4K *		*	*			*		*	•	•	*			
CO [g/mi] @ 20°F & 50K		ii.	g = gram mg = millgram		NMHC+NOx [g/mi] CO [g/ (composite) (compo			NMHC+NOx [g/mi] [US06]			CO [g/mi] [US06]		NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]	
CERT	ERT STD		mi =		CERT	STD	CERT	STD	CERT	STD	CER		CERT		CERT	STD
3.4	10.0	2	SFT	P @ 4K	*	*	*	*	0.06	0.14	1.4	8.0	0.07	0.20	0.8	2.7
F = degree		SFTP @ UL		*	*	*	*	*		*	*	*	*			
@ UL	EVA	PORAT	IVE FA	MILY 1	EVAPORATIVE FAMILY 2				EVAPORATIVE FAMILY 3				EVAPORATIVE FAMILY 4			
<u></u>	3-D	2-D	RL	. ORVE	₹ 3-D	2-D	RL	ORVR	3-D	2-D	RL			2-D	RL	ORVR
CERT	1.2	1.2	0.0	0 0.09	*	*	*	*	*	+	*	. 0.00	*	+ 2-5	*	*
STD	2.0	2.5	0.0	5 0.20	•	*	*	•	 •	*			*	+	*	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.1 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _____ day of February 2002.

Allen Lyons, Chief

New Vehicle/Engine Programs Branch