DAIMLERCHRYSLER CORPORATION

EXECUTIVE ORDER A-009-0668-2 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MOD YEA		TEST GROUP			VEHICLE TYPE (PC=passenger car; LDT=light-dut MDV=medium-duty vehicle; LVW= vehicle weight; ALVW=adjusted	STAND (LEV=low e transitional	.UST EMISSION ARD CATEGORY mission vehicle; TLEV: I LEV; ULEV=ultra LEV; EV=super ULEV)	EXHAUST / EVAPORATIVE USEFUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefied natural gas; LPG=liquefied petroleum gas)					
200		5CRXV02.7VE0			PC		1	in 8 as ARB LEV I ULEV	EXH/ORVR: 100K EVAF1: 100K EVAF2: 150K	Gasoline (Tier 2 Unleaded)				
No.		APORA MILY (E		No	SPECIAL FEAT EMISSION CONTROL			OC/TWC=oxidizing/3-way cat. ADSTWC=adsorbing TWC						
1	5CR	RXR0130GBA					SFI, EGR, OBI	WU= warm-up cat. O2S/HO2S=oxygen sensor/heated O2S AFS/HAFS=air-fuel ratio sensor/heated AFS EGR=exhaust gas recirculation AIR/PAIR=secondary air injection/pulsed AIR MFI/SFI= multiport fuel injection/sequential MFI TBI= throttle body injection TC/SC=turbo /super charger						
2	5CR	CRXR0130GMA			2TWC,	2HO2S(2	2), SFI, OBD(P							
3		*				*								
4		*		4		*		CAC=charge air cooler OBD (F) / (P)=full /partial on-board diagnostic prefix 2=parallel (2) suffix=series						
EVAI No.	F	ECS No.	ENGINI SIZE (L		VEHICLE MAKES & MODELS			ECT TO SFTP	BBREVIATIONS:					
1	1 1 2.7 Chrysler: Sebring 4DR, Sebring 0								tible: Dodge Stratus 4DR					
2	1 2		2.7	T	Chrysler: Sebring 4DR, Sebring Convertible; Dodge Stratus 4DR									
2		2 2.7			Chrysler: Sebring 4DR, Sebring Convertible; Dodge Stratus 4DR									
*		* *				•								
*		* *			*									

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

NM: AVEI	OG FL RAGE	.EET [g/mi]	NMOG @ RAF=* i] CH4 RAF = *			NMOG or	nitrogen	HUHU=TO	rmaidenvo	e PM≕n	iarticula	ate matte	or R∆F	=reactivit	u adluetmo	nt factor '	xide NOx= 2/3 D [g/test	1-2/2 day
CER	RT STD		NMOG		NMHC	NMHC	mg=millig	ot-soak K	∟ լg/mij=ru	inning los 1000 mile	ss or	VR [g/ga ≔degree	llon disp	pensed]=c	on-board re	fueling vap	or recovery deral test p	g=gram
0.046	в	0.049	CERT [g/mi]		CERT	[g/mi]		CO [g/mi]			x [g/mi] HCH		IO [mg/mi]		PM [g/mi]		Hwy NOx [g/mi]	
G0.10.10.00.00.00.00.00	The same of the sa		[g/mi]		[g/mi]		CERT	STD	CER	T S	TD	CERT	r s	STD	CERT	STD	CERT	STD
		@ 50K	0.072	!	*	0.100	1.0	3.4	0.07	7 0.	0.14			15	*	*	0.04	0.19 0.27
		@ UL	@ UL 0.078		*	0.125	0.9	4.2	0.07	′ 0.	.20	*		18	*			
1867	@ 50°		*		*	*	*	*	*		*	*		*	*	*	*	*
CO [@ 20		SFTP 1 = @ 4K (SULEV, ULEV, LEV) or 50K (Tier 1, TLEV)			NMHC+NOx [g/mi] CO [g/mi] (composite) (composite)				NMHC+NOx CO [g/mi] [g/mi] [US06] [US06]			NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]				
50	50K		SFTP 2 = @ UL (Tier 1, TLEV)		CERT	STD	CERT	STD	CERT	S	TD	CERT	STD	CERT	STD	CERT	STD	
CERT	3.1			SFT	P @ 4K	*	*	*	*	0.13	0	.14	0.9	8.0	0.16	0.20	0.5	2.7
STD	10.0		SFT		P @ UL	0.17	0.71	*	*	*		*	7.6	11.1	+	*	1.4	3.7
@ UL	EVAPORATIVE FAMILY 1					EVAPORATIVE FAMILY 2			EVAPORATIVE FAMILY 3					EVAPORATIVE FAMILY 4				
	3-D	2-0) F	≀L	ORVR	3-D	2-D	RL.	ORVR	3-D	2-	D	RL	ORVR	3-D	2-D	RL	ORVR
CERT	0.7	0.7	7 0.0	001	0.03	0.38	0.38	0.000	0.09	*	*		*	*	*	.*	* .	*
STD	2.0	2.5	5 0.	05	0.20	0.50	0.65	0.05	0.20	*	*		*	*	*	*	*	* .

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

BE IT FURTHER RESOLVED: That the listed vehicle models are federally certified, and are certified under the provisions of 13 CCR Section 1961(a)(14) and the incorporated test procedures.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order. This Executive Order hereby supersedes Executive Order A-009-0668-1 dated November 8, 2004.

Executed at El Monte, California on this 2014 day of December 2004.

Allen Lyons, Chief Mobile Source Operations Division