Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	TEST GROUP			VEHICLE TYPE :=passenger car; LDT=light-duty)V=medium-duty vehicle; LVW=l ehicle weight; ALVW=adjusted l	/ truck; CA1	HAUST EMISSION STANDAI TEGORY (LEV=tow emiss vehicle; TLEV= transitional LEV; EV=ultra LEV; SULEV=super ULE	USEFUL LIFE	FUEL TYPE (CNG/LNG=compressed/ Ilquefied natural gas; LPG=liquefied petroleum gas)		
2007	7MBX	V03.0BN		Passenger Car		LEV II LEV	120K / *	Diesel / cat. ADSTWC=adsorbing TWC		
EV	NA BORATNE M		No. 1 2 3 4	SPECIAL FEAT EMISSION CONTROL OC, NSC, DPF, HO2	SYSTEMS (E	CS) *= not applicable C, EGR, DDI, OBD (P)	AFS/HAFS=air-fuel ratio AFS/HAFS=air-fuel ratio Spas recirculation NSC= Diesel injection DPF=Die AIR/PAIR=secondary air multiport fuel injection/s	HOZS-OXYGEN Self-SURVINES EGR=exhaust lox Storage catalyst DD⊯Direct seed Particulate Filter injection/pulsed AIR MFI/SFI= equential MFI TBI≃ throttle body super charger CAC=charge air I/partial on-board diagnostic		
EVAF No.	ECS No.	ENGIN SIZE (L 3.0		VEHICLE MAKES & MODELS	VEHICLE STANDAI	S SUBJECT TO SFTP RDS ARE UNDERLINED Mercedes-Benz: E 320 B	UETEC			

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

NMOG FLEET AVERAGE [g/mi]		NMOG @ RAF= * CH4 RAF = *		NMOG or NMHC	CH4=meth nitrogen diurnal+ho	ane NMOG HCHO≕fo⊓ ot-soak RL	maldenyde . [g/ml]=rum	PM=partic Ning loss C	IRVR fo/ga	n-CH4 hydron r RAF=read llon dispense	d]≃on-bo	and rofu	eling vanc	/3 D [g/test] or recovery eral test pr	d=0.csur		
PC		STD	NMOG	NMHC	STD [g/mi]	mg=milligram mi=m CO [g/mi] CERT STD		nile K=1000 miles NOx [g/ml]		L-nefi ac	F=degrees Fahrenheit HCHO [mg/mi]		PM [g/ml]		Hwy NOx [g/ml]		
0.039		0.043	CERT	CERT [g/ml]				CERT	STD	CER		CEF	₹1	STD	CERT	STD	
0.038	`	7.043	[g/mi]	[g/mm]	 			_	0.05	1.6	15.	*		•	0.02	0.07	
	E YEAV	@ 50K	0.025	·	0.075	0.4	3.4	0.05				0.00	04	0.01	0.02	0.09	
5.5		@ UL	0.025	•	0.090	0.4	4.2	0.06	0.07	1.6	18.	0.00	· ·	0.01	*	*	
	Ø 50		*	-	•	*	*	*	<u> </u>			1	NIMIU/	C+NOx	CO	[g/mi]	
			1 = @ 4K (SULEV, ULEV, EV) or 50K (Tier 1, TLEV)					g/mi] cosite)	NMHC+ [g/ml] [l		06] [US0 <u>6]</u>		[g/mi]	[SC03]	[S	C03]	
@ 20° 501		SFTP 2	= Ø; UL (ier 1, TLEV)	CERT	STD	CERT	STD	CERT	STD	CERT S	STD	CERT	STD	CERT	+	
	<u>`</u>			SFTP 1	*	*	*	*	0.05	0.14	0.2	8.0	0.04	0.20	0.3	2.7	
ERT		Spis i		SFTP 2	·		 	-	- +-	•	*	•	*	<u> </u>	*	نبل	
STD	<u> </u>			- Control of the cont		PORATIVE FAMILY 2 EV			EVAP	VAPORATIVE FAMILY 3				EVAPORATIVE FAMILY 4			
UL -	1	EVAPORATIVE FAMILY 1					ORVR	3-D	2-D	RL O	RVR	3-D	2-D	RL	ORV		
1.	3-D	2-	D 1	L ORVE	3-D	2-D	- KL	- A	*	 -	•	•	*	<u> </u>	<u> </u>		
ERT	•			* "		 		- * -		•	•	*	*	<u> </u>		<u> </u>	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.1 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

BE IT FURTHER RESOLVED: That the listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(i)(3) (malfunction and diagnostic system) because the on-board diagnostic II system of the listed vehicle models has been determined to have fourteen deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of \$475 per vehicle for the third through fourteenth deficiencies in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2007 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$5000 per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

_ day of November 2006.

Annette Hebert, Chief

Mobile Source Operations Division