FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: The following diesel or incomplete medium-duty vehicles (MDV) with a manufacturer's GVWR from 8501 to 14000 pounds are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

			<u> </u>		E	IGINE DESCRIPTION				
	ENGI	E FAMIL		ENGINE	EMISSION	FUEL TYPE	STANDARDS	ENGINE	ECS & SPECIAL	OBD
MODEL YEAR	AFMXE06.8AFA		A MAN	UFACTURER	CATEGORY ²		& TEST PROCEDURE	SIZES (L)	FEATURES	COMPLIANCE
	EXECUTIVE ORDER FORD M		TOR COMP		Gasoline	1100000010	6.8	TWC, SFI, 2HO2S	O2S OBD(F)	
2010	A-0	10-1561			ULEV		Otto			
Gasoline	, LPG or	Alcohol 1	ehicles Only			VE	HICLE DESCRIP	TION		
EVAPORATI FAMILY		CAPACITY		VEHICLE MODEL YEAR	VEHICLE M	ENGINE (L)	ENGINE (rate	OBD COMPLIANCE		
AFMXF0		150	(ganons) 40	- 2010		E350	6.8		nplete / AE418Q0505, 06 (305 for all codes)	OBD(F)
AFMXFO	265NAS	150	55	2010		E350	6.8		nplete / AE418R0505, 06 (305 for all codes)	OBD(F)
t and and				ALAN 42 CCD	www.rTitle 12 Colifornie /	Code of Reculations Sec	tion w/z: 40 CER P	S abc=Title 40 C	nde of Faderal Segulations	Section 86 abc:

Enter, broken of the second state of the se (2004may26)

SULEV / ULEV / LEV=super ultra / ultra / low emission vehicle;

California Environmental Protection Agency

AIR RESOURCES BOARD

SULEV / ULEV / LEV=super uttra / low eintscion verticle, ECS=emission control system; TWC/OC=three-way/oxidizing catalyst; WU (prefix) =warm-up catalyst; DPF=diesel.particulate filter; HO2S/O2S=heated/oxygen sensor; HAFS/AFS=heated/air-fuel-ratio sensor (a.k.a., universal or linear oxygen sensor); TBI=throttle body fuel injection; SFUM/FI=sequential/multi port fuel injection; DGI=direct gasoline injection; GCARB=gaseous carburetor; IDI/DDI=indirect/direct diesel injection; TC/SC=turbo/super charger; CAC=charge air cooler; EGR=exhaust gas recirculation; PAIR/AIR=pulsed/secondary air injection; SPL=smoke puff limiter; OBD/F) / (P) / (\$)=full / partial / partial with a fine / on-board diagnostic; ECM/PCM=engine/powertrain control module; EM=engine modification; 2 (prefix)=parallel; (2) (suffix)=in series;

Following are: 1) the FTP exhaust emission standards or family emission limit(s) as applicable under 13 CCR 1956.8; 2) the EURO and NTE limits under the applicable California exhaust emission standards and test procedures for heavyduty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, in g/bhp-hr, for this engine family. "Diesel" CO, EURO and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For dual- and flexible-fuel, the CERT values in brackets [] are those when tested on conventional test fuel.)

	NMHC		NOX		NMHC+NOx		CO		PM		HCHO	
	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO
STD	0.14	*	0.20	*	*	*	14.4	*	0.01	*	0.01	•
FEL	*	*	*	*	*	*	*	1 * 1	*	*	*	*
CERT	0.12	*	0.05	*	*		7.9	*	*	*	0.001	•
NTE	*						*		Ť		*	

g/bhp-hr=grams per brake horsepower-hour; FTR=Federal Test Procedure; EURO=Euro III European Steady-State Cycle; NTE=Not-to-Exceed emission limit; STD=standard or emission test cap; FEL=family emission limit; CERT=certification tevel; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde;

BE IT FURTHER RESOLVED: Certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: The listed engine models have been certified to the optional emission standards and test procedures in 13 CCR 1956.8 applicable to diesel or incomplete MDV with a 8501-14000 pound GVWR and shall be subject to 13 CCR 2139(c) (in-use testing of engines certified for use in diesel or incomplete MDV with a 8501-14000 pound GVWR).

BE IT FURTHER RESOLVED: For the listed vehicle models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1968.2 (on-board diagnostic, full or partial compliance), 13 CCR 1976(b)(1)(F) (evaporative emission standards), 13 CCR 2035 et seq. (emission control warranty), and 13 CCR 2235 [fill pipes and openings of motor vehicle fuel tanks]. (The braces () are for gasoline, LPG or alcohol fueled vehicles only. The brackets [] are for gasoline or alcohol fueled vehicles only.)

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

20 day of July 2009.

Annette Hebert, Chief **Mobile Source Operations Division**