FUJI HEAVY INDUSTRIES, LTD.

EXECUTIVE ORDER A-002-0171-2 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 2

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODI YEA	R	ST GROU		VEHICLE TYPE (PC=passenger car; LDT=light-duty truck; MDV=medium-duty vehicle; LVW=loaded vehicle weight; ALVW=adjusted LVW) PC and LDT ≤ 6,000 pounds GVW	EXHAUST EMISSION STANDARD CATEGORY (LEV=low emission vehicle; ULEV=ultra LEV; SULEV=super ULEV) LEV II LEV	EXHAUST & ORVR/ EVAPORATIVE USEFUL LIFE (ÜL) (miles) 150K / 150K							
201		BFJXJ02.5PHL		(PC; LDT 3,751 – 5,750 pounds LVW)		Unleaded)							
No.	EVAPO FAMILY	RATIVE (EVAF)	No	SPECIAL FEATURES & EMISSION CONTROL SYSTEM		OC/TWC=oxidizing/3-way cat. ADSTWC=adsorbing TWC WU= warm-up cat. O2S/HO2S=oxygen sensor/heated O2S							
1	BFJXR	BFJXR01443DT		TWC(2), HAFS, HO2S, SFI,	AIR, TC, CAC, OBD (P)	AFS/HAFS=air-fue/ratio sensor/heated AFS EGR-exhaust- gas recirculation AIR/PAIR=secondary air injection/pulsed AIR MFI/SFI= multiport fuel injection/sequential MFI TBI= throttle body injection TC/SC=turbo / super charger icCAC=charge air cooler OBD (F) / (P)=full / partial on-board							
2	BFJXR	FJXR01253CN		*									
3		*		*									
4	,	*		*		diagnostic prefix 2=parallel (2) suffix=series							
EVA No.	F ECS	ENGIN SIZE (CLES SUBJECT TO SETP	7							
1	1	2.5		SUBARU LEGACY AWD									
2	1	1 2.5		SUBARU: (PC) IMPREZA AWD, IMPREZA WAGON/OUTBACK SPORT									
2	1	1 2.5		SUBARU: (LDT 3,751-5,750 pounds LVW) FORESTER AWD									
*	*	*											

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

	NMOG FLEET NMOG @ AVERAGE [g/mi] CH4 R		3 @ RAF 4 RAF =		NMOG or	CH4=methane NMOG=non-CH4 organic gases NMHC=non-CH4 hydrocarbons CO=carbon monoxide NOx=oxides of nitrogen HCHO=formaldehyde PM=particulate matter RAF=reactivity adjustment factor 2/3 D [g/test]=2/3 day diumal+hot-soak RL [g/mi]=running loss ORVR [g/gallon dispensed]=on-board refueling vapor recovery g=gram											
STE	/LDT1 LDT2 CERT CERT			NMHC STD	mg=milligram mi=mile K=1000 miles F=degrees Fahrenheit SFTP=supplemental federal test procedure												
PC/LD						[g/mi]	CO [g/mi]		NOx [g/mi]			HCHO [mg/mi]			g/mi]		
0.03	5	0.043	.043 [g/mi]		[g/mi]	191	CERT	STD	CERT	STI)	CERT	STD	CERT	STD	CERT	STD
	@ 50K		0.042		*	0.075	1.5	3.4	0.03	0.0	0.4		15	*	*	0.01	0.07
į.	🥻 @ UL		0.054		•	0.090	2.5	4.2	0.05	0.0	7	0.5	18	*	0.01	0.04	0.09
	@ 50°F & 4H		0.118		•	0.150	1.8	3.4	0.02	0.0	5	1	30	*	*	*	*
CO [g/mi] @ 20°F & 50K		SFTP	1 = @ 4K (: .EV) or 50!	= @ 4K (SULEV, ULI :V) or 50K (Tier 1, TL	LEV, NMHC+NO					NMHC+N [g/mi] [US			CO [g/mi] [US06]	NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]	
		SFTP	2 = @ UL (Tier 1, TLI	1, TLEV)	CERT	STD	CERT	STD	CERT	S	TD CE	RT ST	D CEF	T STD	CERT	STD
CERT	3.6	1		SF SF	TP 1	*	*	*	*	0.04	0	.14 3	.2 8.	0.0	3 0.20	0.6	2.7
STD	10.0			SF	TP 2	*	*	*	*	*		*	* *	w	vic .	*	*
@ UL		EVAPORATIVE FAMILY 1					EVAPORATIVE FAMILY 2			EVAPORATIVE FAMILY 3				VAPORAT	IVE FAMILY 4		
W 0L	3-0	2	D F	RL O	RVR	3-D	2-D	RL	ORVR	3-D	2-	D R	L ORV	/R 3-D	2-D	RL	ORVR
CERT	0.2	5 0.	38 0	.00	0.04	0.26	0.27	0.00	0.01	*	*	*	*	*	*	*	*
STD	0.5	0 0.	65 0	.05	0.20	0.50	0.65	0.05	0.20	*	*	*	*	*	*	*	*

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

BE IT FURTHER RESOLVED: Additional NMOG fleet average or vehicle equivalent credits are granted to the listed vehicle models pursuant to 13 CCR Section 1961(a)(8) [optional 150K certification].



FUJI HEAVY INDUSTRIES, LTD.

EXECUTIVE ORDER A-002-0171-2 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 2

BE IT FURTHER RESOLVED: The test group listed in this Executive Order is conditionally certified for vehicles produced before July 21, 2010 provided the vehicles have the air/fuel (A/F) sensor protection strategy as submitted to the Air Resources Board (ARB) on May 27, 2010. Vehicles produced on and after July 21, 2010 are not covered by this Executive Order unless the revised A/F sensor protection strategy is approved by ARB. In addition, vehicles produced before July 21, 2010 shall incorporate the revised A/F sensor protection strategy in a plan approved by ARB. The manufacturer shall report to ARB by August 31, 2011 the vehicle identification numbers (VINs) of vehicles produced before July 21, 2010 that do not have the revised A/F sensor protection strategy. Vehicles not having the revised A/F sensor protection strategy shall be subject to remedial actions under Title 13, California Code of Regulations, Chapter 2, Article 2.2 (recalls).

BE IT FURTHER RESOLVED: The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the listed vehicle models has been determined to have three deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of \$25 per vehicle for the third deficiency in the listed test group that is produced and delivered for sale in California. On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2011 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$5000 per vehicle pursuant to HSC Section 43154.

BE IT FURTHER RESOLVED: The test group listed in this Executive Order is certified conditionally on the manufacturer providing test data to determine the greenhouse gas (GHG) emissions for the listed test group, expressed in grams per mile of carbon dioxide-equivalent (g/mi CO2-e), as required in section E.2.5.2 of the California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles, as amended August 4, 2005 (the Test Procedures). Manufacturer shall provide the required data within 45 days after the date of the Executive Order unless (a) an extension is granted by the Executive Officer, or (b) the manufacturer demonstrates to the satisfaction of the Executive Officer that it is exempt from determining GHG emissions for the listed test group under section E.2.5.3 (Intermediate Volume Manufacturers) or E.2.5.4 (Small Volume Manufacturers) of the Test Procedures. Failure to comply with the certification requirement to determine the GHG emissions for the listed test group may be cause for the Executive Officer to revoke the Executive Order. Vehicles in the revoked Executive Order shall be deemed uncertified and subject to penalties authorized under California law. Notwithstanding the requirement therein, the manufacturer is not required to determine GHG emissions for any medium-duty vehicles in the listed test group that are not medium-duty passenger vehicles.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

This Executive Order hereby supersedes Executive Order A-002-0171-1 dated June 29, 2010.

Executed at El Monte, California on this _

9th day of July 2010.

Annette Hebert, Chief

Mobile Source Operations Division